


Nom: Felip Curto Aixalà

Documentació Exercici PHP MP09


El primer pas serà afegir la taula users a la meva base de dades amb els següents camps



A screenshot of a database management tool showing the schema for a table named 'users'. The table has five columns: 'id' (int, Primary Key), 'nom' (text(65535)), 'cognom' (text(65535)), 'email' (text(65535)), and 'password' (text(65535)).

Column	Type	Constraints
id	int	Primary Key
nom	text(65535)	
cognom	text(65535)	
email	text(65535)	
password	text(65535)	


Un cop fet realitzaré un insert dins la taula



A screenshot of a database management tool showing the result of a query: 'SELECT * FROM users LIMIT 100'. The results are displayed in a table with 8 columns: 'id', 'nom', 'cognom', 'email', 'password', 'create_time', and 'name'. The first row shows the data for a user with id 1, named 'felip curto', with email 'felipcurto@felip.com' and password 'felip'. The 'create_time' is NULL and 'name' is NULL.

	id	nom	cognom	email	password	create_time	name
1	1	felip	curto	felipcurto@felip.com	felip	(NULL)	(NULL)


Un cop fet això passaré a crear el controlador de users dins la carpeta app que farà referencia al fitxer users.blade.php que ens mostrara la pagina que volem visualitzar al fer clic a la pestanya usuaris



A screenshot of a code editor showing the 'users.php' file in the 'app' directory. The code is as follows:

```
1 <?php
2
3 use framework\App;
4
5 $users = App::get('database')->selectAll('users');
6
7 require '../resources/views/users.blade.php';
```

Ara al fitxer routes.php afegirem la ruta al controlador que hem creat anteriorment



A screenshot of a code editor showing the 'routes.php' file. The code is as follows:

```
1 <?php
2
3 return [
4     '/'=>'../app/index.php',
5     '/index.php'=>'../app/index.php',
6     '/index'=>'../app/index.php',
7     '/home'=>'../app/index.php',
8     '/tasks' => '../app/index.php',
9     '/contact' => '../app/contact.php',
10    '/about' => '../app/about.php',
11    '/users' => '../app/users.php',
```

Ara crearem la vista per a la pagina d'usuaris on crearem una columna per a cada camp i farem que agafe els valors de la base de dades que hem creat anteriorment

```
resources > views > users.blade.php
1 <?php require '../resources/views/layout/html_header.blade.php'; ?>
2 <?php require '../resources/views/layout/nav.blade.php'; ?>
3 <header class="bg-white shadow">
4     <div class="mx-auto max-w-7xl px-4 py-6 sm:px-6 lg:px-8">
5         <h1 class="text-3xl font-bold tracking-tight text-gray-900">USERS LIST</h1>
6     </div>
7 </header>
8 <main >
9
10
11     <div class="mx-auto max-w-7xl px-4 py-6 sm:px-6 lg:px-8">
12         <h1 class="mt-5 mb-7 ml-8"><? $greeting; ?></h1>
13         <div class="px-4 sm:px-6 lg:px-8">
14             <div class="sm:flex sm:items-center">
15
16                 <div class="sm:flex-auto">
17                     <h1 class="text-base font-semibold leading-6 text-gray-900">Users</h1>
18                     <p class="mt-2 text-sm text-gray-700">A list of users.</p>
19                 </div>
20                 <!-- <div class="mt-4 sm:ml-16 sm:mt-0 sm:flex-none">
21                     <button type="button" class="block rounded-md bg-indigo-600 px-3 py-2 text-center text-sm font-semibold text-white shadow-sm hove
22                 </div>
23                 -->
24             </div>
25             <div class="mt-8 flow-root">
26                 <div class="-mx-4 -my-2 overflow-x-auto sm:-mx-6 lg:-mx-8">
27                     <div class="inline-block min-w-full py-2 align-middle sm:px-6 lg:px-8">
28                         <table class="min-w-full divide-y divide-gray-300">
29                             <thead>
30                                 <tr>
31                                     <th scope="col" class="py-3.5 pl-4 pr-3 text-left text-sm font-semibold text-gray-900 sm:pl-0">ID</th>
32                                     <th scope="col" class="px-3 py-3.5 text-left text-sm font-semibold text-gray-900">Name</th>
33                                     <th scope="col" class="px-3 py-3.5 text-left text-sm font-semibold text-gray-900">Surname</th>
34                                     <th scope="col" class="px-3 py-3.5 text-left text-sm font-semibold text-gray-900">Email</th>
35                                     <th scope="col" class="px-3 py-3.5 text-left text-sm font-semibold text-gray-900">Password</th>
36                                     <th scope="col" class="relative py-3.5 pl-3 pr-4 sm:pr-0">
37                                         <span class="sr-only">Edit</span>
38                                     </th>
39                                 </tr>
40                             </thead>
41                             <tbody class="divide-y divide-gray-200">
42                                 <?php foreach ($users as $user): ?>
43                                 <tr>
44                                     <td class="whitespace-nowrap py-4 pl-4 pr-3 text-sm font-medium text-gray-900 sm:pl-0"><? $user->id; ?></td>
45                                     <td class="whitespace-nowrap px-3 py-4 text-sm text-gray-500"><? $user->nom; ?></td>
46                                     <td class="whitespace-nowrap px-3 py-4 text-sm text-gray-500"><? $user->cognom; ?></td>
47                                     <td class="whitespace-nowrap px-3 py-4 text-sm text-gray-500"><? $user->email; ?></td>
48                                     <td class="whitespace-nowrap px-3 py-4 text-sm text-gray-500"><? $user->password; ?></td>
49                                     <td class="relative whitespace-nowrap py-4 pl-3 pr-4 text-right text-sm font-medium sm:pr-0">
50                                         <a href="#" class="text-indigo-600 hover:text-indigo-900">Edit<span class="sr-only">, Lindsay Walton</span></a>
51                                     </td>
52                                 </tr>
53                             </tbody>
54                         </table>
55                     </div>
56                 </div>
57             </div>
58         </div>
59     </div>
60 </main>
61 </div>
```

Com podem veure veurem a la pagina el insert i la taula que hem creat anteriorment

localhost:7890/users

TasksUsersAboutContact

USERS LIST

Users

A list of users.

ID	Name	Surname	Email	Password	
1	Felip	curto	felipcurto@felip.com	Felip	Edit

També farem la prova amb tasks i com podem veure també funciona

The screenshot shows a database management interface. On the left, a tree view displays the database structure: 'proba' (8.0.34-0ubuntu0.22.04.1) contains 'phplaraveldevs' (32k), which includes a 'Query' folder (No saved query files) and 'Tables (2)'. The 'tasks' table is selected, showing its columns: 'id' (int), 'nom' (text(65535)), 'descripcio' (text(65535)), 'completed' (tinyint), and 'create_time' (datetime). The main panel shows a SQL query: `SELECT * FROM tasks LIMIT 100`. Below the query, a table displays the results of the query:

	id	nom	descripcio	completed	create_time	
	1	1	asdf	asdf	1	(NULL)

The screenshot shows the header of a web application. It features a dark blue background with a logo on the left and four navigation links: 'Tasks', 'Users', 'About', and 'Contact'.

TASKS LIST

Hello World!

Tasks

A list of tasks.

ID	Name	Description	Completed
1	asdf	asdf	1