



JOINS: UNIR DADOS ATRAVÉS DE PK E FK





TIPOS





INNER JOIN

A

A.ID	B.FK
1	Α
2	Α
3	С
4	F ★

B.ID	
Α	
В	*
С	
D	*

A.ID	B.FK	B.ID
1	Α	Α
2	Α	Α
3	С	С



LEFT JOIN

A

A.ID	B.FK
1	Α
2	Α
3	С
4	F

B.ID	
Α	
В	*
С	
D	*

A.ID	B.FK	B.ID
1	Α	Α
2	Α	Α
3	С	С
4	F	



RIGHT JOIN

A

A.ID	B.FK
1	Α
2	Α
3	С
4	F

B.ID		
A	١	
Е	3	
C		
)	*

A.ID	B.FK	B.ID
1	Α	Α
2	Α	Α
		В
3	С	С
		D



FULL JOIN

A

A.ID	B.FK
1	Α
2	Α
3	С
4	F

B.ID	
Α	
В	
С	
D	

A.ID	B.FK	B.ID
1	Α	Α
2	Α	Α
3	С	С
4	F	
		В
		D



nome character varying (50)	total numeric (10,2)
Armando Lago	8053.60
Iberê Lacerda	150.40
Jéssica Castelão	6087.00
Hélio Liberato	13828.60
Napoleão Méndez	26096.66
Simão Rivero	18402.00
Simão Rivero	7524.20
Iberê Lacerda	12036.60
Jéssica Castelão	2804.75
Capitolino Bahía	8852.00
Armando Lago	16545.25
Jéssica Castelão	11411.88
Godo Capiperibe	15829.70

VENDAS COM NOMES DOS VENDEDORES

SELECT NOME, TOTAL FROM VENDAS, VENDEDORES

WHERE VENDAS.IDVENDEDOR = VENDEDORES.IDVENDEDOR



count bigint 400

INNER JOIN

SELECT COUNT(*) FROM VENDAS INNER JOIN VENDEDORES ON(VENDAS.IDVENDEDOR = VENDEDORES.IDVENDEDOR)



count bigint 400

LEFT JOIN

SELECT COUNT(*) FROM VENDAS
LEFT JOIN VENDEDORES ON
(VENDAS.IDVENDEDOR =
VENDEDORES.IDVENDEDOR)



count bigint 401

RIGHT JOIN

-- INSERE NOVO VENDEDORES

INSERT INTO VENDEDORES (NOME) VALUES ('FERNANDO AMARAL');

SELECT COUNT(*) FROM VENDAS RIGHT JOIN VENDEDORES ON(VENDAS.IDVENDEDOR = VENDEDORES.IDVENDEDOR);



cliente character varying (50)	total numeric (10,2)
Adelina Buenaventura	8053.60
Gertrudes Hidalgo	150.40
Antão Corte-Real	6087.00
Adelina Buenaventura	13828.60
Diodete Carijó	26096.66
Cássio Bettencourt	18402.00
Gisela Bahia	7524.20
Adelino Gago	12036.60
Clóvis Pamplona	2804.75
Greice Lameirinhas	8852.00
Adélio Lisboa	16545.25
Antero Milheiro	11411.88
Elsa Alencar	15829.70

"APELIDOS"

SELECT CLIENTE, TOTAL FROM VENDAS V
INNER JOIN CLIENTES C ON (V.IDCLIENTE =
C.IDCLIENTE)

