

1. Video:

Presentacion :

<https://drive.google.com/file/d/1wp4L3x1kLyPiZ5vS3YW9JmmmHHWLHpAj/view?usp=sharing>

explicacion:

<https://drive.google.com/file/d/15nj1zAuGpcGRL3mphQSeSBvwSDpyoJBQ/view?usp=sharing>

video factura

<https://drive.google.com/file/d/1S3ykfqSchLdvnREYajY2vsQQOPuKGek2/view?usp=sharing>

2. BRAYAN ESTIVEN FRANCO REDONDO

GRUPO: 92

RETO: 6

SEMANA : 6

The screenshot shows a Java IDE with a 'Registrate' window in the foreground. The window has a title bar and a tab labeled 'tab1'. It contains a form with the following fields:



- Code:
- Nombre:
- Correo:
- Edad:

Below the form are three buttons: 'Save', 'Edit', and 'Delete'. At the bottom left of the window is a 'Search' button and a text input field. At the bottom right is a 'Return' button. Below the form is a table with the following data:

id	Correo	Nombre	Code	Edad
19	brayan	brayan	2	25
20	franco.com	franco	102	27
21	stiven.com	stiven	99	32
22	maria.com	maria	88	85

The background shows a Java IDE with a file named 'vistas.vista1' open. The code in the file is partially visible, showing a public class with methods like 'initC', 'setLoc', and a private method 'vista'. The IDE also shows a 'Run' button and a 'Output' window with the following message:

```
run:
Loading class 'com.mysql.jdbc.Driver'. This is deprecated. The new driver class is 'com.mysql.cj.jdbc.Driver'. The driver is autc
conexion exitosa
```



ic vis
initCo
setLoc

his me
ARNING
egener

press
rated

ate vo
vista
ventar
this.c

) x

s 'com.mysql.jdbc.Driver'. This is deprecated. The new driver class is 'com.mysql.cj.jdbc.Driver'.
:osa



Registrate

tab1

Code

Nombre

Correo

Edad

Save


Edit

Delete

Search

id	Correo	Nombre	Code	Edad
19	brayan	kevin	2	32
20	franco.com	franco	102	27
21	stiven.com	stiven	99	32
22	maria.com	maria	88	85

Return



Código:

Editar:

```
public void Modificar(){
    int fila=tabla.getSelectedRow();
    if(fila>=0){
        txtCode.setText(tabla.getValueAt(fila,3).toString());
        txtNombre.setText(tabla.getValueAt(fila,2).toString());
        txtCorreo.setText(tabla.getValueAt(fila,1).toString());
        txtEdad.setText(tabla.getValueAt(fila,4).toString());
        txtid.setText(tabla.getValueAt(fila,0).toString());
    }
}
```

```

}else{

    JOptionPane.showMessageDialog(null, "selecciona fila");

}

}

public void ModificarDatos(){

    try{

        PreparedStatement pasar=cn.prepareStatement("Update tb_usuario set
Código='"+txtCode.getText()+"',Nombre='"+txtNombre.getText()+"',Correo='"+txtCorreo.getText()
+'',Edad='"+txtEdad.getText()+"'where id='"+txtid.getText()+"'");

        pasar.executeUpdate();

        Mostrar("");

    } catch (SQLException ex) {

        Logger.getLogger(vista2.class.getName()).log(Level.SEVERE, null, ex);

    }

}

```

Borrar:

```

public void Borrar(){

    try {

        int fila=tabla.getSelectedRow();

        String id=tabla.getValueAt(fila,0).toString();

        PreparedStatement borrar=cn.prepareStatement("Delete from tb_usuario where
id='"+id+"'");

        borrar.executeUpdate();

        Mostrar("");

    } catch (SQLException ex) {

```

```
    Logger.getLogger(vista2.class.getName()).log(Level.SEVERE, null, ex);  
  }  
}
```