a demo of the engine

The Example Book

Everything the book-kit pipeline can render, in one tiny book

Jane Author

The Example Book
Everything the book-kit pipeline can render, in one tiny book

Copyright © 2026 Jane Author. Released under the same MIT license as the kit.

This is the example book that ships with book-kit. Copy this folder, rename things, and start writing.

First edition. Independently published.

Dedication

To everyone who ever fought a word processor to ship a book.

Contents

part i

The Basics 4

- Sections are H3 6
- Tables 6
- Blockquotes and code 7
- Diagrams 7

Chapter 2: Math and Worksheets 8

- Equations 8
- Worksheets 9

appendices

Exercises, Templates & Resources 10

Appendix A: Cheat Sheet 12

This paragraph lives before the first part, so it becomes the **preamble** — the pipeline titles it with `preambleTitle` from `book.config.json` (“Introduction” here). Everything you see in this file maps one-to-one to a feature of the engine: heading hierarchy, inline formatting, tables, diagrams, math, and worksheets.

Inline formatting survives the trip to both targets: **bold**, *italic*, `inline code`, ~~strikethrough~~, and links.

part i

The Basics

Chapter 1: Structure and Formatting

A part divider is an H1 starting with `PART` + roman numeral. A chapter is an H2 in the exact form `Chapter N: Title`. Everything else nests below.

Sections are H3

Body text is plain Markdown paragraphs. Lists work as expected:

- Unordered lists use hyphens
- They can hold **bold** and `code`
- And wrap across lines without breaking the print layout

1. Ordered lists use numbers
2. The template styles the counters

Tables

GFM pipe tables become print-ruled tables (thin bottom rules, no full grid):

element	markdown	rendered as
Part	`# PART I: Title`	full-page part divider

Chapter	`## Chapter 1: Title`	numbered chapter opening
Appendix	`## Appendix A: Title`	lettered appendix


Blockquotes and code

> *A blockquote gets the amber left bar – separation by surface, not by border.*

```
# Fenced code keeps its language hint and gets a tinted
  background
bash kit/scripts/build.sh --all
```

Diagrams

Diagrams are always Mermaid — rendered to hand-drawn-style SVGs at build time and embedded in both the PDF and the EPUB. The kit injects its amber palette automatically, plus four semantic node classes you can use with zero setup: `accent`, `soft`, `neutral`, and `muted`. A book can add its own classes in a `mermaid.classes.mmd` file at the book root.



Chapter 2: Math and Worksheets

Equations

Math is authored in LaTeX once and feeds both targets — Typst via `mitex` for the PDF, KaTeX → MathML for the EPUB. A display equation sits on its own block between double-dollar delimiters:

$$\text{Value} = \sum_{t=1}^{\infty} \frac{\text{FCF}_t}{(1+r)^t} = \frac{\text{FCF}}{r-g}$$

Inline math is wrapped in backslash-parenthesis delimiters: the discount factor $\frac{1}{(1+r)^t}$ shrinks future cash flows. A single dollar sign is **not** a math delimiter — it stays currency, so $300,000 and $5 million read as prose.

Worksheets

A fenced block with the `worksheet` language hint renders as a filled diagnostic form — mono labels, hand-written-style values that wrap instead of clipping:

client diagnostic — example

---

current state

Revenue	$2.4M / year, flat for 3 years
Bottleneck	Lead qualification is 100% manual

target state

Automation	Qualification triaged by an LLM pipeline

Fill one of these per discovery call.

appendices

Exercises, Templates & Resources

Appendix A: Cheat Sheet

An appendix is an H2 in the form `Appendix A: Title` — uppercase letter, colon. It is numbered by letter and listed after the parts in the table of contents.

This paragraph is the other way around: hidden on GitHub, printed in the built editions. Both blocks are edition-only blocks.