

# BuildError

werkzeug.routing.exceptions.BuildError: Could not build url for endpoint 'inventory.product\_detail' with values ['product\_id']. Did you forget to specify values ['id']?

Traceback (most recent call last)

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\app.py", line 2213, in \_\_call\_\_

```
return self.wsgi_app(environ, start_response)
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\app.py", line 2193, in wsgi\_app

```
response = self.handle_exception(e)
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\_cors\extension.py", line 176, in wrapped\_function

```
return cors_after_request(app.make_response(f(*args, **kwargs)))
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\app.py", line 2190, in wsgi\_app

```
response = self.full_dispatch_request()
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\app.py", line 1486, in full\_dispatch\_request

```
rv = self.handle_user_exception(e)
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\_cors\extension.py", line 176, in wrapped\_function

```
return cors_after_request(app.make_response(f(*args, **kwargs)))
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\app.py", line 1484, in full\_dispatch\_request

```
rv = self.dispatch_request()
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\app.py", line 1469, in dispatch\_request

```
return self.ensure_sync(self.view_functions[rule.endpoint])(**view_args)
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\_login\utils.py", line 290, in decorated\_view

```
return current_app.ensure_sync(func)(*args, **kwargs)
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\Desktop\erp project\app\routes\inventory.py", line 29, in products

```
return render_template('inventory/products.html',
```



execution mouse-over the frame you want to debug and click on the console icon on the right side.

You can execute arbitrary Python code in the stack frames and there are some extra helpers available for introspection:

- `dump()` shows all variables in the frame
- `dump(obj)` dumps all that's known about the object

Brought to you by **DON'T PANIC**, your friendly Werkzeug powered traceback interpreter.