

# BuildError

werkzeug.routing.exceptions.BuildError: Could not build url for endpoint 'inventory.product\_detail' with values ['product\_id']. Did you forget to specify values ['id']?

Traceback (most recent call last)

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\app.py", line 2213, in \_\_call\_\_

```
return self.wsgi_app(environ, start_response)
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\app.py", line 2193, in wsgi\_app

```
response = self.handle_exception(e)
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\_cors\extension.py", line 176, in wrapped\_function

```
return cors_after_request(app.make_response(f(*args, **kwargs)))
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\app.py", line 2190, in wsgi\_app

```
response = self.full_dispatch_request()
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\app.py", line 1486, in full\_dispatch\_request

```
rv = self.handle_user_exception(e)
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\_cors\extension.py", line 176, in wrapped\_function

```
return cors_after_request(app.make_response(f(*args, **kwargs)))
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\app.py", line 1484, in full\_dispatch\_request

```
rv = self.dispatch_request()
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\app.py", line 1469, in dispatch\_request

```
return self.ensure_sync(self.view_functions[rule.endpoint])(**view_args)
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\AppData\Local\Programs\Python\Python312\Lib\site-packages\flask\_login\utils.py", line 290, in decorated\_view

```
return current_app.ensure_sync(func)(*args, **kwargs)
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

File "C:\Users\Administrator\Desktop\erp project\app\routes\inventory.py", line 30, in products

```
return render_template('inventory/products.html',
```



You can execute arbitrary Python code in the stack frames and there are some extra helpers available for introspection:

- `dump()` shows all variables in the frame
- `dump(obj)` dumps all that's known about the object

Brought to you by **DON'T PANIC**, your friendly Werkzeug powered traceback interpreter.