



Understanding TF-IDF (Term Frequency-Inverse Document Frequency)

Last Updated : 17 Dec, 2025

TF-IDF (Term Frequency–Inverse Document Frequency) is a statistical method used in natural language processing and information retrieval to evaluate how important a word is to a document in relation to a larger collection of documents. TF-IDF combines two components:

1. Term Frequency (TF): Measures how often a word appears in a document. A higher frequency suggests greater importance. If a term appears frequently in a document, it is likely relevant to the document's content.

$$TF(t, d) = \frac{\text{Number of times term } t \text{ appears in document } d}{\text{Total number of terms in document } d}$$

Term Frequency (TF)

2. Inverse Document Frequency (IDF): Reduces the weight of common words across multiple documents while increasing the weight of rare words. If a term appears in fewer documents, it is more likely to be meaningful and specific.

$$IDF(t, D) = \log \frac{\text{Total number of documents in corpus } D}{\text{Number of documents containing term } t}$$

Inverse Document Frequency (IDF)

This balance allows TF-IDF to highlight terms that are both frequent within a specific document and distinctive across the text document, making it a useful tool for tasks like search ranking, text classification and keyword extraction.

Converting Text into vectors with TF-IDF

Let's take an example where we have a corpus (a collection of documents) with three documents and our goal is to calculate the TF-IDF score for specific terms in these documents.

1. **Document 1:** "The cat sat on the mat."
2. **Document 2:** "The dog played in the park."
3. **Document 3:** "Cats and dogs are great pets."

Our goal is to calculate the TF-IDF score for specific terms in these documents. Let's focus on the word "cat" and see how TF-IDF evaluates its importance.

Step 1: Calculate Term Frequency (TF)

For Document 1:

- The word "cat" appears 1 time.
- The total number of terms in Document 1 is 6 ("the", "cat", "sat", "on", "the", "mat").
- So, $TF(\text{cat}, \text{Document 1}) = 1/6$

For Document 2:

- The word "cat" does not appear.
- So, $TF(cat, Document\ 2) = 0$.

For Document 3:

- The word "cat" appears 1 time.
- The total number of terms in Document 3 is **6** ("cats", "and", "dogs", "are", "great", "pets").
- So $TF(cat, Document\ 3) = 1/6$

In Document 1 and Document 3 the word "cat" has the same TF score. This means it appears with the same relative frequency in both documents. In Document 2 the TF score is 0 because the word "cat" does not appear.

Step 2: Calculate Inverse Document Frequency (IDF)

- **Total number of documents in the corpus (D):** 3
- **Number of documents containing the term "cat":** 2 (Document 1 and Document 3).

$$IDF(cat, D) = \log \frac{3}{2} \approx 0.176$$

Step 3: Calculate TF-IDF

The TF-IDF score for "cat" is 0.029 in Document 1 and Document 3 and 0 in Document 2 that reflects both the frequency of the term in the document (TF) and its rarity across the corpus (IDF).

The TF-IDF score is the product of TF and IDF:

$$TF - IDF(t, d, D) = TF(t, d) \times IDF(t, D)$$

- For Document 1: $TF-IDF(cat, Document\ 1, D) = 0.167 \times 0.176 = 0.029$
- For Document 2: $TF-IDF(cat, Document\ 2, D) = 0 \times 0.176 = 0$
- For Document 3: $TF-IDF(cat, Document\ 3, D) = 0.167 \times 0.176 \approx 0.029$

Implementing TF-IDF in Python

Step 1: Import modules

We will import [scikit learn](#) for this.

```
from sklearn.feature_extraction.text import TfidfVectorizer
```



Step 2: Collect strings from documents and create a corpus

```
d0 = 'Geeks for geeks'  
d1 = 'Geeks'  
d2 = 'r2j'  
string = [d0, d1, d2]
```



Step 3: Get TF-IDF values

Here we are using `TfidfVectorizer()` from `scikit learn` to perform tf-idf and apply on our corpus using `fit_transform`.

```
tfidf = TfidfVectorizer()
result = tfidf.fit_transform(string)
```

Step 4: Display IDF values

```
print('\nidf values:')
for ele1, ele2 in zip(tfidf.get_feature_names_out(), tfidf.idf_):
    print(ele1, ': ', ele2)
```

Output:

```
idf values:
for : 1.6931471805599454
geeks : 1.2876820724517808
r2j : 1.6931471805599454
```

Step 5: Display TF-IDF values along with indexing

```
print('\nWord indexes:')
print(tfidf.vocabulary_)
print('\ntf-idf value:')
print(result)
print('\ntf-idf values in matrix form:')
print(result.toarray())
```


Output:

```
Word indexes:
{'geeks': 1, 'for': 0, 'r2j': 2}

tf-idf value:
(0, 0)      0.5493512310263033
(0, 1)      0.8355915419449176
(1, 1)      1.0
(2, 2)      1.0
```

Output

The result variable consists of unique words as well as the tf-idf values. It can be elaborated using the below image:



From the above image the below table can be generated:

Document	Word	Document Index	Word Index	tf-idf value
d0	for	0	0	0.549
d0	geeks	0	1	0.8355
d1	geeks	1	1	1.000
d2	r2j	2	2	1.000

Applications

1. **Document Similarity and Clustering:** By converting documents into numerical vectors TF-IDF enables comparison and grouping of related texts. This is valuable for clustering news articles, research papers or customer support tickets into meaningful categories.
2. **Text Classification:** It helps in identify patterns in text for spam filtering, sentiment analysis and topic classification.
3. **Keyword Extraction:** It ranks words by importance making it possible to automatically highlight key terms, generate document tags or create concise summaries.
4. **Recommendation Systems:** Through comparison of textual descriptions TF-IDF supports suggesting related articles, videos or products enhancing user engagement.



Understand
TF-IDF



TF-IDF in
Action

403 ERROR

The request could not be satisfied.

The Amazon CloudFront distribution is configured to block access from your country. We can't connect to the server for this app or website at this time. There might be too much traffic or a configuration error. Try again later, or contact the app or website owner. If you provide content to customers through CloudFront, you can find steps to troubleshoot and help prevent this error by reviewing the CloudFront documentation.

Generated by cloudfront (CloudFront)
Request ID: hxPr8wq3JJBiC253F6LugyrmGUYy1Ct-g2eZZMumchXYobWUMoY4Fg==



Understanding TF-IDF

[Visit Course](#)

Suggested Quiz

3 Questions

What does TF-IDF primarily aim to measure in text processing?

- ☐ A How frequently a word appears in a single document only
- ☐ B The probability of a word occurring in all documents
- ☐ C The importance of a word in a document relative to a corpus
- ☐ D The sequence of words in a sentence

[Login to View Explanation](#)

1/3

[< Previous](#) [Next >](#)

Comment

R riturajs...

25

Article Tags:

[Machine Learning](#)

[Technical Scripter 2020](#)

[Python scikit-module](#)

[python](#)

[+1 More](#)

Explore

Machine Learning Basics

Python for Machine Learning

Feature Engineering

Supervised Learning

Unsupervised Learning

Model Evaluation and Tuning

Advanced Techniques

Machine Learning Practice

Courses



Corporate & Communications Address:
A-143, 7th Floor, Sovereign Corporate Tower, Sector- 136, Noida, Uttar Pradesh (201305)

Registered Address:
K 061, Tower K, Gulshan Vivante Apartment, Sector 137, Noida, Gautam Buddh Nagar, Uttar Pradesh, 201305

Company

About Us
Legal
Privacy
Policy
Contact Us
Advertise with us
GFG
Corporate Solution

Explore

POTD
Job-A-Thon
Blogs
Nation
Skill Up

Tutorials

Programming Languages
DSA
Web Technology
AI, ML & Data Science
DevOps
CS Core Subjects

Courses

ML and Data Science
DSA and Placements
Web Development
Programming Languages
DevOps & Cloud
GATE

Videos

DSA
Python
Java
C++
Web Development
Data Science
CS Subjects

Preparation Corner

Interview Corner
Aptitude
Puzzles
GfG 160
System Design



Campus
Training
Program

Interview
Preparation
Software and
Tools

Trending
Technologies