

Interference choice of outliers in the ANOVA and means tests

Douglas Messias Lamounier Camargos Rezende¹, Adalto José de Souza Linhares², Anderson Eugênio Firmino³, Emmanuel Arnhold⁴, Aldi Fernandes de Souza França⁵, Maurílio Antônio Damacena Silva⁶

Abstract: This study aimed to compare different situations analysis of variance. There was a difference in the magnitude of the QME, which did not affect the F test result. Differences were observed between the grouping of treatments according to Tukey's test, but with respect to Scott-Knott's test, little difference was observed.

Keywords: Scott-Knott; Tukey; Incorrect Analysis.

¹Doutorando em Zootecnia pela Universidade Federal de Goiás - Goiânia. email: *dougmes@yahoo.com.br*.

²Professor de Ensino Básico e Técnico, Instituto Federal Goiano. Doutorando em Zootecnia pela Universidade Federal de Goiás - Goiânia. email: *adalto.linhares@ifgoiano.edu.br*

³Mestando em Zootecnia pela Universidade Federal de Goiás – Goiânia: email:

⁴Professor Associado 2, Departamento de Zootecnia – Universidade Federal de Goiás. email: *earnhold@gmail.com*.

⁵Professor Titular, Departamento de Zootecnia – Universidade Federal de Goiás.

⁶ Aluno Pibic, Agronomia, Instituto Federal Goiano – Campus Ceres