Ask the oracle

01
Probe
fire requests

→

02
Log
every pair saved

→

03
Infer
find the rules

→

04
Rebuild
our own server

> Learn the rules,
> not the answers.

100	10/s	3 MB
hidden tests we never saw	request budget	experiment log, line per probe

One message format.
One hidden checksum.

TRANSFER;AC-0001;AC-0002;40000;86

COMMAND ; args ; control — control = mod-97 checksum

Entry › Token › Parser › Integrity › Dispatch › Handlers › State › Serializer

Per-token in-memory state

Same bytes: status, body, typos

Every rule cites a log line

$ 04 / THE INCIDENT

The service changed mid-day.

WHAT	BEFORE	AFTER (V2)
Balance	~~2100~~	"2100.00"
Transfer limit	~~100000~~	50000
New errors	—	E303 E304 E100 E102 E103
ANULA	~~no revert~~	reverts balances

Detected by differential tests vs the oracle.

Lesson: parameters live in config, never hardcoded.


$ 05 / RESULTS

71/100

HIDDEN TESTS PASSED

Easy	35 / 40
Medium	29 / 40
Hard	7 / 20

RUNS 15:05 → 18:08 → 20:02



325 ms

median per case
(limit: 5 s)

29 fails

15 on the first request
14 later in the sequence

Next target: hard sequences (7/20)

[https://github.com/felipejimenez-ai/hackathon-20261010-frontier]

[FELIPE JIMÉNEZ]