


Watch every shot playing at edit.puroflowmedia.com

HOW TO EDIT · BREAKDOWN 08 · CASE EXPLAINER

# The case explainer. Doctor, device, patient.

Dr. Ahn explains a patient's oral appliance with the device in her hands, intercut with the patient's visit, stock close-ups, an airway diagram and fabric resets. The patient gets the last word.

| | |
|---|---|
| CLIENT | Dr. Katherine Ahn · Aviara Aesthetic, Beverly Hills |
| VIDEO | Aviara #5: Patient Case Explanation by Dr. Ahn (Video 8 of 13) |
| FORMAT | 9:16 vertical · 2160×3840 · 23.976 fps |
| RUNTIME | 1:45 |
| MADE FOR | Educational content: how a treatment works, told through one patient |

| 1:45 | 34 | 15s | 4 |
|---|---|---|---|
| total runtime | shots | longest hold, on her explanation | fabric reset cards |

WHAT TO STEAL

## What to steal from this one

Education works when the viewer can see what the doctor is talking about.

**Hold the thing**

She has the appliance in her hands the whole time. **A prop turns a lecture into a demo.**

**Show, then explain**

Patient arrival, stock close-ups and a diagram show what she means while she is saying it.

**Patient gets the last word**

The final 15 seconds are the patient talking. **Proof beats explanation.**

**Fabric resets need a job**

The four blank fabric cards (0:30, 0:47, 1:14, 1:21) hold 2 to 4 seconds with nothing on them. Next time put the chapter's key word on the fabric so the rest beat still teaches.

THE STRUCTURE

## Hook, story, explain, prove

**Hook**
0:00–0:06
The appliance, her name, her look up.


**Story**
0:06–0:13
The patient arrives and meets her.

**Explain**
0:13–0:34
How it works, with stock close-ups.

**Deeper**
0:34–1:26
Airway diagram, 3D model, the long explanation.

**Proof**
1:26–1:41
The patient in her own words.


**Logo**
1:41–1:45
Logo card.



PACE

# Quick story, long explanation

The first 30 seconds average about 2 seconds a shot. The middle slows down for teaching.




Each bar is one shot, in order. Height is how long it stays on screen.


| 34 | 3.1s | 0.5s | 15.1s |
|---|---|---|---|
| shots in 1:45 | average shot (median 2.6s) | fastest: shot 16 | longest hold: shot 25 |

- Story beats (arrival, hallway, greeting) are 1 to 2 seconds each.
- The longest holds belong to the doctor explaining and the patient's story.

SHOT BY SHOT

# 34 shots, each one playing

Every clip loops the actual shot from the final edit. Camera is what the shooter did, Edit is what we did with it.





01 0:00.0–0:01.3 · 1.3s

### Hook: the appliance in hand

**CAMERA**
Medium close-up, Dr. Ahn holds the clear appliance at chest height, soft wall behind.

**EDIT**
No title, she is already talking.

**WHY IT WORKS**
Open on the object the whole video is about.




02 0:01.3–0:03.1 · 1.8s

### Insert: the appliance

**CAMERA**
Tight on gloved hands turning the appliance.

**EDIT**
Lower third: Aviara logo and "Dr. Katherine Ahn".

**WHY IT WORKS**
Her name lands over the product, not over her face.





03 0:03.1–0:04.6 · 1.5s

### Insert: on the palm

**CAMERA**
Appliance resting on a gloved palm, shallow focus.

**EDIT**
Lower third holds, warm light leak out.

**WHY IT WORKS**
The leak marks the end of the intro.




04 0:04.6–0:06.4 · 1.8s

### Medium: she looks up

**CAMERA**
Same setup, she looks from the appliance to the lens.

**EDIT**
Cut on the look up.

**WHY IT WORKS**
The look up is her "let me tell you" moment.





05 0:06.4–0:07.4 · 1.0s

### Patient arrives

**CAMERA**
Patient walks through the glass entrance door.

**EDIT**
Under one second.

**WHY IT WORKS**
Starts the patient story without a word.





06 0:07.4–0:08.9 · 1.5s

### Front desk

**CAMERA**
Staff member at the desk talking with the patient, over the shoulder.

**EDIT**
Quick cut.

**WHY IT WORKS**
Shows the whole team, not just the doctor.





07 0:08.9–0:11.0 · 2.1s

### Hallway walk

**CAMERA**
Patient walks toward camera down a bright hallway.

**EDIT**
Stable gimbal, symmetrical frame.

**WHY IT WORKS**
A walk-in feels like arriving with her.





08 0:11.0–0:13.3 · 2.3s

### Hair wipe greeting

**CAMERA**
Foreground hair passes the lens, revealing Dr. Ahn greeting the patient by the window.

**EDIT**
Natural foreground wipe as the cut point.

**WHY IT WORKS**
Foreground wipes hide cuts without any effect.




09 0:13.3–0:17.0 · 3.7s

### Medium: the explanation starts

**CAMERA**
Back to her medium close-up, appliance in both hands.

**EDIT**
Holds while she explains.

**WHY IT WORKS**
Back to the teacher after the story beats.





10 0:17.0–0:19.1 · 2.1s

### Stock: appliances on teeth

**CAMERA**
Two close-ups of clear appliances on teeth, stacked top and bottom.

**EDIT**
Split screen.

**WHY IT WORKS**
Shows exactly what she is describing.




11 0:19.1–0:20.0 · 0.9s

### Pointing beat

**CAMERA**
She points with a gloved finger.

**EDIT**
Short cut on the gesture.

**WHY IT WORKS**
A gesture makes a natural one-second cut.





12 0:20.0–0:23.4 · 3.4s

### Stock: trays in the case

**CAMERA**
Clean product shot of clear trays in a blue case.

**EDIT**
Holds 3.4 seconds.

**WHY IT WORKS**
A product shot reads like an ad, in a good way.





13 0:23.4–0:25.6 · 2.2s

### Stock: putting it in

**CAMERA**
Close-up of a woman fitting a clear tray.

**EDIT**
Quick cut.

**WHY IT WORKS**
Shows how easy it is to use.




14 0:25.6–0:28.3 · 2.7s

### Medium: hands demo

**CAMERA**
Medium close-up, she demonstrates with the appliance.

**EDIT**
Holds.

**WHY IT WORKS**
Hands in frame keep a talking head visual.





15 0:28.3–0:29.8 · 1.5s

### Insert: appliance against the wall

**CAMERA**
Appliance in a gloved hand against the textured wall.

**EDIT**
Short insert.

**WHY IT WORKS**
The textured wall matches the fabric cards.





16 0:29.8–0:30.3 · 0.5s

### Light leak out

**CAMERA**
Half second of her medium shot.

**EDIT**
Warm light leak transition.

**WHY IT WORKS**
Leaks mark a new chapter.




17 0:30.3–0:33.6 · 3.3s

### Fabric reset

**CAMERA**
Cream fabric moving slowly.

**EDIT**
Holds 3.3 seconds under her voice.

**WHY IT WORKS**
A visual rest between chapters.





18 0:33.6–0:40.3 · 6.7s

### Medium: the airway

**CAMERA**
Her medium close-up, she looks down and back up while explaining.

**EDIT**
Holds 6.7 seconds.

**WHY IT WORKS**
Long holds are fine when the talent is moving and engaged.





19 0:40.3–0:42.0 · 1.8s

### Dr. Ahn with the patient

**CAMERA**
Dr. Ahn standing by the window with the patient.

**EDIT**
B-roll over her voice.

**WHY IT WORKS**
Shows the conversation she is describing.





20 0:42.0–0:44.7 · 2.6s

### From behind the chair

**CAMERA**
Patient in the chair from behind, Dr. Ahn beside her.

**EDIT**
Over the shoulder.

**WHY IT WORKS**
A new angle on the same moment.





21 0:44.7–0:47.3 · 2.6s

### Fitting the appliance

**CAMERA**
Close on the patient as the appliance is fitted.

**EDIT**
Under her voice.

**WHY IT WORKS**
Proof: it fits a real patient.





22 0:47.3–0:49.4 · 2.1s

### Fabric reset

**CAMERA**
Cream fabric.

**EDIT**
Bright flash in and out.

**WHY IT WORKS**
Clears the screen for the diagram.




23 0:49.4–0:52.8 · 3.3s

### Diagram: airway

**CAMERA**
Medical illustration of an open vs compressed airway on the fabric.

**EDIT**
Graphic held 3.3 seconds.

**WHY IT WORKS**
A diagram explains in one frame what words take a minute to say.




24 0:52.8–0:55.9 · 3.1s

### 3D teeth model

**CAMERA**
3D teeth model rotating on the fabric.

**EDIT**
Flash out.

**WHY IT WORKS**
Motion keeps the graphic alive.




25 0:55.9–1:11.0 · 15.1s

### The long explanation

**CAMERA**
Medium close-up, the longest hold in the video.

**EDIT**
15 seconds, no cutaways.

**WHY IT WORKS**
When she is on a roll, let her talk.





26 1:11.0–1:14.0 · 3.0s

### Stock: sleeping

**CAMERA**
A woman asleep on a couch in warm light.

**EDIT**
Under her voice.

**WHY IT WORKS**
Sleep is the payoff of good breathing.





27 1:14.0–1:14.6 · 0.6s

### Light leak out

**CAMERA**
Short beat of her medium shot.

**EDIT**
Warm leak.

**WHY IT WORKS**
Chapter marker.





28 1:14.6–1:18.4 · 3.8s

### Fabric reset

**CAMERA**
Cream fabric.

**EDIT**
Holds under her voice.

**WHY IT WORKS**
Rest beat.





29 1:18.4–1:21.5 · 3.1s

### Medium: wrap-up

**CAMERA**
Her medium close-up.

**EDIT**
Flash in and out.

**WHY IT WORKS**
Short return to the doctor.





30 1:21.5–1:25.5 · 4.0s

### Fabric reset

**CAMERA**
Cream fabric.

**EDIT**
Bright flash out to the patient.

**WHY IT WORKS**
Clears the way for the patient's turn.





31 1:25.5–1:28.9 · 3.4s

### Patient: name super

**CAMERA**
Patient and Dr. Ahn in a two-shot, hands gesturing.

**EDIT**
Lower third: "Patient: Deneen Mercado".

**WHY IT WORKS**
The name comes up when she starts to speak.




32 1:28.9–1:40.1 · 11.2s

### Patient: her story

**CAMERA**
Patient in profile, hand to her cheek, talking.

**EDIT**
Holds 11 seconds.

**WHY IT WORKS**
The patient gets the last word.





33 1:40.1–1:41.4 · 1.3s

### Patient: last beat

**CAMERA**
Patient finishing her thought.

**EDIT**
Dissolve out.

**WHY IT WORKS**
Ends on the human, not the device.




34 1:41.4–1:45.2 · 3.8s

### Logo card

**CAMERA**
Cream fabric.

**EDIT**
Aviara logo fades in and holds.

**WHY IT WORKS**
The same card that ends every Aviara video.

COLOR GRADE

# Bright clinic, cream fabric

Clean and bright. The fabric cards and the soft wall behind her share the same cream.



### Doctor medium

Shots 1, 9, 18, 25

| | | |
|---|---|---|
| Brightness | | 0.47 |
| Warmth | | 0.02 |
| Saturation | | 0.23 |

- Bright, slightly warm.
- Her white coat stays white, not blue.
- The purple gloves are the only strong color: leave them.



### Clinic B-roll

Shots 5 to 8, 19 to 21

| | | |
|---|---|---|
| Brightness | | 0.62 |
| Warmth | | 0.00 |
| Saturation | | 0.14 |

- High key, bright windows.
- Match skin tones to the doctor shots.



### Fabric and graphics

Shots 17, 22 to 24

| | | |
|---|---|---|
| Brightness | | 0.69 |
| Warmth | | 0.08 |
| Saturation | | 0.14 |

- Warm cream.
- Graphics sit on the fabric, no boxes.

MUSIC CHOICE

# A soft bed under a long voice track

**81 BPM**
estimated tempo of the mix

**7/33**
cuts land within 2 frames of a beat (about 23% would by chance)

- Voice runs nearly the whole video. The music sits underneath and should never pull focus.
- Pick something calm and slow, no lyrics, that can loop under almost two minutes of talking.

SOUND ENGINEERING

## Even and clean

**-16.3 LUFS**
integrated loudness (social platforms play back around -14)

**-3.3 dBTP**
true peak (safe, under -1)

**2.4 LU**
loudness range (low means tightly compressed)




Gold line: loudness every half second. Faint blue lines: every cut.

- Loudness sits a little under the -14 LUFS target. Raise it 2 dB for social.
- Peaks are safe, under -1 dBTP.
- Clean up mouth clicks and room tone on a long voice track. They get louder after compression.

DRONE, TRANSITIONS, FLICKERS

## Every transition, timestamped

No drone. Light leaks and soft flashes mark each new chapter.

| | | |
|---|---|---|
| 0:04.6 | LIGHT LEAK | Warm leak out of the intro. |
| 0:11.0 | FOREGROUND WIPE | Hair passes the lens into the greeting. |
| 0:30.3 | LIGHT LEAK | Leak into the first fabric reset. |
| 0:33.6 | FLASH | Flash back to the doctor. |
| 0:47.3 | FLASH | Flash into fabric, then the airway diagram. |
| 0:52.8 | FLASH | Flash into the 3D teeth model. |
| 0:55.9 | FLASH | Flash back to the doctor. |
| 1:14.6 | LIGHT LEAK | Leak into fabric. |
| 1:21.5 | FLASH | Flash into the last fabric reset. |
| 1:25.5 | FLASH | Flash into the patient's story. |
| 1:41.4 | DISSOLVE | Into the logo card. |

CAPTIONS AND TYPOGRAPHY

## Lower thirds only

- No running captions in this one: just lower thirds.
- Doctor's lower third: Aviara logo above "Dr. Katherine Ahn", bottom center, white.
- Patient's lower third: small "Patient" label above her name in bold.
- If you cut this for Instagram, add word-by-word captions like the tour and testimonials.

BEFORE YOU EXPORT

# Editor checklist

Run your edit through this list before you post it for review. Checks stay on this device only.

- [ ] **Prop in hand** for the doctor
- [ ] **Diagram or 3D** for anything anatomical
- [ ] **Patient gets the last word**
- [ ] **Captions** added for the social version
- [ ] **Patient story** cut in early (arrival, greeting)
- [ ] **Fabric resets carry a key word**
- [ ] **Lower thirds** for doctor and patient
- [ ] **Loudness:** about -14 LUFS, true peak under -1 dBTP