References

[1] CJL Murray, KS Ikuta, F Sharara, L Swetschinski, GR Aguilar, et al. Global burden of bacterial antimicrobial resistance in 2019: a systematic analysis. *The Lancet*, 399(10325):629–655, 2022. https://doi.org/10.1016/S0140-6736(21)02724-0.

[2] M Naghavi, SE Vollset, KS Ikuta, LR Swetschinski, AP Gray, et al. Global burden of bacterial antimicrobial resistance 1990–2021: a systematic analysis with forecasts to 2050. *The Lancet*, 404(10459):1199–1226, 2024. https://doi.org/10.1016/S0140-6736(24)01867-1.

[3] MJ Shepherd, T Fu, NE Harrington, A Kottara, K Cagney, et al. Ecological and evolutionary mechanisms driving within-patient emergence of antimicrobial resistance. *Nature Reviews Microbiology*, 22(10):650–665, 2024. https://doi.org/10.1038/s41579-024-01041-1.

[4] IH Spicknall, B Foxman, CF Marrs, and JNS Eisenberg. A modeling framework for the evolution and spread of antibiotic resistance: literature review and model categorization. *American Journal of Epidemiology*, 178 (4):508–520, 2013. https://doi.org/10.1093/aje/kwt017.

[5] EI Nielsen and LE Friberg. Pharmacokinetic-pharmacodynamic modeling of antibacterial drugs. *Pharmacological Reviews*, 65(3):1053–1090, 2013. https://doi.org/10.1124/pr.111.005769.

[6] A Handel and P Rohani. Crossing the scale from within-host infection dynamics to between-host transmission fitness: a discussion of current assumptions and knowledge. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 370(1675):20140302, 2015. https://doi.org/10.1098/rstb.2014.0302.

[7] World Health Organization. *Adherence to Long-Term Therapies: Evidence for Action*. World Health Organization, Geneva, 2003.

[8] JA Gilsoul, HR Tung, and SD Lawley. Mitigating antibiotic resistance from missed doses. *Journal of Pharmacokinetics and Pharmacodynamics*, 53(3):21, 2026. https://doi.org/10.1007/s10928-026-10027-w.