

trial_filename	metric_name													
	cox_estimate	median_diff	max_mean_diff	peron_nb_estimate_4wk	peron_nb_estimate_12wk	peron_nb_estimate_20wk	peron_nb_estimate_52wk	peron_nb_estimate_104wk	landmark_diff_6mo	landmark_diff_12mo	landmark_diff_18mo	landmark_diff_24mo	landmark_diff_30mo	landmark_diff_36mo
IMELDA_2B~	0.51	66.48	29.17	23.51	23.6	26.45	22.59	13.95	5.14	17.83	19.32	19.82	23.62	24.05
CONCUR_2A~	0.54	10.47	10.89	29.61	25.33	21.17	7.94		11.19	20.57				
Checkmate017_1~	0.59	14.03	15.32	23.48	23.07	21.93	17.17		13.24	18.44	17.52			
MAINSAIL_2A~	0.66		6.59	17.62	9.09	10.45			4.53	4.92	11.5			
CLEOPATRA_2A~	0.68	80.38	29.45	18.34	18.35	18.34	15.64	13.02	0.73	4.62	5	9.66	10.03	12.3
LUXBreast1_4~	0.68	35.63	17.32	17.24	16.99	15.34	13.07	7.86	4.11	10.94	11.62	13.11	17.74	9.91
RECOURSE_1A~	0.68	7.86	7.66	20.66	18.7	13.37			15.02	9.79	3.1			
JCOG0509_2A~	0.71	12.6	16.37	14.18	13.98	14.42	14.65	9.24	2.8	4.8	9.14	17.49	13.46	9.3
PREVAIL_1B~	0.73	9.12	8.19	9.16	9.91	9.12	9.37		3.81	7.32	7.61	6.93	5.63	
MA31_3~	0.75		9.05	11.29	7.98	6.45	7.61		0.69	5.72	8.91	11.47	8.3	4.88
Checkmate057_1A~	0.75	12.04	8.06	8.81	9.42	11.43	9.94		-2.15	11.11	14.71	13.89		
CALGB40502_2C~	0.75	13.47	13.84	15.57	15.63	14.16	12.95	9.03	3.82	5.97	5.43	7.19	10.44	8.08
FIRE3_2B~	0.76	17.38	20.81	12.29	12.37	12.48	12.56	11.14	-0.7	1.2	3.07	4.66	11	13.83
A004_1B~	0.8	20.42	15.67	10.55	10.82	10.32	8.48	8.21	-0.06	1.66	4.06	1.65	7.32	9.15
LUXLung3_3A~	0.8	4.87	7.17	9.75	9.77	9	7.83		9.32	7.81	7.8	5.63		
COUAA202_2~	0.81	16.08	12.41	10.26	9.96	9.17	8.92	6.32	0.97	0.75	1.79	6.38	5.19	4.78
WJOG5208L_2A~	0.81	9.56	11.35	13.44	13.53	12.73	10.25	3.05	1.65	10.35	11.45	9.18	1.6	-0.95
SAKK4106_3~	0.84	6.08	11.38	9.43	9.06	8.66	7.24	4.79	-0.76	2.41	4.24	4.54	6.94	2.66
MAPS_2A~	0.84	11.73	15.46	8.51	8.53	8.33	7.11	4.68	-0.08	6.15	8.81	3.97	5.55	5.76
CALGB40502_2D~	0.85	14.34	9.63	8.91	7.48	7.6	6.3	5.27	3.49	1.04	5.55	6.43	7.02	4.25
CA184043_2A~	0.85	5.65	7.18	3.49	4.57	7.48	8.49		-5.33	6.23	8.39	10.58	6.61	
RAISE_2A~	0.85	7.82	5.01	7.64	7.66	7.71	7.93		3.54	7.99	3.31	2.43		
SQUIRE_2A~	0.85	6.52	6.48	9.56	8.75	7.51	5.01	2.08	6.14	4.9	4.15	3.19	2.29	3.91
CALGB40503_2B~	0.86	19.12	11.25	7.81	7.94	8.02	8.56	6.09	1.22	-0.01	3.64	2.43	4.53	1.66
REVEL_2~	0.86	5.91	6.33	9	8.55	7.03	5.07		5.61	5.41	3.06	3.2	7.3	
BEACON_2A~	0.87	9.12	5.92	10.24	9.62	7.76	4.4		5.99	9.5	3.68	1.76	3.2	
PROSE_2A~	0.87	5.61	6.22	9.65	9.02	6.76	5.36	1.34	8.66	7.43	7.69	2.61	2.77	-1.39
LUXLung3-6_2A~	0.88	0.43	5.7	4.79	5.87	4.49	4.01	2.61	-0.32	-0.5	3.37	0.49	4.73	3.72
ACT1_2A~	0.88	-1.26	4.52	4.77	4.52	4.62	5.57		0	3.44	6.92	6.29		
Eribulin_2A~	0.88	6.52	9.51	8.01	7.82	6.96	5.73	3.87	5.7	5.92	4.79	2.74	1.91	4.05
LEA_2C~	0.88		3.56	2.37	1.7	-0.01	4.81	1.95	0.48	1.62	2.25	0.93	2.78	5.6
LUXLung3-6_2B~	0.88	-3.04	6.3	6.15	6.7	6.84	5.4	3.91	2.59	3.61	4.13	1.99	2.01	6.65
PROFILE1014_1B~	0.89		2.78	1.33	1.34	1.38	1.11		4.36	4.67	-1.75	2.89	-0.87	
ELM-PC5_2A~	0.9	7.82	3.24	4.13	4.58	5.79	5.07		0.97	3.33	6.47	4.1		
BOLERO2_1~	0.9	18.68	6.11	2.47	3.34	5.41	5.59	4.34	2.18	3.53	4.44	8.16	4.78	4.43
Tasquinimod_2B~	0.9	11.3	4.13	2.93	2.56	3.8	4.23	2.72	-2.37	-0.03	4.91	5.69	4.78	2.73
TURANDOT_2B~	0.9	15.21	7.34	5.48	5.8	4.93	4.09	2.85	3.03	2.59	1.66	5.33	6.99	0.45
ENSURE_3A~	0.91	3.91	2.44	2.93	4.89	5.56	3.36	2.57	1.25	0.56	-7.67	0.88	10.94	
DELTA_2B~	0.91	11.3	3.1	4.42	2.72	2.32	3.02		0.23	5.06	4.62	-0.91	3.19	
COMET1_2A~	0.91	5.78	2.01	3.97	4.34	4.68	3.12		3.79	2.61	1.85			
ELM-PC4_3A~	0.92	8.69	2.87	0.54	2.11	3.75	2.74	1.69	1.93	3	3.63	2.25	3.63	-4.55
CBCSG006_2B~	0.92	16.95	2.87	1.54	2.47	3.09	5.44		-3.53	3.89	6.5	1.64	1.42	
LUMELung1_3C~	0.94	3.82	3.05	3.4	3.69	3.58	3.34	0.77	4	2.01	3.63	2.32	-0.16	
20050181_2A~	0.95	6.95	4.01	6.16	5.95	5.62	3.66	0.28	2.18	5.28	6	2.03	0.78	-1.63
MIROX_2B~	0.95		-2.2	0.41	1.77	0.31	-0.36	-1.28	0.02	-0.66	-3.48	-4.21	-0.6	-0.57
20050181_2B~	0.96	3.04	1.95	3.22	3.33	2.68	1.37	0.47	0.71	3.48	2.42	-0.18	1.22	-1.26
WJOG5108L_2B~	0.97	7.82	1.96	-0.46	2.33	1.81	1.98	1.69	-0.25	0.7	2.1	5.75	1.72	2.01
TCOG0701_1A~	0.98	4.35	1.53	1.36	1.37	1.24	1.44	0.04	1.31	-0.82	3.56	1.07	1.29	-0.46
MARQUEE_2A~	0.98	3.78	0.6	0.57	1.08	-0.7			-0.47	0.95	2.98			
INSPIRE_2A~	1.01	-0.43	-0.45	-1.26	-1.05	-1.19	-1.04	-1.99	-3.9	-0.78	-1.53	-0.48	1.9	
ROSE_2C~	1.01	0.87	0.9	1.5	1.05	2.43	3.55		-0.12	-1.04	0.07	-1.92	-1.98	6.51
VANTAGE014_2~	1.01	-3.7	-0.37	-2.84	-2.93	-1.91	0.56	0.08	-3.03	-2.38	3.03	1.7	0.21	
FFCD2001_S1B~	1.02	3.91	-2.23	-0.33	-0.77	-0.36	0.71	-0.42	-4.81	-4.28	2.39	6.28	1.51	-2.7
SMART_3~	1.04	1.74	-0.74	-1.54	-3.68	-1.89			-2.99	1				
ASPECC2_2A~	1.04	-2.26	-1.4	-2.04	-2.37	-2.44	-2.04		-0.64	-2.22	-2.45	-0.77	0.49	
SELECTBC_2A~	1.04	-12.52	-2.29	0.5	0.44	-0.93	-1.18	-2.47	-2.99	0.62	3.94	3.73	-2.13	-5.37
NITRO_2B~	1.05	2.61	-2.22	-3.21	-2.64	-1.91	-2.94	-1.07	-6.19	0.77	-5.43	-1.26	0.67	
NCICBR26_2A~	1.05	-2.17	-1.69	-2.94	-2.49	-1.49	-1.59		-4.7	-0.28	-1.92	-2.5		
Figitumumab_2A~	1.07	-2.87	-1.59	-8.5	-6.36	-2.67	1.05		-5.67	-2.14	3.28	-0.5		
CA184095_2A~	1.09	-6.08	-7.73	-6.15	-6.05	-6.1	-4.83	-3.39	-7.31	-6.28	-7.2	-7.88	-0.15	1.66
QUARTZ_2A~	1.09	-1.28	-1	-5.34	-1.9	-1.6	-0.13		-1.86	-0.37				
ITACa_2B~	1.1	-3.04	-7.17	-8.54	-8.52	-7.57	-5.77	-2.17	-5.39	-9.69	-11.34	-2.16	3.32	-2.55
AIO207_3C~	1.03	-7.39	-4.27						-3.77	0.93	-4.83	-2.69	-0.33	-1.99
CALGB90202_2C~	1.13	-11.3	-15.23	-8.91	-7.79	-5.21	-5.41	-6.7	-1.08	0.24	1.68	1.26	-2.89	-3.16
Dalotuzumab_3B~	0.81	-13.47	-9.33						-14.35	-11.33	-0.85	-4.79		
Iniparib_2A~	1.15	-1.3	-2.36	-6.04	-5.72	-4.88			-6.21	-2.97				
ATTENTION_2A~	1.16	-7.39	-4.37	-5.73	-6.57	-5.37	-5.13		-2.53	-7.54	-5.15	-8.49		
Figitumumab2_2A~	1.17	-5.61	-5.68	-9.08	-8.7	-7.2	-4.86		-7.54	-3.13	-5.36	-3.49		
CAIRO3_2D~	1.18	-14.77	-10.51	-9.78	-9.74	-9.21	-7.65	-4.09	-3.25	-2.25	-9.57	-6.99	-4.64	-2.42
TRIBE_2~	1.2	-16.95	-13.87	-8.68	-8.88	-8.9	-8.19	-7.78	-3.03	2.3	-2.57	-6.15	-7.02	-5.83
TRIBE(2)_2B~	1.2	-22.16	-8.75	-8.17	-8.17	-7.57	-7.92	-5.5	-2.65	2.35	-3.8	-6.99	-9.42	-5.94
OMEGA_3B~	1.21	-13.47	-4.89	-8.7	-6.62	-3.61	-8.21	-1.16	-4.08	-1.57	-10	1.8		
METlung_2A~	1.24	-9.95	-3.78	-8.82	-10.36	-9.24			-3	-6.4				
OPTIMOX3_3B~	1.24	-12.6	-14.12	-8.54	-8.06	-8.56	-8.34	-7.23	1.91	-3.22	-2.8	-4.42	-6.18	-7.4
OPTIMAL_1~	1.24	-19.12	-5.04	-5.28	-5.28	-6.29	-6.75	-5.91	1.91	5	4.7	-9.32	-6.13	-6.27
BEBYP_3~	1.27	5.21	-9.71	-5.65	-6.05	-5.79	-8.1	-7.12	5.31	4.03	-4.06	-11.67	-9.68	-11.78
FFCD2001_S1D~	1.43	-17.38	-22.43	-13.34	-13.61	-14.4	-13.64	-11.16	1.4	-13.72	-10.84	-10.71	-11.99	-12.51
JCOG0605_2A~	1.54	-25.2	-22.37	-28.06	-27.66	-25.47	-18.73	-6.26	-12.22	-20.16	-19.57	-19.02	-9.62	-0.69
BEYOND_3A~	1.55	-29.11	-15.11	-22.16	-18.89	-18.45	-15.96	-5.49	-3.03	-8.68	-14.86	-12.97	-16.89	
ACT2_2D~	1.58	6.52	-12.85	-15.91	-16.21	-15.71	-5.96	-6.75	0	-9.27	-0.62	7.07	-14.83	-25.8
KEYNOTE024_2~	1.63		-8.61	-15.28	-15.13	-16.13			-8.45	-15.27	-14.13			
TH3RESA_4~	1.68		-4.82	-13.03	-11.91	-8.03			-12.05	-10.73				
ACT2_2C~	1.71	-43.45	-22.42	-26.76	-26.22	-23.98	-20.18	-8.2	0	-19.05	-13.02	-20.98	-29.93	-8.49
TROG0306_2~	2		-25.64	-25.53	-20.25	-20.16	-14.88	-9.59	0.71	0.71	0.1	-0.61	-2.02	-1.12

