

trial_filename	metric_name																		
	cox_estimate	median_diff	mean_diff	peron_rb_estimate_4wk	peron_rb_estimate_12wk	peron_rb_estimate_20wk	peron_rb_estimate_52wk	gehan_rb_estimate_4wk	gehan_rb_estimate_104wk	gehan_rb_estimate_12wk	gehan_rb_estimate_20wk	gehan_rb_estimate_52wk	gehan_rb_estimate_104wk	landmark_diff_6mo	landmark_diff_12mo	landmark_diff_18mo	landmark_diff_24mo	landmark_diff_30mo	landmark_diff_36mo
IMELDA_2B-	0.51	66.48	29.55	23.51	23.6	26.45	22.59	13.95	22.77	22.24	20.33	17.33	8.29	5.14	17.83	19.32	19.82	23.62	24.05
CONCUR_2A-	0.54	10.47	10.89	29.61	25.33	21.17	7.94	0	27.01	23.52	17.67	3.86	0	11.19	20.57				
Checkmate017_1-	0.59	14.03	15.47	23.48	23.07	21.93	17.17	0	21.72	20.72	17.89	8.46	0	13.24	18.44	17.52			
MAINSAIL_2A-	0.66		6.59	17.62	9.09	10.45	6.26	0	3.15	2.5	1.42	0.2	0	4.53	4.92	11.5			
CLEOPATRA_2A-	0.68	80.38	29.94	18.34	18.35	18.34	15.64	13.02	11.97	11.76	11.28	10.25	7.14	0.73	4.62	5	9.66	10.03	12.3
LUXBreast1_4-	0.68	35.63	18.39	17.24	16.99	15.34	13.07	7.86	11.74	11.29	10.32	7.45	1.94	4.11	10.94	11.62	13.11	17.74	9.91
RECOURSE_1A-	0.68	7.86	7.66	20.66	18.7	13.37	5.41	0	18.68	15.26	7.58	1.27	0	15.02	9.79	3.1			
JCOG0509_2A-	0.71	12.6	17.56	14.18	13.98	14.42	14.65	9.24	12.19	11.69	11.45	10.15	3.84	2.8	4.8	9.14	17.49	13.46	9.3
PREVAIL_1B-	0.73	9.12	8.19	9.16	9.91	9.12	9.37	3.35	9.29	8.93	8.06	5.13	0.37	3.81	7.32	7.61	6.93	5.63	
MA31_3-	0.75		9.09	11.29	7.98	6.45	7.61	5.67	6.02	5.58	4.68	3.04	0.54	0.69	5.72	8.91	11.47	8.3	4.88
Checkmate057_1A-	0.75	12.04	8.28	8.81	9.42	11.43	9.94	-0.77	7.22	7.65	8.09	4.87	-0.06	-2.15	11.11	14.71	13.89		
CALGB40502_2C-	0.75	13.47	17.65	15.57	15.63	14.16	12.95	9.03	8.57	8.05	7.17	5.41	1.97	3.82	5.97	5.43	7.19	10.44	8.08
FIRE3_2B-	0.76	17.38	22.89	12.29	12.37	12.48	12.56	11.14	4.93	4.59	4.12	3.54	2.73	-0.7	1.2	3.07	4.66	11	13.83
A004_1B-	0.8	20.42	15.73	10.55	10.82	10.32	8.48	8.21	6.41	6.51	6.41	6.03	4.47	-0.06	1.66	4.06	1.65	7.32	9.15
LUXLung8_3A-	0.8	4.87	7.29	9.75	9.77	9	7.83	2.1	8.35	8.26	6.93	4.72	0.26	9.32	7.81	7.8	5.63		
COUAA202_2-	0.81	16.08	13.13	10.26	9.96	9.17	8.92	6.32	8.09	8.14	7.79	6.86	4.78	0.97	0.75	1.79	6.38	5.19	4.78
WJOG5208L_2A-	0.81	9.56	12.19	13.44	13.53	12.73	10.25	3.05	12.89	13.18	12.57	9.71	1.15	1.65	10.35	11.45	9.18	1.6	-0.95
SAKK4106_3-	0.84	6.08	11.8	9.43	9.06	8.66	7.24	4.79	7.93	7.92	7.92	6.68	3.78	-0.76	2.41	4.24	4.54	6.94	2.66
MAPS_2A-	0.84	11.73	15.78	8.51	8.53	8.33	7.11	4.68	6.81	6.75	6.36	4.99	2.18	-0.08	6.15	8.81	3.97	5.55	5.76
CALGB40502_2D-	0.85	14.34	9.63	8.91	7.48	7.6	6.3	5.27	4.58	4.27	3.7	2.67	0.84	3.49	1.04	5.55	6.43	7.02	4.25
CA184043_2A-	0.85	5.65	7.46	3.49	4.57	7.48	8.49	4.81	0.74	1.34	2.67	2.9	0.27	-5.33	6.23	8.39	10.58	6.61	
RAISE_2A-	0.85	7.82	5.18	7.64	7.66	7.71	7.93	8.08	4.68	6.7	7.38	4.66	1.04	3.54	7.99	3.31	2.43		
SQUIRE_2A-	0.85	6.52	6.74	9.56	8.75	7.51	5.01	2.08	8.34	7.9	6.66	4.04	0.57	6.14	4.9	4.15	3.19	2.29	3.91
CALGB40503_2B-	0.86	19.12	11.97	7.81	7.94	8.02	8.56	6.09	4.09	4.01	3.76	3.45	2.48	1.22	-0.01	3.64	2.43	4.53	1.66
REVEL_2-	0.86	5.91	6.47	9	8.55	7.03	5.07	4.16	7.42	6.99	5.92	3.39	0.47	5.61	5.41	3.06	3.2	7.3	
BEACON_2A-	0.87	9.12	5.92	10.24	9.62	7.76	4.4	1.85	9.59	9.06	7.28	3.28	0.25	5.99	9.5	3.68	1.76	3.2	
PROSE_2A-	0.87	5.61	6.32	9.65	9.02	6.76	5.36	1.34	9.59	8.7	5.8	2.95	-0.36	8.66	7.43	7.69	2.61	2.77	-1.39
LUXLung3-6_2A-	0.88	0.43	5.71	4.79	5.87	4.49	4.01	2.61	3.62	3.26	2.95	2.56	1.43	-0.32	-0.5	3.37	0.49	4.73	3.72
ACT1_2A-	0.88	-1.26	5.34	4.77	4.52	4.62	5.57	2.49	3	2.71	2.37	2.16	0.28	0	3.44	6.92	6.29		
Eribulin_2A-	0.88	6.52	9.59	8.01	7.82	6.96	5.73	3.87	7.26	7	6.08	4.6	2.32	5.7	5.92	4.79	2.74	1.91	4.05
LEA_2C-	0.88		3.25	2.37	1.7	-0.01	4.81	1.95	2.55	2.37	2.13	1.79	0.92	0.48	1.62	2.25	0.93	2.78	5.6
LUXLung3-6_2B-	0.88	-3.04	6.07	6.15	6.7	6.84	5.4	3.91	1.8	1.95	1.67	1.24	0.57	2.59	3.61	4.13	1.99	2.01	6.65
PROFILE1014_1B-	0.89		2.75	1.33	1.34	1.38	1.11	5.37	3.84	3.77	3.49	1.99	0.3	4.36	4.67	-1.75	2.89	-0.87	
ELM-PC5_2A-	0.9	7.82	3.39	4.13	4.58	5.79	5.07	1.08	2.14	1.87	1.46	0.88	0	0.97	3.33	6.47	4.1		
BOLERO2_1-	0.9	18.68	5.96	2.47	3.34	5.41	5.59	4.34	5.68	5.52	5.35	4.89	2.41	2.18	3.53	4.44	8.16	4.78	4.43
Tasquinimod_2B-	0.9	11.3	4.13	2.93	2.56	3.8	4.23	2.72	3.2	3.11	3.32	3.01	0.61	-2.37	-0.03	4.91	5.69	4.78	2.73
TURANDOT_2B-	0.9	15.21	7.34	5.48	5.8	4.93	4.09	2.85	4.72	4.62	4.01	3.19	2.41	3.03	2.59	1.66	5.33	6.99	0.45
ENSURE_3A-	0.91	3.91	2.81	2.93	4.89	5.56	3.36	2.57	0.28	0.01	-0.7	-0.61	1.38	1.25	0.56	-7.67	0.88	10.94	
DELTA_2B-	0.91	11.3	3.1	4.42	2.72	2.32	3.02	0.72	1.1	0.91	0.98	0.83	-0.07	0.23	5.06	4.62	-0.91	3.19	
COMET1_2A-	0.91	5.78	1.96	3.97	4.34	4.68	3.12	0	4.56	4.21	3.41	0.92	0	3.79	2.61	1.85			
ELM-PC4_3A-	0.92	8.69	2.87	0.54	2.11	3.75	2.74	1.69	3.12	3.03	2.8	2.09	0.24	1.93	3	3.63	2.25	3.63	-4.55
CBCSG006_2B-	0.92	16.95	3.14	1.54	2.47	3.09	5.44	0.27	2.13	1.82	1.59	1.39	0.2	-3.53	3.89	6.5	1.64	1.42	
LUMELung1_3C-	0.94	3.82	3.05	3.4	3.69	3.58	3.34	0.77	3.29	3.69	3.77	3.35	0.71	4	2.01	3.63	2.32	-0.16	
20050181_2A-	0.95	6.95	3.37	6.16	5.95	5.62	3.66	0.28	6.01	6.02	5.88	4.09	0.81	2.18	5.28	6	2.03	0.78	-1.63
MIROX_2B-	0.95		-2.2	0.41	1.77	0.31	-0.36	-1.28	-0.43	-0.02	-0.49	-0.7	-1.05	0.02	-0.66	-3.48	-4.21	-0.6	-0.57
20050181_2B-	0.96	3.04	1.9	3.22	3.33	2.68	1.37	0.47	3.06	3.14	2.61	1.68	0.96	0.71	3.48	2.42	-0.18	1.22	-1.26
WJOG5108L_2B-	0.97	7.82	1.59	-0.46	2.33	1.81	1.98	1.69	1.43	1.43	1.24	0.71	0.29	-0.25	0.7	2.1	5.75	1.72	2.01
TCOG0701_1A-	0.98	4.35	1.49	1.36	1.37	1.24	1.44	0.04	1.41	1.34	1.18	1.09	-0.44	1.31	-0.82	3.56	1.07	1.29	-0.46
MARQUEE_2A-	0.98	3.78	1.4	0.57	1.08	-0.7	-1.55	0	-0.48	-0.5	-0.87	-0.6	0	-0.47	0.95	2.98			
INSPIRE_2A-	1.01	-0.43	-0.19	-1.26	-1.05	-1.19	-1.04	-1.99	-1.73	-1.69	-1.12	-0.53	-0.36	-3.9	-0.78	-1.53	-0.48	1.9	
ROSE_2C-	1.01	0.87	1.74	1.5	1.05	2.43	3.55	3.29	-0.75	-0.77	-0.89	-0.81	-0.08	-0.12	-1.04	0.07	-1.92	-1.98	6.51
VANTAGE014_2-	1.01	-3.7	-0.37	-2.84	-2.93	-1.91	0.56	0.08	-3.26	-3.28	-2.65	-1.33	-0.7	-3.03	-2.38	3.03	1.7	0.21	
FFCD2001_S1B-	1.02	3.91	-2.23	-0.33	-0.77	-0.36	0.71	-0.42	-0.35	-0.84	-0.34	1.55	1.06	-4.81	-4.28	2.39	6.28	1.51	-2.7
SMART_3-	1.04	1.74	-0.74	-1.54	-3.68	-1.89	0	0	-3.51	-3.93	-1.4	0	0	-2.99	1				
ASPECC2_2A-	1.04	-2.26	-1.1	-2.04	-2.37	-2.44	-2.04	-0.42	-1.82	-1.72	-1.39	-0.74	0.2	-0.64	-2.22	-2.45	-0.77	0.49	
SELECTBC_2A-	1.04	-12.52	0.37	0.5	0.44	-0.93	-1.18	-2.47	-0.5	-0.58	-0.59	-0.42	-0.43	-2.99	0.62	3.94	3.73	-2.13	-5.37
NITRO_2B-	1.05	2.61	-2.22	-3.21	-2.64	-1.91	-2.94	-1.07	-2.97	-2.33	-1.58	-2.19	-0.32	-6.19	0.77	-5.43	-1.26	0.67	
NCICBR26_2A-	1.05	-2.17	-1.87	-2.94	-2.49	-1.49	-1.59	-1.93	-2.8	-2.57	-1.58	-1.22	-0.25	-4.7	-0.28	-1.92	-2.5		
Figitumab_2A-	1.07	-2.87	-1.51	-8.5	-6.36	-2.67	1.05	-0.55	-8.68	-6.23	-2.59	0	-0.24	-5.67	-2.14	3.28	-0.5		
CA184095_2A-	1.09	-6.08	-7.7	-6.15	-6.05	-6.1	-4.83	-3.39	-6.74	-6.45	-6.02	-5.36	-3.89	-7.31	-6.28	-7.2	-7.88	-0.15	1.66
QUARTZ_2A-	1.09	-1.28	-1.01	-5.34	-1.9	-1.6	-0.13	0	-5.35	-1.9	-1.58	-0.11	0	-1.86	-0.37				
ITACa_2B-	1.1	-3.04	-7.23	-8.54	-8.52	-7.57	-5.77	-2.17	-9	-9.18	-8.67	-7.21	-3.41	-5.39	-9.69	-11.34	-2.16	3.32	-2.55
AIO207_3C-	1.03	-7.39	-4.21											-3.77	0.93	-4.83	-2.69	-0.33	-1.99
CALGB90202_2C-	1.13	-11.3	-17.02	-8.91	-7.79	-5.21	-5.41	-6.7	-0.58	-0.49	-0.45	-0.43	-0.43	-1.08	0.24	1.68	1.26	-2.89	-3.16
Dalotuzumab_3B-	0.81	-13.47	-9.48											-14.35	-11.33	-0.85	-4.79		
Iniparib_2A-	1.15	-1.3	-2.3	-6.04	-5.72	-4.88	-0.74	0	-6.11	-5.4	-2.65	0.06	0	-6.21	-2.97				
ATTENTION_2A-	1.16	-7.39	-4.36	-5.73	-6.57	-5.37	-5.13	0.1											