



11 A

WS /api/minutes/volc/{meeting_id}/live?token=JWT
■■■■■■■ PCM ■■■■■■■■■■■■■■■■■■■■

■■■■■JSON■■■■■

Page 10 of 10

■ ■ ■ completed ■ ■ ■ ■ audio id ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 2 ■ ■ ■ ■ ■

2 — + + Todos

POST /api/minutes/volc/{meeting_id}/submit

TOS

```
← {success:true, data:{status:"submitted", task_id:"xxx"}}
```

Meeting WebSocket

```
← {type:"volc_minutes_status",    status:"processing"} // 
← {type:"volc_minutes_completed", refresh:true}           // * 
← {type:"volc_minutes_failed",    error:"..."}            // 
```

✓ volc_minutes_completed GET /api/minutes/volc/{meeting_id}

B

1 —

POST /api/minutes/volc/{meeting_id}/upload

Content-Type: multipart/form-data: file

WAV / MP3 / M4A / OGG

```
← {success:true, data:{id: audio_id, status:"uploaded"}} // * audio_id
```

2 — SSE ASR

SSE /api/minutes/volc/audio/{audio_id}/stream?token=JWT

EventSource POST body

```
const es = new EventSource(
  `/api/minutes/volc/audio/${audioId}/stream?token=${token}`
);
es.onmessage = (e) => {
  const msg = JSON.parse(e.data);
  if (msg.type === "partial")  updateDisplay(msg.accumulated);
  if (msg.type === "completed") { es.close(); triggerSubmit(); }
};
```

```
← data:{type:"session_created", session_id:123, audio_id:456}
← data:{type:"partial",    text:"...", accumulated:"..."}
← data:{type:"final",      text:"...", accumulated:"..."}
← data:{type:"completed",  session_id:123, transcript:"..."} // * 
← data:{type:"error",      message:"..."}
```

POST /api/minutes/volc/{meeting_id}/submit

GET /api/minutes/volc/{meeting_id}

volc_minutes_completed

```
{
  "transcript_text": "[1] ...\\n[2] ...",
  "speaker_segments": [
    {"speaker": "1", "text": "...", "start_ms": 0, "end_ms": 3500},
    {"speaker": "2", "text": "...", "start_ms": 3800, "end_ms": 7200}
  ],
  "summary": {"title": "Q2", "paragraph": "..."},
  "todos": [{"id": 1, "content": "...", "assignee": "...", "deadline": "..."}]
}
```

Speaker Diarization

/submit ASR

ASR partial/final		volc ASR WebSocket	/
GET			/


speaker_segments

		start_ms	end_ms
1	Q2	0	3500
2	20	3800	7200
3	30	7500	10100
1	...	10400	13000

```
// 当 volc_minutes_completed 时
const result = await GET(`/api/minutes/volc/${meetingId}`);

if (result.speaker_segments.length > 0) {
  // 渲染 speaker 片段
  // speaker 为 '0001' / '0002' / ...
  // 当 start_ms / end_ms 时
  renderSpeakerBubbles(result.speaker_segments);
} else {
  // 渲染 transcript 文本
  renderPlainText(result.transcript_text);
}
```

speaker_segments transcript_text



Method	URL	Response
PUT	/volc/{id}/transcript	
PUT	/volc/{id}/summary	
POST	/volc/{id}/todos	
PUT	/volc/{id}/todos/{todo_id}	
DELETE	/volc/{id}/todos/{todo_id}	



Method	URL	Header	Response
WS	/api/minutes/volc/{id}/live?token=JWT	token(Query)	A1
POST	/api/minutes/volc/{id}/upload	Bearer JWT	B1
GET	/api/minutes/volc/audio/{audio_id}/stream?token	token(Query)	B2SSE
POST	/api/minutes/volc/{id}/submit	Bearer JWT	
GET	/api/minutes/volc/{id}	Bearer JWT	
PUT	/api/minutes/volc/{id}/transcript	Bearer JWT	
PUT	/api/minutes/volc/{id}/summary	Bearer JWT	
POST	/api/minutes/volc/{id}/todos	Bearer JWT	Todo
PUT	/api/minutes/volc/{id}/todos/{todo_id}	Bearer JWT	Todo
DEL	/api/minutes/volc/{id}/todos/{todo_id}	Bearer JWT	Todo

■■■■ Bearer JWT ■■■■ HTTP Header ■■■ Authorization: Bearer <token>■ Meeting WebSocket ■■■■■■■■■ WS
■■■■■■■■■■■■■■■■ WS■■