

Power Systems Virtual Server - Deep Dive



Workshop 3. + 24. April 2025

Martin Weidauer
Senior Cloud Architect
IBM Technology
weidauer@de.ibm.com




IBM Cloud is optimized for the complex and evolving needs of enterprise and regulated industries




Resilient Cloud Platform

A cloud foundation focused on resiliency demanded by mid and back-office processes and workloads




Security

Meeting advanced security needs through a confidential compute portfolio and a broad ecosystem



Compliance and Controls

Compliance and controls built into a hybrid multi-cloud architecture




High Performance, Mission Critical Workloads

Providing x86, Power, Z and Quantum to meet performance needs of the applications and data that serve your business processes


IBM Cloud: Cloud without compromise

Reduce risk. Innovate anywhere.

200+ Cloud native services
<https://cloud.ibm.com/catalog>



Resiliency, Performance, Security, Compliance, Total Cost of Ownership




Hybrid, multicloud
Multicloud Manager, Control Framework

Innovate where you want
Designed for portability

IBM Cloud:
<https://cloud.ibm.com/login>
IBM Cloud Website:
<https://www.ibm.com/cloud>

- Enables clients to optimize investment across their IT estate
- Accelerates innovation and mitigates 3rd and 4th party risk in even the most regulated industries
- Drives outcomes, securely and with speed
- Unlocks agile development with options to ramp quickly and pay for only what is consumed

IBM Cloud Compliance, Data Protection & Data Security



IBM Cloud Compliance “Homework”

<https://www.ibm.com/cloud/compliance>

ISO 27001, ISO 27017, ISO 27018, ISO 27701,
PCI-DSS for Payment Card Industry - as Service Provider,
SOC1 Type 1, SOC1 Type 2
...


IBM Cloud
“USPs”:

- Only provider in the Cloud industry with **KYOK (Keep-Your Own Key) encryption**
- **Single-Tenant HSM solution** under the control of customer (no access by IBM as Cloud provider)
- Only cloud provider with **technical assurance** to prevent access to data by cloud provider
- **Continuous validation** and documentation of **workload compliance** based on > 500 coded controls (Financial Services Cloud) for regulatory requirements managed via **Security Compliance Center (SCC)**
- **Contractual assurance** that no data will be transferred to US authorities

European Banking Authority (EBA) compliance brief:
<https://www.ibm.com/downloads/cas/KRGNBGBD>

IBM Power Virtual Server – at a glance

Differentiated Capabilities



Full Enterprise Stack



Superior Resiliency,
Performance and Security



Supported by Oracle
Certified by SAP
Enabled by IBM i ISVs




Flexible and Cost-
Effective Consumption



22 WW Data Centers
(more coming)



Broad ISV support and certification



IBM Power Systems - Power Virtual Server ●

Worldwide deployment locations*

22 Data Centers

In 9 countries (*more coming*)

Americas


- Dallas – DAL10, DAL12, DAL13, DAL14
- Washington DC – WDC04, WDC06, WDC07
- Toronto
- Montreal
- Sao Paulo – SAO01, SAO04

EMEA

- **Frankfurt – FRA01, FRA02**
- London – LON04, LON06
- **Madrid – MAD02, MAD04**

APAC

- Sydney – SYD04, SYD05
- Osaka
- Tokyo
- Chennai



List of Current Datacenters

IBM Power Systems Virtual Server

Popular Use Cases



Data Center Strategy Optimization

Business expansion and worldwide growth

Frictionless migration.
Architecture aligned with certified stack.

Grow quickly. Accelerate time to value. Geographic expansion.

Maintain ISV certifications and support.

Multisite implementation with Production, HA, DR and Dev/test environment



Business Continuity Planning

Reliable failover solutions

Backup, HA, DR

Reduce Capex

Flexible DR capacity

Reduce capacity planning complexity and capacity headroom



Modernize

Modernize process and evaluate cloud feasibility

Increase business agility

Modernize - connected with 200+ IBM Cloud® Services

Cloud integrated API that easily integrates to existing tooling

Shift from buying max capacity to provision on-demand

Start with Dev/Test environment



Improve operational cost

Operational Excellence and Cost Optimization

Ease of technology upgrade.
Supported software.

Pay-as-you-go billing. Capex to Opex.

Align specialized skilled resources with key business objectives

Improve service and response time, off hours coverage

Customers often are looking for managed solutions

Power Systems

Virtual Server provides IaaS.

Managed Services on top of IaaS is a typical requirement.

IBM Consulting and IBM Business Partners provide Managed Services for Power Systems Virtual Server.

Business Process

BPaaS

Consulting Services

Cloud Strategy & Assessment

Cloud Assessment

Business Process Transformation

Functional & Development Services

Functional Application Support

Enhancements & Customizations



Managed Applications

Level 2/3 Support

Managed Application Technology

Managed DB

Managed OS, Backup, Security

Certified IaaS

Servers (Intel / IBM Power)

Storage

Data Centers

AIX/RHEL/SLES/IBM i


“Application Login”

IBM Cloud IaaS flexible options

IBM Power Systems Virtual Server resource consumption

General:

- Managed IaaS
- All redundant setup
- 2 DCs per Region
- SLA 99,95-99,99%



- Consumption of Power LPARs, CPU, RAM, S922/E980, S1022/E1050/E1080
 - live partition mobility included
 - remote restart included
 - Dedicated Hosts
 - Shared Processor Pools
- Consumption of Block Storage
 - All Flash Storage
 - Snapshots, Clones
 - 3, 10, 25 IOPS/GB or fixed 5000IOPS
- Consumption of Subnets
 - ByoIP
- Standard Image Catalog
 - Custom Images
 - Image import / export
- No HW access e.g. to HMC/NovaLink, PowerVC
- No HW access e.g. to SVC
- VIOs managed by IBM
- No HW access
- VLANs managed by IBM


Enterprise Architecture

- ❖ Identical architecture with enterprise Power Systems on-premises architecture from microprocessors, firmware, PowerVM, PowerVC and dual VIOS.

Highly flexible, usage-based billing

- ❖ **PowerVS is highly flexible and scalable, automation via API, CLI, Terraform allows highly flexible deployment and usage**
- ❖ **Usage based pricing, billed by the hour, committed usage discounts on all resources independent of LPAR profiles or selected Power System (S or E)**

IBM Power Virtual Server – More than just hardware hosting



IBM Cloud infrastructure offerings for SAP provide the most options and configurations of any cloud provider

<https://cloud.ibm.com/wes-ui/sap>



Intel Bare Metal

IBM Cloud Bare Metal server, certified for SAP

Secure single-tenant

Rent the full machine

Maximum performance for large and intensive mission critical workloads

Designed for high-performance SAP production environments

550.670 SAPS
benchmark

IBM Cloud Bare Metal server, certified for SAP with Intel Optane DC Persistent Memory

Secure single-tenant

Rent the full machine

Maximum performance for large and intensive mission critical workloads

Designed for high-performance SAP Production environments with ultra-high memory

550.670 SAPS
benchmark



Private Virtual Data Center

IBM Cloud for VMware Solutions, certified for SAP

Secure single-tenant

Rent the full machine

Optimised performance with high agility, resiliency, and elastic compute costs

Designed to enable flexible delivery during SAP project implementations

495.603 SAPS
benchmark



Virtual Machine

IBM Cloud Virtual Server Instance certified for SAP

Secure multi-tenant

Rent VM on hypervisor

Full elastic compute for scalable workloads

Designed for elasticity and cost optimization of low to high performance SAP workloads

215.570 SAPS
benchmark



IBM Power Virtual Server for IBM Cloud, certified for SAP

Secure multi-tenant

Rent VM on hypervisor


Enterprise security, maximum performance and stability on IBM POWER9,10

Designed for ultra-high performance SAP production environments with ultra-high memory

**1.573.370 SAPS P10
907.820 SAPS P9**
benchmark


Advantages of IBM Power Systems Virtual Server for SAP

- IBM Cloud provides the only SAP-certified IaaS environment on IBM Power
- Change capacity (memory and cores) of virtual instances as needed or by applying a different certified profile for S4/HANA instances
- Scale vertically without overprovisioning in granular increments of 61++ certified instances from 128GB to 30.5TB RAM
- World record SAPS performance benchmark for IaaS environment
- Cloud built on industry's most reliable and secure SAP-certified server
- SAP platform with highest availability
- SAP platform with least security incidents
- Fully managed by IBM, allowing to benefit from IBM Power without requiring deep skills



Automation of SAP Landscapes incl. Infrastructure Patterns automated with Terraform and Ansible

- Automation of SAP Landscapes is a focus area across IBM and RedHat
- It's a joint effort across IBM Cloud, IBM Consulting and RedHat organizations
- IBM Cloud provides and maintains Architecture Patterns incl. Terraform and Ansible Automation to deploy complete SAP Landscapes
- Regulatory requirements (FS Cloud validated Architectures) and controls (Security Compliance Center) are leveraged
- SAP S/4HANA or SAP BW/4HANA fully automated [Deployable Architecture](#)




Part II – Details

2. Deep Dive



Power Systems Virtual Server – Typical Networking Options



Native Network Options:

- Public (NAT) IP
- Private Subnet (ByoIP)
- Power Edge Router
- Access to Cloud Services

Extended Options:

- Transit Gateway
- Direct Link
- Connection to 2nd Power VS data center
- VPC Connectivity
 - Jump or proxy virtual and dedicated hosts
 - Firewalls
 - Virtual Private Endpoints
 - VPNaas with SLA
- Classic x86 Connection (not shown on chart)
 - Firewalls
 - x86 Bare Metal
- ...

Power Systems Virtual Server – Capabilities and Limitations

	Capabilities	Limits	AddOns
Network (v12)	<ul style="list-style-type: none">• Private Subnets and/or Public NAT IP address (one option required)• ByoIP for private subnets (optional)• Reserving IP addresses• Old (few DCs left): Cloud Connections: Up to 10Gbps Cloud Connections to second Power VS datacenter and other IBM Cloud services (optional)• New (default): Power Edge Router (PER) 400Gbps shared connectivity to IBM Cloud Backbone• PER can be connected to any TGW, can be local or remote• PER direct access to IBM Cloud private Endpoints, shared 10Gbps• VIOS included in hourly price• Use VPNaas from VPC + Configure Prefix for Power VS (PowerVS VPNaas deprecated since 06/24)• P9: 25Gbps NICs• P10: 100Gbps NICs• Virtual Ethernet/SEA (~80%+ performance gain with AIX 7.3 TL3)• ACLs and Security Groups (NIC level)	<ul style="list-style-type: none">• No access to Network HW, VIOS• VLANs managed by IBM• Old PowerVS VPNaas without SLA (deprecated (06/24))• No vNIC/SRIOV option• 07/24 End of service notice for Cloud Connections in PER enabled DCs by 06/2025	<ul style="list-style-type: none">• Transit Gateway (local/remote)• VPNaas via VPC• Network separation via TGW & VPC ACL/Security Groups• Firewalls• Direct Link• DNS• VPC Load Balancers• Internet Connection Services• ...

Power Systems Virtual Server – Capabilities and Limitations

	Capabilities	Limits	AddOns
Storage (v12)	<ul style="list-style-type: none">• 32GB SAN infrastructure using IBM Flash System 9xxx (NPIV)• Consumption on Volume level• 1GB-512TB Volumes, 1GB increments• 3 (SSD), 10, 25 (NVMe) IOPS/GB• 5000 IOPS fix• Mix and match different tiers (Tier 3 for boot/system disks , other Tiers for data disks)• The storage Tier of a volume can be changed online• VIOS included in hourly price of LPAR/Volume• Sharable Volumes• Snapshots• Clones• Storage Pool Affinity/Anti-affinity• GRS: Global Replication Service = async storage replication between defined DR pairs (Frankfurt-Madrid)• Volume encryption with provider keys by default, ByoK & KyoK optional	<ul style="list-style-type: none">• No access to storage HW, VIOS• No storage replication between two data centers in one Region (e.g. eu-de-1 and eu-de-2) (Exception LON04 & LON06)• All volumes in a snap or clone must be from the same storage pool• Snaps cannot be accessed by other LPARs: only restored to primary LPAR• 5000 IOPS limited to 200GB volumes• Minimum 1GB per volume• Maximum 512TB per volume in the Portal (CLI allows for larger volumes)• More than 127 volumes per LPAR must be enabled at LPAR creation time, can not be changed later• GRS: Storage Tier can not be changed online; replication must be stopped and re-created	<ul style="list-style-type: none">• Global Replication Service (GRS)• VM Recovery Manager (VMRM)• Backup as a Service (Cobalt Iron)• Virtual Tape Library (Falcon Stor)• Cloud Object Storage (COS)• Hyper Protect Crypto Services (HPCS) or Key Protect for AIX and Linux• Software replication solutions (GLVM, Mimix, Bus4i, DB2HA/DR, Oracle RAC, HANA System Replication, ...)• ...

Power Systems Virtual Server – Capabilities and Limitations

	Capabilities	Limits	AddOns
Compute (v12)	<ul style="list-style-type: none">• Consumption of LPARs and/or Dedicated Hosts• Shared uncapped, shared capped, dedicated cores• Virtual Server Pinning (none, hard, soft)• Server Placement Groups Affinity/Anti-Affinity• LPM and Remote Restart within data center are included• CPU cores configurable in 0,25 steps• fractional Cores rounded up to next integer (0,25 > 1,0 Cores)• Shared Processor Pools (SPP) using Capped & Shared Cores• Fix ratio of 1 EC : 1 VP for LPARs outside SPPs and in P9 SPPs• Ratio of up to 1 EC : 3 VP in P10 SPPs for LPARS with up to 2 Cores• Flat RAM price inside SPPs	<ul style="list-style-type: none">• No access to HMC/NovaLink• Max 4 Cores in IBM i LPARs on scale-out hosts; P10 licensing• More Cores for IBM i on scale-up hosts; P30 licensing• S922: max 15 Cores / LPAR• S922: max 976GB RAM / LPAR• E980: max 143 Cores / LPAR• E980: max 22,5TB RAM / LPAR• S1022: max 33 Cores / LPAR• S1022: max 1986GB RAM / LPAR• E1050: rolling out• E1080: max 171 Cores / LPAR• E1080: max 32TB RAM / LPAR• Availability/capacity differs between data centers• One default SPP per Workspace; up to 63 custom SPPs per Workspace• SPPs tied to host/system type• Default SPP: min. 0,25 Core, fix 1:1 ECtoVP, no weights• Dedicated Host SPP: flexible ECtoVP ratio up to 1:20• P9 phase out targeted mid 2028	<ul style="list-style-type: none">• x86 VMs in IBM Cloud VPC and Classic

Dallas (3)

Compute Comparison	Model	S822	S922	S1022		
	CORES	8	15	33		
Key Takeaways	CPW SIZES CORES	4	4	4		
Power10 delivers Significant IBM i and AIX performance improvement	CPW FOR SYSTEM	49,960	68,000	104,700		
	RELATIVE AIX PERFORMANCE (Core) (RPERF – SMT8)	17.8	+44% Increase To P10	21.32	+20% Increase	25.60
	RELATIVE IBM i PERFORMANCE (CPW/Core)	12,490	+110% Increase To P10	17,000	+54% Increase	26,175
	MEMORY AVAILABLE FOR USE	976GB	976GB	1986GB		

IBM and Business Partner
Internal Use Only

RPERF	ST – 60.9 SMT2 – 88.4 SMT4 – 114.8 SMT8 – 122.9	ST – 144.2 SMT2 – 245.2 SMT4 – 338.4 SMT8 – 426.4	ST – 324.1 SMT2 – 602.4 SMT4 – 798.4 SMT8 – 1024.1
-------	--	--	---

Compute Comparison

Key Takeaways

Power10 delivers
Significant IBM i and
AIX performance
improvement

IBM and Business Partner
Internal Use Only



Model	E880	E980	E1080
CORES	72	143	171
CPW SIZES CORES	40	40	48
CPW FOR SYSTEM	43,608	243,900	450,400
RELATIVE AIX PERFORMANCE (Core) (RPERF – SMT8)	20.16	+74% Increase To P10 27.45	+28% Increase 35.01
RELATIVE IBM i PERFORMANCE (CPW/Core)	10,902	+116% Increase To P10 13,171	+79% Increase 23,520
MEMORY AVAILABLE FOR USE	16800GB	24496GB	32672GB
RPERF	ST – 799.6 SMT2 – 1159.3 SMT4 – 1507.1 SMT8 – 1612.6	ST – 1,486.0 SMT2 – 2,526.1 SMT4 – 3486.0 SMT8 – 4,392.4	ST – 1888.7 SMT2 – 3707.4 SMT4 – 5261.8 SMT8 – 6722.3

Power Systems Virtual Server – Capabilities and Limitations

	Capabilities	Limits	AddOns
Operating Systems (v12)	<ul style="list-style-type: none">• AIX, RHEL, SLES, IBM i (latest version information)• OS license and maintenance included in hourly price (BYOL option for RHEL & SLES only)• IBM i LPPs included in hourly price• IBM i 7.2, 7.3 extended support fee included in hourly price• Movable i process to reduce IBM i subscription cost by transferring perpetual licenses (IBM i MOL)• Optional client supplied subscription/ByoL for Linux• IBM managed Image Library• Custom images in private library• OVA Image import/export• Boot volume included in LPAR hourly price	<ul style="list-style-type: none">• Every Workspace has its own Image Library (import/export via COS to move images)	<ul style="list-style-type: none">• Cloud Object Storage for Image import/export• Run a NIM server to leverage mksysb for OS deployment

Power Systems Virtual Server – Capabilities and Limitations


	Capabilities	Limits	AddOns
Access (v12)	<ul style="list-style-type: none">• Web GUI• Remote Console via Browser• CLI• API• Terraform provider• IP Networking	<ul style="list-style-type: none">• WebGUI, API, CLI are accessible via public endpoints, access can be limited using context-based restrictions e.g. network zones	<ul style="list-style-type: none">• Ansible Roles• Schematics (Multiuser, managed Terraform service)

Part II – Details

3. Network & Migration



Power Systems Virtual Server – Typical Networking Options




Native Network Options:

- Public (NAT) IP
- Private Subnet (ByoIP)
- Power Edge Router
- Access to Cloud Services

Extended Options:

- Transit Gateway
- Direct Link
- Connection to 2nd Power VS data center
- VPC Connectivity
 - Jump or proxy virtual and dedicated hosts
 - Firewalls
 - Virtual Private Endpoints
 - VPNaas with SLA
- Classic x86 Connection (not shown on chart)
 - Firewalls
 - x86 Bare Metal
- ...

Power Systems Virtual Server – Migration Options



- Filesystem Replication
- IBM i OS Replication (Bus4i, Mimix, Rocket, ...)
- AIX GLVM Storage Replication
- Application Level Replication (HSR, DB2 HADR, ORA Data Guard, ...)
- mksysb Image Migration
- VTL Tape Migration
- Backup & Restore
- OVA Image Migration
- Data Migration to COS incl. Aspera

Part II – Details

1. Demo



Power Systems Virtual Server – Demo

IBM Cloud Search resources and products... Catalog Manage 1572913 - Martin Weidauer's Ac... ? 🔍 📁 📈 📥 🎙

Contact IBM to leverage up to 45% discount with 3-year Committed Use Savings Plan or up to 30% discount with 1-year Committed Use Savings Plan.

Everything you love about POWER with the benefits of Hybrid Cloud.

Pay-as-you-use billing make it easy to adjust workloads with flexible compute capacity.


Create a workspace Estimate pricing

Get started Quick start for dev test Advanced for production



1. Create a workspace


A workspace is a free working environment that acts as a folder for all Power Systems Virtual Server resources at a specific geographic region, including compute, networking and storage resources.



2. Create a virtual server instance

Deploy your first virtual server instance with the storage and networking needed.

Part III – What's new



Power Systems Virtual Server – What's New 2021

2021

- [Cloud connections](#) to automate connectivity to other IBM Cloud resources
- [Placement groups](#) to add servers into groups and apply affinity or anti-affinity policies
- Support to use [Mixed storage](#) to attach storage volumes to a PVM instance from different storage tiers and pools
- New Job feature and view restrictions for VM capture, image import/export [Capturing and exporting a virtual machine](#)
- Availability of [Virtual tape libraries](#) (VTL) to backup IBM i data
- [Virtual private network \(VPN\)](#) to connect an on-premises VPN gateway (VPNaas)
- Configuration via GUI for Virtual Private Network, Placement Groups, 10 Gbps speed for Cloud Connection and affinity policy for storage pools

Power Systems Virtual Server – What's New 2022

2022

- Power Systems Virtual Server now supports [AIX 7.3](#)
- Snapshots that are created are monitored hourly and priced depending on the disk space used
- Virtual appliances allow independent software vendors (ISV) to offer OVA (ISV software plus operating system of your choice) for quick deployment of Power Systems Virtual Server workloads
- IBM i 7.5 support
- IBM Transit Gateway to interconnect Power Systems Virtual Server to the IBM Cloud classic and Virtual Private Cloud (VPC)
- FalconStor VTL as a Service (Software Appliance) for IBM i
- Full Linux subscription support in addition to BYOL for SLES (incl. 15 SP4) and RHEL (incl. 8.6)
- Cost savings for EPIC workloads (health care)
- DR solution with Global Replication Service (GRS) configurable via API and CLI
- Support for Shared Processor Pools
- Integration with Hyper Protect Crypto Services (HPCS) for Keep your own Key disk encryption
- New list of [Power Systems Virtual Server compliance certifications](#)

Power Systems Virtual Server – What's New 2023

2023

- New data center DAL10
- Access your event logs and notifications in the GUI
- Power Systems Virtual Server [cost estimator](#) with updated large SAP HANA certified instances
- Update on new SAP HANA certified large t-shirt profiles feature – SLES 15 SP4 & RHEL 8.6
- New data centers WDC07 and SAO04
- [IBM Key Protect support for AIX and Linux LPARs](#) (Hyper Protect Crypto Services)
- Effective 1 May 2023, AIX 7.1 on Power Virtual Server is covered for software support. In Power Virtual Server, starting March 2024, ~~Service Extension pricing~~ is automatically added to the AIX charge for AIX 7.1 usage (postponed see 2024)
- Performance improvement using stock images by referencing instead of copying
- [Power Edge Router \(PER\)](#) improving network connectivity between Power VS and IBM Cloud backbone, first location DAL10
- [IBM Cloud Monitoring](#) supports Power VS platform metrics
- Beginning **Power10 rollout** (S1022 9105-22A), first locations WDC07 and MAD02; SAP certification in progress; E1080 deployment based on customer demand

Power Systems Virtual Server – What's New 2023 cont.

2023

- Effective 1 October 2023, IBM i 7.3 on Power Virtual Server is at end of normal support and will be in service extension. Service extension pricing will be automatically added to the IBM i charge for IBM i 7.3 usage.
- Additional location pairs supporting [Global Replication Service \(GRS\)](#) DAL13-WDC04 and FAR04-MAD02, MAD04-FRA05
- New data centers MAD02 and MAD04 incl. Power10, Power Edge Router and Global Replication Service (GRS) to FRA
- Power Edge Router (PER) rollout to additional locations WDC06, SYD04, MAD02, MAD04, SA004
- Update on SAP HANA large profiles; latest RHEL 9.2 for SAP, RHEL 8.8+8.6 for general purpose and SAP updated to support the larger profiles. Until further notice, use profiles <64 cores for RHEL 9.2, 8.8 and 8.6 OS images
- The S1022 systems supports RHEL 8.4 (and later) and SLES 15 SP3 (and later) versions. SAP NetWeaver is not certified for use with S1022 systems, making them suitable exclusively for non-production workloads ([FAQ OS-Versions](#))
- [Flexible IOPS](#): Tier 0 (25 IOPS/GB), fixed 5000 IOPS (max 200GB), change the IOPS level for existing volumes
- [VPC VPN service](#) to replace Power Virtual Server VPN (deprecated 07/2024)
- Limited Availability (US only) of [Dedicated hosts](#), S922 and S1022 servers for your dedicated use, more granular SPPs
- Dedicated [IBM Cloud Cost Estimator page for Power VS](#)

Power Systems Virtual Server – What's New 2024

2024

- Activity Tracker support for additional Power VS regions London, São Paulo, Osaka, Washington D.C., Montreal, Toronto
- Rollout of PER to FRA04, DAL12, DAL13, WDC04, TOR001, SA001, OSA21, TOK04, SYD05, LON06, SYD04
- Rollout of Power VS metrics for IBM Cloud Monitoring to additional DCs OSA21, DAL10, DAL12, DAL13, WDC07, SYD02, SA004, FRA04, TOR01, MON01, CHE01
- Availability of Compass, Cobalt Iron Backup as a Service
- Support for [migration from Cloud Connection based Workspaces to PER based Workspaces](#)
- Global Replication Service GRS rollout: WDC07-DAL10, OSA21-TOK04, SYD04-SYD05, SA001-SA004, MON01-TOR01
- Use of [Client supplied Linux subscription](#) with IBM supplied images
- [Reservation of IP addresses](#) from the Power Virtual Server UI
- New [OS images](#) for RHEL 9.4 & 9.2, AIX 7.3-7.1, IBM i 7.5-7.2 and IBM i COR, SLES 15
- **New data center CHE01** in Chennai, India; 5 Gbps Cloud Connection (no PER), no local Transit Gateway (TGW), no Cloud Monitoring support
- AIX 7.1 will continue to be charged at standard usage rates until further notice (update from May 2023)
- Power Virtual Server on IBM Cloud is now [HIPAA-ready](#)

Power Systems Virtual Server – What's New 2024 cont.

2024

- [Consumer ID](#) added to Billing & Usage to identify and get a detailed view at the resource level broken down by part metric
- Power Virtual Server is now **Financial Services® Validated** and has received a **SOC 2 Type II** report ([compliance](#) page)
- With Power10 LPARs inside a Shared Processor Pool (SPP) with up to 3.0 Virtual Cores. Providing greater flexibility e.g. for Oracle licensing ([Managing the shared processor pool](#))
- Snapshot usage information is now available using the API: [Get a list of all the snapshots on a workspace](#) and [Get the detail of a snapshot](#) for API details
- Dedicated host capability from the Power Virtual Server user interface (S922 and S1022 [Dedicated host](#))
- 06/2024 General Availability of **Power Virtual Server Private Cloud** On-premises service
- 07/2024 End of Service Notice for Cloud Connections in PER enabled DCs for 06/2025
- SAP full system profiles on S1022 systems, if no virtual machines are deployed on the system [SAP full system profiles](#)
- New SAP HANA sr2 and sh2 profiles on S1022 and E1080 systems [SAP HANA sr2 and sh2 profiles](#)
- Power10 E1080 (9080-HEX) hosts available in DAL10, WDC07
- Migration procedure published Db2 on AIX to Power Virtual Server [Migrating Db2 on AIX to Power Virtual Server](#)
- IBM i LPARs support attachment of large quantity of data volumes (up to 500)

Power Systems Virtual Server – What's New 2024 cont.

2024

- GRS replication services for a volume can be enabled from the user interface [Global Replication Services \(GRS\)](#)
- Power Virtual Server [overview](#) page provides details for every DC like available machine types (P9,P10), GRS pairs, dedicated host machine types and Power Edge Router (PER) enablement
- Automation to [migrate an existing Cloud Connection based network to Power Edge Router \(PER\)](#) through CLI
- New data center DAL14, first to host new Server node: IBM Power System E1050 (9043-MRX) a 4-socket server
- Ability to assign a [Virtual Serial Number \(VSN\)](#) to an IBM i VM. When a VSN is associated with a VM you need not pin the VM to a host for licensing or entitlement purpose

End of Support/Service

- Support for **Cloud Connections** ends on April 18, 2025. Cloud Connections solution will be the [end of life on June 18, 2025](#).
- Effective January 18, 2025, IBM will no longer deliver standard support for the **Power Virtual Server VPaaS** product. On July 14, 2025, the Power Virtual Server VPaaS product will reach its end of life

Power Systems Virtual Server – What's New 2025

2025

- New [Global Replication Services \(GRS\)](#) pair LON04-LON06

Thank you



Part IV – Additional Details




Shared Processor Pools (SPP)

IBM

Shared Processor Pools (SPP)

- A reserved pool of processor capacity that is shared between a group of virtual server instances
- Allows more control over the processor capacity that can be used by a virtual server
- Optimizes processor utilization between virtual servers in the pool
- Provides improved TCO for Production and DR work loads
- Available in PowerVS Public and PowerVS Private



Shared Processor Pools – Enhancements 2024/2025

- Optimized SPP Cost (March 2025):
 - Only pay for the cores reserved in the Shared Processor Pool; VM cores are not charged
 - VMs deployed into a SPP with a core-to-memory ratio > 1 core:64GB are priced at standard rates versus high-memory usage rates

Release Notes: <https://cloud.ibm.com/docs/power-iaas?topic=power-iaas-release-notes#March-2025>

- Improved Entitled-to-Virtual Cores Ratio (2024)
 - Leverage multiple VPs per EC to reduce SW licensing costs
 - Allows for a 1:3 EC to VP ratio for VMs in Shared Process Pool with 2 or fewer cores on Power10 instead of the normal 1:1 ratio
 - Ratio for PowerVS Private Cloud is 1:20

Power Virtual Server : <https://cloud.ibm.com/docs/power-iaas?topic=power-iaas-manage-SPP>

Power Virtual Server Private Cloud: <https://cloud.ibm.com/docs/power-iaas?topic=power-iaas-pricing-private-cloud>

Shared Processor Pools Metering Optimization - CPU

AIX

Sample Data

Data Center / Machine Type	Cores	Type	Mem	Price	Total
DAL12 / S1022 (main pool) BYOL	6	C	0	\$954.83	\$954.83
VM 1 within pool (AIX)	2	S	64	\$826.66	\$1,781.49
VM 2 within pool (AIX)	2	S	32	\$548.38	\$2,329.87
VM 3 within pool (AIX)	2	S	128	\$1,383.24	\$3,713.11

Note: Monthly USD prices shown

Shared Storage Pools (before changes)

- Create the pool using capped cores
- Billed monthly on data center, machine type, total cores
- Billed for the VM within the pool when created in addition to main pool

Shared Processor Pools Metering Optimization - RAM

AIX

Sample Data

Data Center / Machine Type	Cores	Type	Mem	Price	Total
DAL12 / s1022 (main pool) BYOL	6	SPP	0	\$954.83	\$954.83
VM 1 within pool (AIX)	2 (no charge)	S	64	\$614.54	\$1569.37
VM 2 within pool (AIX)	2 (no charge)	S	32	\$336.26	\$1905.63
VM 3 within pool (AIX)	2 (no charge)	S	128	\$1,171.12 \$3076.75 vs \$3713.11	

Note: Monthly USD prices shown

Metering Optimizations

- Leverage new “SPP” Part number with CRN (still capped core)
- Do not bill for VM cores configured within the pool
- Eliminate high-memory premium memory configured in pool

No High-use memory pricing

Shared Processor Pools – Use Cases and Benefits

License Optimization

Reduced the number of licenses needed for applications that are licensed by the core

Capacity Reservation

Reserve cores and memory for later use at a lower TCO

Business Continuity

Reduce DR Infrastructure by being able to scale cores dynamically


DR for IBM i

PowerHA ROHA – for AIX

DRA – (future)

Shared Processor Pools – License Optimization

- Many software providers charge based on the number of processors
- Reduce license cost by only licensing the cores configured in the pool
- Leverage EC:VP ratio on Power10 for increased virtual processor capacity for virtual servers

A large, semi-transparent watermark is visible across the right side of the slide. It depicts a person's hand holding a tablet computer. The screen of the tablet shows a slide with a blue header and a white background, which appears to be a copy of the current slide content.

Oracle SW licensing cost optimization example

Without SPP

VM1 Capped AIX 7.3 Oracle DB	VM2 Capped AIX 7.3 Oracle DB	VM3 Capped AIX 7.3 Oracle DB	VM4 Capped AIX 7.2 Oracle DB	VM5 Capped AIX 7.3 Oracle DB
VP = 6	VP = 2	VP = 1	VP = 1	VP = 2

- Provision 5 VMs with 12 fixed cores
- 12 Oracle licenses required

With SPP

VM1 Uncapped AIX 7.3 Oracle DB	VM2 Uncapped AIX 7.3 Oracle DB	VM3 Uncapped AIX 7.3 Oracle DB	VM4 Uncapped AIX 7.2 Oracle DB	VM5 Uncapped AIX 7.3 Oracle DB
Ent. = 5.25 VP = 6	Ent. = 1.25 VP = 2,3	Ent. = 0.25 VP = 1,2,3	Ent. = 0.75 VP = 1,2,3	Ent. = 1.5 VP = 2,3

SPP
Reserved: 9 capped cores

Oracle Licensing Optimization Benefits

- Enable hybrid cloud environment to run off-premise Oracle workloads
- Reduce the number of SW license by putting a limit on the number of processors an uncapped partition can use
- **Meets Oracle's support and hard partitioning requirements**
- Fully certified stack w/ PowerVM, AIX, IBM i, SAN-based storage, network adapters
- Full support for Oracle database, RAC, Fusion middleware, applications
- Option to add and license only 1 incremental core at a time to a SPP

- Create Shared Process Pool with 9 capped cores
- Provision 5 VMs with 9 cores entitled capacity
- 12 virtual processors with 1:1 EC:VP
- 18 virtual processors with 1:3 EC:VP (up to 50% savings)
- 9 Oracle licenses Required

Oracle Production Example (S1022)

AIX

S1022 without SPP								
	Cores/EC	VP	Type	Mem	OS	Total	Oracle Licenses	% change
VM1	6.00		C	64	AIX	\$1,768.78	6	
VM2	2.00		C	48	AIX	\$856.28	2	
VM3	1.00		C	32	AIX	\$508.15	1	
VM4	1.00		C	32	AIX	\$508.15	1	
VM5	2.00		C	48	AIX	\$856.28	2	
Total PVS	12.00	0		224		\$4,497.65	12	
					with Discount	\$2,473.71	\$5,225.00	
					Total	\$7,698.71		

As-is without SPP

- 12 cores used
- 12 Oracle licenses needed

S1022 with SPP (current pricing)								
	Cores/EC	VP	Type	Mem	OS	Total	Oracle Licenses	% change
Pool	9		C	0	BYOL	\$1,432.24	9	
VM1	5.25	6	S	64	AIX	\$1,349.04		
VM2	1.25	2	S	48	AIX	\$648.85		
VM3	0.25	1	S	32	AIX	\$433.80		
VM4	0.75	1	S	32	AIX	\$421.31		
VM5	1.5	2	S	48	AIX	\$682.61		
Total PVS	9.00	12		224		\$4,967.86		
					with Discount	\$2,732.32	\$3,918.75	10%
					Total	\$6,651.07		

As-is with SPP (without optimizations)

- 9 cores used and licensed for Oracle
- VM price is **10% higher** than without SPP
- 33% Oracle license savings (9 cores licensed)

with SPP and core and memory metering optimization								
	Cores/EC	VP	Type	Mem	OS	Total	Oracle Licenses	% change
Pool	9		SPP	0	BYOL	\$1,432.24	9	
VM1	5.25	6	SPC	64	AIX	\$792.21		
VM2	1.25	2	SPC	48	AIX	\$516.27		
VM3	0.25	1	SPC	32	AIX	\$327.26		
VM4	0.75	1	SPC	32	AIX	\$341.77		
VM5	1.5	2	SPC	48	AIX	\$523.52		
Total PVS	9.00	12		224		\$3,933.27		
					with Discount	\$2,163.30	\$3,918.75	-13%
					Total	\$6,082.05		

NEW – with SPP pricing optimizations

- **13% improvement** on PowerVS pricing
- 33% Oracle license savings (9 cores licensed for 12 VPs)
- Up to 50% Oracle license savings with 1:3 EC:VP ratio (9 cores licensed for 18 VPs)

Shared Processor Pools – Capacity Reservation Use Case

- Reserve core capacity using Shared Processor Pools for later use
- Do not need to activate virtual servers until ready
- Reserve memory – as low as the minimum amount that will be needed
- Activate virtual servers and burst up when needed



Capacity Reservation with Shared Processor Pools

Create a Shared Processor Pool 9 Capped Cores

*Create a pool with 9 capped cores (BYOL)
Pool is billed for cores, server type, datacenter*

VM1
Uncapped

Ent. = .25
224GB Mem

To reserve memory, create and activate a VM with minimal cores, and total memory that will be needed

Billed for pool + standard memory and OS licenses for activated core (.25) - Note: no high-use memory charge

VM1
Uncapped

Ent. = .25
Mem = 64GB

VM2
Uncapped

Ent. = .25
Mem = 48GB

VM3
Uncapped

Ent. = 0.25
Mem = 32GB

VM4
Uncapped

Ent. = 0.25
Mem = 32GB

VM5
Uncapped

Ent. = .25
Mem = 48GB

*To reserve VMs – create VMs with desired mem, and lowest core
Billed for pool, memory and activated OS core licenses*

VM1
Uncapped

Ent. = 5.25
Mem = 64GB

VM2
Uncapped

Ent. = 1.25
Mem = 48GB

VM3
Uncapped

Ent. = 0.25
Mem = 32GB

VM4
Uncapped

Ent. = 0.75
Mem = 32GB

VM5
Uncapped

Ent. = 1.5
Mem = 48GB

*Burst up to max cores and VPs when needed up to size of pool
Billed for pool, memory and activated OS core licenses
Additional memory can be added based on availability of the system*

Shared Processor Pools – Business Contunuity Use Case **IBM i**

IBM i “CBU-Like” DR




Summary of Hybrid and Inside Cloud Backup Options

Based on customer save/restore or HA/DR RPO/RTO requirements, there are multiple solutions that could be considered.

- **Backup to cloud or within cloud using manual and automated options**
- The IBM Backup Recovery and Media Services (BRMS, 5770-BR1 or BR2) and IBM Cloud Storage Solutions (5733-ICC) IBM i LPPs can be used to save local first and then move to cloud storage. Well known software products and affordable (approximately \$1600 USD a year for a customer with 1 TB of data) using new subscription term licensing. Once data is in IBM Cloud, a customer could create a Power Virtual Server instance and restore using the data in IBM Cloud.
- **Virtual Tape Library (VTL)**
- There are many vendor solutions available on-prem. IBM has a partnership with FalconStor where a software appliance can be ordered through the IBM Cloud catalog, or a hardware appliance is also available. IBM offers the FalconStor VTL for customers running in IBM Power Virtual Server, and an on-premise customer with FalconStor (or from DSI) can replicate or send deduplicated data to a VTL in Power Virtual Server. This could be used as a cloud backup or for migration to Power Virtual Server. Once data is in Power Virtual Server, when needed a customer could quickly create an instance and restore using the data in Power Virtual Server.
- **IBM PowerHA**
- PowerHA can provide high availability, business continuity and disaster recovery for IBM i and AIX. PowerHA geographic mirroring can be used to setup a HA/DR backup site in Power Virtual Server, or within Power Virtual Server.
- **ISV replication solutions**
- There are many options such as from IBM i logical replication vendors that can replicate data between systems and from on-premise to Power Virtual Server.

IBM Power Capacity Backup Edition (CBU for i) Overview **IBM i**



- The CBU offering is used in high availability and disaster recovery deployments (on-premise)
- Offering enables customers to move workload between boxes without fully redundant OS entitlements
- Two-year temporary keys eliminate redundancy for eligible LPPs
- CBU designation available only upon purchase of a new box and must be registered to a qualified primary.
- If a CBU is no longer affiliated with the original registering customer, it is not recognized as a CBU.
- Registration process: client agrees to terms and conditions, CBU registration is validated, shipment is approved
- CBU agreement requires that both the primary and CBU are owned by the same enterprise.

Power Virtual Server HA/DR IBM I Licensing using SPP


IBM i

- SPP provides a way for a customer to assure/reserve hardware resources such as cores and memory like they would with the on-prem CBU (Capacity Backup Unit) offering for HA/DR operations, and can help optimize IBM i OS licensing
- Using a Power Virtual Server SPP to optimize “DR side” OS licenses
 - Customer creates a shared processor pool with cores = X
 - ...where X = the maximum number of cores that the partition(s) will potentially need
 - This step effectively ensures the customer has access to the cores whenever they’re needed for any VM in the pool
 - To achieve the benefit of “optimized DR pricing,” customer deploys a VM(s) in the SPP with a small amount of entitled capacity (e.g., 0.25 cores) and whatever memory/storage they need
 - Customer will NOT be charged for the cores since they’re already paying for the cores as part of the SPP creation
 - Customer will only pay for 0.25 cores of IBM i OS license charges
 - Customer will be charged for the memory BAU
 - When a HA/DR event occurs, customer can resize the VM(s) up to the appropriate number of cores they need and will pay for the appropriate IBM i OS’s BAU – e.g., if they scale up to 4 cores, they’ll pay for 4 cores of OS licenses

Power Virtual Server HA/DR IBM i Licensing using SPP

IBM i


Cloud production to Cloud DR



Power Virtual Server HA/DR IBM i Licensing using SPP

IBM i


On-premise production to Cloud DR



Power Virtual Server HA/DR IBM i Licensing using SPP

IBM i

PowerVS Private Cloud production to Cloud DR



Power Virtual Server HA/DR IBM i Licensing using SPP

IBM i

S1022 without SPP					
	Cores/EC	Type	Mem	OS	Total
VM1	4.00	S	64	IBM i	\$5,464.31
VM2	2.00	S	48	IBM i	\$2,892.17
VM3	1.00	S	32	IBM i	\$1,526.09
VM4	1.00	S	32	IBM i	\$1,526.09
VM5	2.00	S	48	IBM i	\$2,892.17
Total PVS	10.00		224		\$14,300.84
				with Discount	\$7,865.46

Production environment without SPP

- 5 VMs, 10 total cores

with SPP and core and memory metering optimization						
	Cores/EC	Type	Mem	OS	Total	% change
Pool	10	SPP	0	BYOL	\$1,591.38	
VM1	0.25	SPC	64	IBM i	\$915.02	
VM2	0.25	SPC	48	IBM i	\$755.02	
VM3	0.25	SPC	32	IBM i	\$595.02	
VM4	0.25	SPC	32	IBM i	\$595.02	
VM5	0.25	SPC	48	IBM i	\$755.02	
Total PVS	1.25		224		\$5,206.46	
				with Discount	\$2,863.55	-64%

SPP = Shared Processor Pool SPC = Shared Processor Core

Note: Monthly USD prices shown

DR environment with SPP

- Reserve the 10 cores and memory for the VMs, but run the VMs as low as 0.25 cores each which saves on IBM i licensing
- Now no extra charge for high memory because of low core/high memory ratio
- For planned DR events, modify/increase SPP cores as appropriate and modify/decrease production

PowerVS Shared Processor Pools (SPPs) Overview

Historical Background
pre 2025


Support for Multiple SPPs delivers Key Client Value

- Reduced Oracle S/W licensing costs by optimizing & limiting processor core usage
- Reserved Capacity for Shared Processor-based workloads, supporting key use cases such as cost optimized DR
- Pool-based deployment and resource control for simpler workload management
- Supported through PowerVS API, CLI and UI

Client Created, Owned, Utilized, Visible SPPs

- Created with reserved capacity at a single core granularities with no oversubscription of capacity across SPPs
- Can have multiples SPPs per client Workspace
- Shrink & grow an SPP at a single core granularities
- Affinity control to support client use cases such as HA
- SPPs and related VMs can be moved by PowerVS Operations
- Client SPPs co-exist with Default (System Level) SPPs

PowerVS Control Plane



...



Clients Deploy Shared Processor VMs into SPPs

- Deployed with reserved Entitled Capacity (EC)
- Capped & Uncapped Shared Processor VMs
- Shrink & Grow EC of a VM deployed in a SPP
- EC Minimum of .25 core
- EC Increments of .25 core
- 1:1 Virtual Processor to EC ratio

Shared Processor Pools in Multi-Tenant Cloud Environment

Historical Background
pre 2025

SPP, like many features in PowerVS is optimized for a multi-tenant cloud environment. This is true for all compute, storage and network to create a stable environment with predictable performance.

Attribute	PowerVS without SPP	PowerVS SPP GA1	Power On-Prem SPP
Minimum Entitled Capacity (EC)	0.25	0.25	0.05
Minimum Incremental Increase in EC	0.25	0.25	0.01
Virtual Processor-to-Entitled Capacity (VPtoEC) Ratio <i>(rounded up to nearest integer)</i>	1.0	1.0	20*
VM Weights	Equal	Equal	0-255

* Best practice is 1.6 but much higher values are accepted in a controlled shared single-tenant environment.

Oracle S/W licensing cost optimization

Historical Background
pre 2025

Shared Processor Pools (SPPs):


Can reduce the number of software licenses by putting a limit on the number of processors an uncapped partition can use

Option to add and license to only 1 incremental core at a time to a PowerVS SPP

VM1	VM2	VM3	VM4
Linux	AIX	IBM i	Linux
Ent. = 2	Ent. = 1.25	Ent = 1.5	Ent = .25
VP = 2	VP = 2	VP= 2	VP = 1

VM5 Uncapped AIX 7.1 Oracle DB	VM6 Uncapped AIX 7.3 Oracle DB	VM7 Uncapped AIX 7.1 Oracle DB	VM8 Capped AIX 7.2 Oracle DB	VM9 Uncapped AIX 7.3 Oracle DB
Ent. = 5.25 VP = 6	Ent. = 1.25 VP = 2	Ent. = 0.25 VP = 1	Ent. = 0.75 VP = 1	Ent. = 1.5 VP = 2

SPP #1
Reserved Cap:9 processors



	Oracle License w/ SPP	Without SPP	License Saving
SPP #1: Oracle DB cores to license	9	12	3

Shared Processor Pools in Multi-tenant Cloud Environment

Several Aspects of the PowerVS SPPs Implementation are driven by the Multi-tenant Cloud Nature of PowerVS

- Apply to SPPs related-aspects whether they are Default SPPs or Client-Created SPPs

Historical Background
pre 2025

Minimum Entitled Capacity

- The Minimum Entitled Capacity for a PowerVS VM is .25 core due (see bullet below for why)
- Historical PowerVS is set to limit the # of VMs allowed on a single PowerVS node or overall in a single PowerVS environment
- PowerVM supports a lower minimum of .05 core, which is of benefit for some client use cases
- Reducing the PowerVS minimum below .25 core would require a redesign of the PowerVS storage environment plus additional PowerVS scalability work to handle the additional VMs that would be possible through a smaller minimum

Virtual Processor-to-Entitled Capacity (VPtoEC) Ratio

- VPtoEC ratio defines the number of Virtual Processors (VP), rounded up to an integer, created by the PowerVM hypervisor for a Virtual Machine (VM) as a ratio to the VM's Entitled Capacity (EC)
 - i.e., 4:1 ratio (20:1 is the PowerVM max) for a VM with 2 cores of EC would result in PowerVM creating & using 8 VPs in scheduling the VMs work
- Some workloads, like Oracle, benefit from further enhanced resource utilization & licensing cost optimization through higher ratios & more VPs
- Large numbers of VPs compared to the number of physical cores causes contention for physical cores & can affect QoS for all VMs on a node
- PowerVS limits VPtoEC ratio to 1:1 to limit the number VPs on a node and prevent QoS/performance issues across clients
- Exploring future plans with PowerVM team to support higher VPtoEC ratios with PowerVS without noticeable QoS/performance impacts

Weights

- PowerVM allows clients to assign “weights” to VMs which it uses to prioritize assignment of excess core capacity to Uncapped SPP VMs
- Weights have a scope of a single PowerVM instance (single server node)
- Weights are not virtualized in anyway by PowerVM, and not supported in the context of PowerVS Shared Processor Pools

SPP Oracle S/W licensing cost optimization

Historical Background
pre 2025

Shared Processor Pools (SPPs):


Can reduce the number of software licenses by putting a limit on the number of processors an uncapped partition can use

Option to add and license to only 1 incremental core at a time to a PowerVS SPP

VM1	VM2	VM3	VM4
Linux	AIX	IBM i	Linux
Ent. = 2	Ent. = 1.25	Ent = 1.5	Ent = .25
VP = 2	VP = 2	VP= 2	VP = 1

VM5 Uncapped AIX 7.1 Oracle DB	VM6 Uncapped AIX 7.3 Oracle DB	VM7 Uncapped AIX 7.1 Oracle DB	VM8 Capped AIX 7.2 Oracle DB	VM9 Uncapped AIX 7.3 Oracle DB
Ent. = 5.25 VP = 6	Ent. = 1.25 VP = 2	Ent. = 0.25 VP = 1	Ent. = 0.75 VP = 1	Ent. = 1.5 VP = 2

SPP #1
Reserved Cap:9 processors



	Oracle License w/ SPP	Without SPP	License Saving
SPP #1: Oracle DB cores to license	9	12	3

Global Replication Service (GRS)


IBM

Global Replication Services (GRS) on PowerVS enables mission critical workload entirely on PowerVS

Cloud to Cloud asynchronous storage replication improves resiliency and lowers cost of DR solution



- Storage level replication - simpler recovery procedure.
- Changes synchronized every 500secs. RPO < 15 mins
- Improved RTO - automation determines additional time
- Meet client ask - consistent with on-prem method.
- Lower cost – Do not need 3rd party logical replication software licenses. Simpler effort to failover/failback.
- Does not add compute load like replication software
- User friendly toolkits and services available from Technology Expert Labs – Systems.



IBM Cloud Monitoring – Power VS Platform Metrics



What is Observability?

Software tools and practices to effectively aggregate, correlate and analyse data to effectively monitor, troubleshoot and debug infrastructure, applications, and IBM Cloud services to meet customer expectations, SLAs, compliance requirements and other business needs.



IBM Log Analysis

Logs

Time-stamped entries that document the occurrence of an event from an application or service



IBM Cloud Activity Tracker

Activity Events

A security-relevant occurrence which may have changed the security posture of a cloud environment



Traces

Data representing the entire journey of request or action through a distributed system

How Does IBM Cloud Monitoring Work?

Collect

Accurate and reliable collection of observability data from systems and IBM Cloud services.

Route


Empowering customers with control, transparency, and where data is stored.

Store

Flexible and reusable destinations to meet compliance, security and business needs.

Analyze

Choose from a unified Observability view by IBM Cloud and Sysdig.



IBM Cloud Monitoring Notification Channels

- Alerts are used in IBM Cloud Monitoring when Event thresholds have been created
- Alerts can be sent over a variety of supported notification channels
- Simply select Settings for any menu panel on the PowerVS monitoring dashboard and select Notifications Channels
- More information [here](#)

Settings & Admin

- User Profile
- Subscription
- ACCESS & SECRETS**
 - Users
 - Teams
 - Roles
 - Authentication (SSO)
 - Group Mappings (SSO)
 - Agent Access Keys
 - Login Message
 - Privacy Settings
- OUTBOUND INTEGRATIONS**
 - Notification Channels**
 - S3 Capture Storage
 - AWS
 - Metric Data Streaming
- 3RD PARTY INTEGRATIONS**
 - Grafana Plugin
- APP STATUS & AUDIT**
 - Sysdig Platform Audit
 - Sysdig App Status

Notifications

Downtime Temporarily disable alerts events and mute all notifications

Notification Channels

Enabled	Channel	Shared With
<input checked="" type="checkbox"/>	All teams webhook URL: [REDACTED]	Monitor Operations
<input checked="" type="checkbox"/>	dasdads URL: [REDACTED]	Monitor Operations
<input checked="" type="checkbox"/>	webhook michele URL: [REDACTED]	Monitor Operations
<input checked="" type="checkbox"/>	Test webhook URL: [REDACTED]	All Teams
<input checked="" type="checkbox"/>	[Pavle] Webhook test channel URL: [REDACTED]	All Teams
<input checked="" type="checkbox"/>	Milena Webhook test URL: [REDACTED]	All Teams
<input checked="" type="checkbox"/>	sadads URL: [REDACTED]	Monitor Operations
<input type="checkbox"/>	hp_tet_dec_10_2020 URL: [REDACTED]	Monitor Operations

Add Notification Channel

Amazon SNS Topic

Email

Microsoft Teams

OpsGenie

PagerDuty

Prometheus Alert Manager

Slack

Team Email

VictorOps

Webhook

Monitoring for Power Systems Virtual Server



Entails monitoring of PowerVC metrics with IBM Cloud Monitoring dashboards that are operated by Sysdig in partnership with IBM.



[Supported metrics](#) include CPU utilization of the VM, Memory utilization of the VM, incoming and outgoing network bytes per network interface/mac address, and total disk read and write bytes to the storage adapter.



Platform metrics are available to gauge the health of the PowerVS instance with visibility of errors and warnings after successful deployment of PowerVS and are retained for 1 year for historical trend analysis.



The main components of the Sysdig Dashboard UI include widgets, time navigation, and panels which support time series, histogram, number graphs, table, text and top split views providing utmost flexibility to slice and dice data as needed.



As of November 2023 platform metrics for PowerVS are available in WDC06, SYD05, WDC04, DAL13, FRA04, FRA05, LON04, LON06, MAD02, SAO01, TOK04 with a plan to roll out WW.

UX Views

Create New Workspace

The screenshot shows the 'Create workspace' interface on the IBM Cloud platform. The top navigation bar includes 'IBM Cloud', a search bar, and links for Catalog, Docs, Support, Manage, Account name..., and user profile.

The main title is 'Power Systems Virtual Server / Workspaces / Create workspace'. The left sidebar has tabs for 'Create' (selected) and 'About'. Below the tabs are sections for 'General' and 'Integrations (Optional)'.

The 'General' section contains fields for 'Name' (empty), 'Resource group' (dropdown menu 'Select resource group'), 'Data center' (dropdown menu 'Select data center'), 'User tags' (example: env:dev, version-1), and 'Access management tags' (example: env:dev, version-1). A 'Continue' button is at the bottom of this section.

The 'Integrations (optional)' section is currently collapsed. It includes a note about 'Next steps: Monitoring'.

On the right side, there is a summary panel:

Summary	United States of Amer...
1 Workspace	provided
None	

Below the summary are cost details: \$0.00/hr, Total estimated cost \$0.00, and \$0.00/mo. There is also a checkbox for 'I agree to the terms and conditions'.

At the bottom are 'Create' and 'Cancel' buttons.

UX Views

Enable Monitoring Integration
for Workspace

The screenshot shows the 'Create workspace' page in the IBM Cloud interface. The top navigation bar includes 'IBM Cloud', a search bar, and links for Catalog, Docs, Support, Manage, Account name..., and user icons.

The main heading is 'Create workspace'. On the left, a sidebar lists 'Create' and 'About' tabs, and sections for 'General' (selected) and 'Integrations (Optional)'. The 'General' section displays resource details: Name (Workspacename), Resource group (ResourceGroup), Data center (Dallas 12), User tags (4), and Access management tags (3). An 'Edit' link is available for the general settings.

The 'Integrations (optional)' section contains a 'Dallas monitoring' toggle switch, which is currently off. A descriptive text states: 'Connect an IBM Cloud Monitoring instance to gain visibility into the health and performance of your IBM Cloud resources in Dallas.' A 'Learn more' link is provided.

At the bottom of the main form are 'Continue' and 'Cancel' buttons. To the right, a summary panel shows a workspace entry with a placeholder name and datacenter, and a note about integration charges. It also includes a checkbox for agreeing to terms and conditions, and 'Create' and 'Cancel' buttons.

Summary: United States of Amer...
1 Workspace provided
<Name>
<Datacenter>
2 Integrations (optional)
The charges for these services are based on actual usage after provisioning. They cannot be estimated hourly.

\$0.00/hr
Total estimated cost ⓘ \$0.00/mo

I agree to the [terms and conditions](#)

Create

Cancel

UX Views

Create an IBM Cloud Monitoring Instance with Platform Metrics Enabled

The screenshot shows the 'Create workspace' interface on the IBM Cloud platform. The 'General' tab is selected in the left sidebar. The main form contains the following fields:

- Name: Workspacename
- Resource group: ResourceGroup
- Data center: Dallas 12
- User tags: 4 (with four circular 'Tag' buttons)
- Access management tags: 3 (with three circular 'Tag' buttons)

The 'Integrations (optional)' section contains a 'Dallas monitoring' toggle switch, which is turned on. A note states: "A platform instance will be created for Dallas, and automatically connected for this workspace." Below this is a callout box with the following information:

i Usage rates apply for region wide metrics
Monitoring metrics will be collected for all IBM Cloud services across all Data centers in <region>. Pricing is based on the time series generated and is billed by IBM Observability. [Learn more](#)

On the right side, the 'Summary' panel shows:

- 1 Workspace**: provided
<Name>
<Data center>
- 2 Integrations (optional)**:
The charges for these services are based on actual usage after provisioning. They cannot be estimated hourly.
Monitoring: View pricing
Service: IBM Cloud Monitoring
Name: metrics-us-south-NH
Region: Dallas
Plan: Standard

At the bottom, there are buttons for 'Continue' (with a downward arrow), 'Create', and 'Cancel'. There is also a checkbox for 'I agree to the terms and conditions'.


UX Views

View [Plans and Pricing](#) for IBM Cloud Monitoring Instance

The screenshot shows the IBM Cloud interface for creating a workspace. The main page has a navigation bar with 'IBM Cloud', a search bar, and links for Catalog, Docs, Support, Manage, Account name..., and user icons. Below the bar, it says 'Power Systems Virtual Server / Workspaces / Create workspace'. On the left, there's a sidebar with 'Create' and 'About' tabs, and sections for 'General' (selected) and 'Integrations'. The 'General' section shows fields for Name (Workspacename), Resource group (ResourceGroup), Data center (Dallas 12), User tags (4 tags), and Access management tags (3 tags). The 'Integrations' section has a 'Dallas monitoring' toggle switch turned on. A note says: 'A platform instance will be created for Dallas, and automatically connected for this workspace.' A callout box states: 'Usage rates apply for region wide metrics. Monitoring metrics will be collected for all IBM Cloud services across all Data centers in <region>. Pricing is based on the time series generated and is billed by IBM Observability.' At the bottom is a 'Continue' button. To the right, an 'Edit Logging' modal is open, showing fields for 'Platform instance' (Create a new instance), 'Name' (IBM Cloud Activity Tracker-nd), 'Location' ([location]), 'Plan' (7 day Event Search - \$1.50 / Gigabyte-Month), 'Tags' (empty), 'Resource group' (Default), 'Application instance' (Same as platform), and buttons for 'Cancel' and 'Save'.

UX Views


Launch out to the Power Virtual Server monitoring dashboard



Power Edge Router (PER)

IBM

Power Edge Router (PER) - Overview



Traffic flows:


Classic infrastructure through Transit Gateway.

1 - Traffic from ACI tenants is forwarded to the PER.
2 - PER forwards the traffic to classic infrastructure services that use Transit Gateway.


Cloud services that can access each other's resources.

1 - Traffic from ACI tenants is forwarded to the PER.
3 - Traffic from PER is forwarded to the NAT services with Service Gateway routers for conversion of destination addresses to ADN and CSE networks.
4 - The converted traffic from NAT is forwarded to PER.
2 - Traffic from PER is now forwarded to IBM Cloud PPRs for final delivery.


Connect PER PowerVS to Classic Infrastructure




Compare Cloud Connection (DL) PowerVS to Classic Infrastructure



Compare PER PowerVS to VPC




Compare Cloud Connection (DL) PowerVS to VPC




Do I still need a GRE Tunnel to/from Classic?


Yes, if you need to use your own IP addresses in x86 Classic, use a GRE tunnel via TGW




Compare GRE Tunnel for Cloud Connection (DL) PowerVS




Connect PowerVS in Multiple DCs



Connecting On-Prem via PER with PowerVS




Compare Connecting On-Prem via Cloud Connection (DL) with PowerVS




Path for PER PowerVS to IBM Cloud Services

IBM Cloud service subnets:
161.26/16 (DNS, NTP, COS, ...) and 166.8/14 (HPCS, ...)



Compare Path for Cloud Connection (DL) PowerVS to IBM Cloud Services

IBM Cloud service subnets:
161.26/16 (DNS, NTP, COS, ...) and 166.8/14 (HPCS, ..)



Automation für PowerVS und SAP auf PowerVS

Deployable Architectures



IBM Cloud Catalog - Deployable Architectures

IBM Cloud Search resources and products... Catalog Manage 1572913 - Martin Weidauer's Ac... ? 🔍 📁 📡 📧 🌐

IBM Cloud catalog Search the catalog... Sell on IBM Cloud Catalog settings

Category Viewing 10 products Relevance

Filters: Deployable architectures Clear all

Compute (3)

Converged infrastructure (3)

Enterprise applications (3)

Developer tools (1)

Type All Services Software Deployable architectures Professional services

Delivery method Terraform

Deployment target IBM Cloud Schematics

Works with SAP Certified

Power Virtual Server with VPC landing zone By IBM Build a IBM Cloud® Power Virtual Servers (PowerVS) offering according to the best practices and requirements from the IB...

Cloud Object Storage on VPC for SAP HANA Backup By IBM Deploy the capability to backup an SAP HANA database to IBM Cloud Object Storage in a single step.

DevSecOps Application Lifecycle Management By IBM Provides a set of predefined continuous integration, continuous deployment, and continuous compliance toolchain...

Power Virtual Server for SAP HANA By IBM Deploy SAP systems on Power infrastructure for deployable architectures

Red Hat OpenShift Container Platform on VPC landing zone By IBM Creates Red Hat OpenShift workload clusters on a secure VPC network

Static Website By IBM Deploy a free, static website using this sample deployable architecture. Includes a Gitlab repository for source...

VPC for SAP HANA NetWeaver ABAP By IBM Deploy a SAP NetWeaver with HANA on SAP certified cloud infrastructure in a single step.

VPC landing zone By IBM Deploys a secure VPC network without compute resources

VPC with Additional Application Server ABAP on Linux for SAP HANA By IBM Add an SAP additional application server to an existing SAP NetWeaver system with HANA on SAP certified cloud...

VSI on VPC landing zone By IBM Creates a secure infrastructure with virtual servers to run your workloads on a VPC network

Reference Architectures fully automated via Terraform

Deployable Architecture – PowerVS with VPC landing zone

IBM Cloud Search resources and products... Catalog Manage 1572913 - Martin Weidauer's Ac... ? 🔍 📁 📈 📡

Catalog / Power Virtual Server with VPC landing zone

Build a IBM Cloud® Power Virtual Servers (PowerVS) offering according to the best practices and requirements from the IBM Cloud.

Related links Docs Get help Readme file View details

Overview

IBM Cloud® Power Virtual Servers (PowerVS) is a public cloud offering that an enterprise can use to establish its own private IBM Power computing environment on shared public cloud infrastructure. PowerVS is logically isolated from all other public cloud tenants and infrastructure components, creating a private, secure place on the public cloud. This deployable

See more

Architecture

Product version v3.1.0 How do you want to build this architecture? Create a new architecture

Version last updated: 11/22/2023

Variation

PowerVS Workspace <input checked="" type="radio"/> Starting at \$486.09* See more	PowerVS Quickstart Starting at \$403.89* See more
---	---

*Starting cost is an estimate based on available data. It does not include all resources, usage, licenses, fees, discounts, or taxes.

Summary

Power Virtual Server with VPC landing zone


1 modules, 25 catalog resources

Power Virtual Server \$486.09
with VPC landing zone
25 resources

Total estimated cost \$486.09*/mo

Review deployment options

Deployable Architecture – PowerVS with VPC landing zone



- Edge VPC
- Management VPC
- Workload VPC
- PowerVS Workspace
- Configured inter connectivity
- VPC Security Groups
- ...
- Customizable via parameters (see Docs)
- Different variations for AIX, System I, SAP

Deployable Architecture – PowerVS for SAP HANA

IBM Cloud Search resources and products... Catalog Manage 1572913 - Martin Weidauer's Ac... ? 📈 ⚙️ 🔔 ⌂

Catalog / Power Virtual Server for SAP HANA Deploy SAP systems on Power infrastructure for deployable architectures

Related links Docs Get help Readme file View details

Overview
This deployable architecture is designed to assist you in deploying SAP ERP software landscapes into IBM Cloud on the IBM Power Virtual Server infrastructure. This is the second step in the deployment process for creating a full environment. Before starting this step, you should first deploy 'Power Virtual Server with VPC landing zone'. Once this is completed, you are prepared to See more

Architecture
Product version v1.4.0 Version last updated: 11/22/2023

Prerequisite required
Before you can deploy Power Virtual Server for SAP HANA, you must deploy the prerequisite products. [Learn more](#).


Variation

SAP ready PowerVS Starting at \$2652.03* See more	SAP S/4HANA or BW/4HANA Starting at \$2652.03* See more
---	---

Total estimated cost \$2,652.03*/mo Review deployment options

Based on / extends PowerVS with VPC landing zone architecture

Deployable Architecture – PowerVS for SAP HANA



Based in PowerVS with VPC landing zone

- Edge VPC
- Management VPC
- Workload VPC
- PowerVS Workspace
- Configured inter connectivity
- VPC Security Groups
- ...

Adds SAP HANA optimized PowerVS configuration

- Subnets
- SAP certified LPAR profiles
- Block storage
- ...
- Customizable via parameters (see Docs)

Automation für PowerVS und SAP auf PowerVS

Infrastructure as Code Automation tool - CRAIG



CRAIG - Infrastructure as Code Automation tool

Cloud Resource and Infrastructure-as-Code Generator (or **CRAIG**) is a fully featured developer tool that allows users to generate Terraform Deployable Architectures to create a fully customizable environments on IBM Cloud with Schematics integration.

CRAIG simplifies the process of creating Infrastructure as Code through its UI, which manages, and updates interconnected resources as they are created. The UI utilizes **icse-react-assets**, which is a front-end library that our team created based on the SLZ GUI.

CRAIG configures infrastructure using JSON to create full VPC networks, manage security and networking with VSI deployments, and create services, clusters, and manage IAM for an IBM Cloud Account. This JSON configuration can be imported to quick start environments and can be downloaded as Terraform code directly from the UI.

Power VS Benefits:

1. Reduce the level of effort to building deployable architecture patterns.
2. Enable common patterns to be easily standardized and deployed for IBM Cloud Clients in POx/MVP and Production environments.
3. Improve Client and Delivery partner experience, by providing an end-to-end automated configuration and deployment process.
4. Improve the time to provision from Weeks to Days, while reducing configuration errors and corresponding support tickets during onboarding.
5. Improve the time to first dollar and MRR consumption.

Currently in development, got GA yet, intended to be made available to Partners as well

Internal / via IBM ID:

<https://github.ibm.com/platinum-developer-tools/CRAIG>

External (not on par with internal, since not GA yet, missing PowerVS):

<https://github.com/IBM/CRAIG>

CRAIG – PowerVS infrastructure patterns


Infrastructure Templates

Create About

Landing Zone Mixed Pattern Template

A default pattern based on the IBM Landing Zone Mixed Pattern. This is the default pattern for CRAIG. This pattern includes:

- A resource group for cloud services and for each VPC
- A management and workload VPC connected by a transit gateway
- A flow log collector for each VPC
- Object storage instances for flow logs and activity tracker
- Encryption keys in either a Key Protect or Hyper Protect Crypto Services instance
- All necessary networking rules to allow communication
- Virtual Private endpoints for Cloud Object storage in each VPC
- A Red Hat OpenShift cluster in the workload VPC
- An example Virtual Server instance deployment in the management VPC
- A VPN Gateway in the Management VPC



Configure Landing Zone Mixed Pattern Template

Use FS Cloud True

Enable Dynamic Scalable Subnets True

Enable Power Virtual Servers True

Prefix

Region

Availability Zones

Service Endpoints

Account ID

Power VS Zone

Tags

Enter a comma separated list of tags

Begin Customizing


CRAIG users will be able to select from a list of predefined patterns as a starting point for templates

Users will be able to select from a list of templates, importing those resources into CRAIG for further customization

CRAIG – how to run

Local

- Running CRAIG locally requires the frontend and backend server to be running concurrently.
- This allows the user to easily spin up an instance at their own will quickly.



Container Based Deployments

- CRAIG can also be deployed to IBM Code Engine through the deploy.sh script.
- This is currently how we have the application deployed for our demo URL.
- ibm.biz/craig-demo



Privacy and Security

- CRAIG data is stored only in local browser storage
- Sensitive values such as platform API keys are not stored as part of the data
- No database or data collection, allowing security minded customers to feel confident using CRAIG
- Minimal back-end, API calls are used to fetch Cluster Versions, VSI Images, etc
 - *Minimal permissions are needed to create an API key or Service ID for the CRAIG back-end server*

<https://github.ibm.com/craig-automation/CRAIG#readme>

Automation für PowerVS und SAP auf PowerVS

Backup as a Service
Compass by Cobalt Iron



What is the Offering?

Secure Automated Backup with Compass® By Cobalt Iron®

Simple, secure, automated backup and restore to protect your PowerVS workloads leveraging IBM Storage Protect

Compass protects a variety of platforms, applications, and data classes



Why Compass for PowerVS?



Industry leading end-to-end cyber security protection for backup landscape



Complete backup solution leveraging IBM Storage
Protect that modernizes the enterprise approach to backup and recovery for PowerVS



Delivered as a cloud SaaS service from IBM Cloud




Operational excellence and simplicity with analytics-driven automation



Unified management and simple and elegant user experience




Zero Access® architecture and infrastructure



What Problems Does Compass Solve for PowerVS Customers?

Lengthy and complex deployment of multiple solutions to backup diverse workloads

PowerVS Workloads




Challenging and difficult backup infrastructure, systems, storage, policies, configuration, and more...

Backup and Restore



Multiple administrators, training requirement, complex skills, and subject matter expertise for success

User Experience



Consumable in minutes, a single unified solution to protect all PowerVS workloads: AIX, Linux, SAP HANA, Oracle, DB2

Analytics-driven automation, complete multi-tenancy, hands-free operations, with alerting, reporting, and insights for an instant-on enterprise-class backup

Simple and intuitive user interface, quicker to setup, native application integration. Easy to restore.

Compass Security in Every Deployment

Security Capabilities	Included
Automated, periodic encryption key rotation and TLS certificate management/rotation	<input checked="" type="checkbox"/>
Backup data deletion by retention policy only	<input checked="" type="checkbox"/>
Comprehensive data governance with defensible auditing of all backup operations	<input checked="" type="checkbox"/>
Data validation integrity checks at data ingest and recovery at both block and object/file level	<input checked="" type="checkbox"/>
In-flight, to-storage, and at-rest encryption for all customer data	<input checked="" type="checkbox"/>
Two copies, automatically-managed	<input checked="" type="checkbox"/>
Robust authentication including multi-factor authentication and IBM Cloud SSO	<input checked="" type="checkbox"/>
Software automated backup operations, administration, visibility, and management	<input checked="" type="checkbox"/>

Pay for What you Use

Do-it-Yourself:

Costly and complex infrastructure management and operations



Data Protection Operations

- Event Failure Resolution
- Capacity Management
- Security Management



Data Protection Infrastructure

- Compute
- Storage
- Operating System
- Security
- Patching and Upgrades




Data Protection Software

- Software Maintenance
- Performance Monitoring
- Operational Tuning

VS

Cloud Backup via SaaS:

Simple and quick infrastructure provisioning and automated Backup-as-a-Service



- One Click Consumption
- Simple Agent Installation
- Fully Managed Backup-as-a-Service

**\$0.069 USD /
GB / Copy/ Month***

*Proposed pricing

Cobalt Iron

Secure Automated Backup with Compass®

Solution Overview and Value Proposition

A single, unified, Backup-as-a-Service offering to backup and restore PowerVS workloads.

With IBM Storage Protect, Compass protects a variety of PowerVS platforms, applications, and data classes including AIX, Linux, Oracle on AIX, DB2 on AIX, and SAP HANA on Linux

Competitive Differentiators

The Compass offering provides unique security and operational features:

- SaaS data protection for PowerVS
- 2 copies, no ingress or egress charges
- Unified, exception-based management
- Reporting and insights
- Centralized policy management
- Complete governance
- Encryption in-transit, to-storage, at-rest
- Role-based access control management

Client Pain Points

- Complex backup and infrastructure management
- Multiple solutions to protect PowerVS workloads
- Challenging backup operations and reporting

Expected Outcomes / KPIs

- Managed, SaaS delivery – hands free operations
- Secure, quickly-deployed data protection
- Policy-based, centralized management

Target Clients

- Industries: Enterprises: Financial, Insurance, Healthcare, Manufacturing, Oil & Gas, Pharmaceuticals, Retail
- Geographies: NA, SA, Europe, APAC
- Buyers: CTO, VP Infrastructure, VP Datacenter

Contact

- Cobalt Iron: Neal Gronset nkgronset@cobaltiron.com
- IBM: Mingzhi Christensen mingzhi@us.ibm.com
- Website: www.cobaltiron.com
- Videos: <https://www.cobaltiron.com/resources/videos/>


Client References

IBM Office of the CIO uses Compass to backup over 14 PBs of data

Co-sell / Up-sell

Co-Sell: IBM COS and PowerVS
Up-Sell: Compass for On-Prem and or to migrate to PowerVS


Architecture Picture



Ordering and Setup

Customer Resources and Environment Setup in Minutes

The screenshot shows the IBM Cloud Catalog interface. A search bar at the top contains the query "Compass backup". Below the search bar, a list of results is displayed. The first result, "Secure Automated Backup with Compass" by Cobalt Iron, is highlighted with a green border. This result card includes a thumbnail, the service name, provider, a brief description, and status indicators ("IAM-enabled • Third party supported"). Other results listed include "Anycloud Backup for 365", "Cloud Object Storage on VPC for SAP HANA Backup", "FalconStor StorSafe VTL for PowerVS Cloud", "IBM Cloud Backup for Classic", and "IBM Storage Protect". On the left sidebar, there are sections for "Deployment target" (with checkboxes for "IBM Cloud Kubernetes Service", "IBM Cloud Schematics", "Power Systems Virtual Server", and "Red Hat OpenShift") and "Works with" (with a checkbox for "SAP Certified").



Search and Select
Secure Automated Backup with Compass


The screenshot shows the IBM Cloud Catalog resource creation page for "Secure Automated Backup with Compass". The top navigation bar includes "Catalog", "Manage", and other icons. The main content area displays the service summary: "Secure Automated Backup with Compass" by Cobalt Iron, with a brief description and a note that it's simple, secure, automated backup and restore to protect enterprise data powered by IBM Storage Protect. It shows the "Create" tab is selected. To the right, the "Summary" panel provides details: Location: Global, Plan: Shared Consumption Pricing, Service name: Secure Automated Backup with Compass-1z, and Resource group: Default. Below the summary, there's a section for selecting a pricing plan, showing a table with "Shared" plan details: Per Gigabyte of Compressed and Deduplicated Protected Data, \$0.0675 USD/Gigabyte month, and Per GB Per Month. There's also a "Configure your resource" section with a "Service name" field set to "Secure Automated Backup with Compass-1z", a "Create" button, and a checkbox for accepting terms and conditions.

Complete Details and Press “Create” Button
to Build Required Resources

Customer Experience: Service and Native Client Integration

Service-side

- Easy to use
- Eliminate backup complexity
- Global consistency
- Self-service without training



PowerVS-side

- No training classes needed
- Data protection via client installation
- In-Cloud or On-Premises
- AIX & Linux
 - Integrated, command-line full services
- Oracle
 - Full RMAN integration & features
 - Standard DBA activities & management
- DB2
 - Full DB2 integration & features
 - Standard DBA activities & management
- SAP HANA
 - Full BACKINT integration & features
 - Standard SAP Studio activities & management

What is the User Experience for PowerVS Customers?

Compass Commander is a web user interface that delivers business insights for the backup and restore landscape.


Commander feature set includes:

- Complete protection for PowerVS workloads
- Cyber protection and analytics-driven automation
- Unified, exception-based management
- Reporting and insights

The screenshot shows the 'New Protection Policy' page in the Compass Commander web interface. At the top, there are fields for 'Name' (set to 'New Protection Policy') and 'Protection type' (set to 'File System'). Below this is a section titled 'Retention Policies' with a table. The table has columns for Name, Limit Copies, Limit Deleted, Keep Backup, Keep Deleted, Keep Archive, and Backup Freq. A row is expanded to show details for the 'Default retention policy': Name is 'Default retention policy', Limit Copies is 'No limit', Limit Deleted is 'No limit', Keep Backup is '30 days', Keep Deleted is 'No limit', Keep Archive is '30 days', and Backup Freq is 'Continuous'. To the right of the table, there are sections for 'Limit the number of days to keep...' (with fields for 'A backup copy:' and 'An archive copy:' both set to '30'), 'Advanced mode' (which is turned off), and 'Storage class' (set to 'Default storage class'). Below this is a 'Jobs' section with a table showing one job: 'Create protection policy on 5 DPS's' which is 'Complete' and occurred on '01/31/2024 04:04 PM'. There is also a 'Notes' section and a 'Change History' section at the bottom.

PowerVS – Data Protection and Resilience


Reference Architecture



Hybrid Backup Options and Patterns

PowerVS and Non-PowerVS Platforms

- Customer Journey Elements
1. PowerVS Workspace
 2. Corporate networking setup
 3. Enroll Workloads from anywhere



Example Solution Sizing: 35 TB Environment

Customer Systems & Application Information

Workloads & Data Volumes


- 35 TB of Total Source Data
- 28 TB of Oracle Databases from 7 Systems
- 7 TB of Unstructured Data from 12 Systems

Change & Growth Rates

- 2% Daily Change Rate
- 5% Annual Growth

Retention Policies

- 14 Days of Retention, 4 Weekly Backups
- 30 Day Retention for Unstructured



PowerVS Migration

IBM



PowerVS – Migration Acceleration

Accelerating the process to onboard workloads

Pain Point: From deploying a VM on PowerVS till actual production ready is difficult and time consuming

Objective: Migrate 10TB data in less than 5 days

AIX Migration:

- Simplified the process of onboarding to PowerVS by creating a step by step easy to follow script for moving the base OS – via MKSYSB [Link](#)
- Streamlined migration guide for Oracle workload (coming)

IBM i Migration

- Introduced backup compression support in Backup, Recovery and Media Services (BRMS) LPP
 - Smaller data size can improve transmission time
- Enabled easier to consume license options for IBM i backup/migration tools
 - 90-day and 1/2/3/4/5-year subscription term license options for BRMS and Cloud Storage Solutions (ICC) LPPs [Link](#)
- Streamlined migration guide for IBM i

Acceleration migration with Aspera

- Transfer & access solution powered by Aspera for accelerating data transfer into Power VS for build & migrate.
- Suitable for all OS types - direct or NFS based approach for transfer & access.
- Move data at highest speed regardless of size, distance, or network conditions.
- Easy to follow instruction guide



Accelerated network transfer for Power VS Migration - V1.1.pdf

What's New for 2024 – Migration to PowerVS

Accelerating the process to onboard workloads

Architecture: Migration with Storage Protect (AIX) next slide

Back-up and Restore operating system image and data

Simplify the process of backing up source AIX and/or IBM i system images on-premises and restoring them on PowerVS

Customer Outcomes:

- IBM i system images 30% to 80% smaller reducing amount of local storage required for backup and less data to transfer to cloud
- Cost effective and easier access to tools for IBM i
- Easy to follow prescriptive documentation

Deliverables:

- ✓ Introduced backup compression support in IBM i and BRMS
- ✓ Enabled easier to consume license options for IBM i tools:
 - ✓ Added ICC tool to IBM i ITL license bundle enabling easy to consume term license for migration
 - ✓ Added ala carte temporary license options for BRMS and ICC
- ✓ Streamlined migration guide for IBM i
- ✓ Streamlined migration process for AIX using mksysb

Transfer data to PowerVS on IBM Cloud

Reduce the time to configure network and speed data transfer


Customer Outcomes:

- Automated configuration for VPN connectivity
- 10x improvement in Mbps for on-premises to cloud
- Reduced data migration time AIX and IBM i

Deliverables:

- ✓ Delivered network automation support for IBM i and AIX
- ✓ Improved performance of TCP data transmission

Architecture: Migration with Storage Protect (AIX)



Change the game – Migrate fast: Aspera

Accelerated transfer solution for migration into Power VS powered by Aspera

Speed matters



Faster transfer = Faster build & migrate



Better migration experience & faster time to value / better TCO

What's it?

- Transfer & access solution** powered by Aspera for accelerating data transfer into Power VS for build & migrate.

- Aspera helps move data at **highest speed regardless of size, distance, or network conditions.**

- Suitable for all OS types - **direct or NFS based approach** for transfer & access.

Why? – Typical challenges

- TCP-based transfers are slow with **distance and packet loss**, causing migration delays.

- Overall migration **time overrun** due to inefficient transfer throughput, delaying subsequent build & cutover.

- Logs accumulation** on-prem due to post backup data transfer & resulting build delays.

Outcome that matters

- Fastest data transfer solution** that performs well regardless of network conditions.

- Significant time saving** expected as complexity and size of the migration data is larger.

- Sample results:**
Cut down time taken from days to hours or weeks to days.


Size	Traditional	Aspera
10 TB	~ 21 days +	~ 3 days
15 TB	~ 31.5 days +	~ 4.5 days
50 TB	~ 105 days +	~ 15 days

* modelled estimations based on test results (~44 Mbps for traditional ~ 310 Mbps Aspera)

Architecture: Aspera



Speed matters 



- 1 **Client's on-prem DC:**
- Aspera client deployed to AIX or Linux.
- or via NFS on Linux host (any OS).

- 2 **Connectivity:**
- Establish interconnectivity via Direct Link or IPsec.
-- PER or Direct link into Power VS

- 3 **Power VS workspace:** Hosting Aspera HSTS
- Perform OS / application backup for migration.
- Transfer from on-prem to Power VS.
- Perform OS build / app data restoration.

Resources:

1. Easy to follow solution guide



Accelerated network transfer for Power VS Migration - V1.1.pdf

2. Automated deployment – **coming soon**

CLI - example:


```
root@aspera-aix /home/aspera# ascp 50GB.dat root@192.168.102.170:/root/aspera/50GBastransfer.dat
Password:
50GB.dat
Completed: 52428800K bytes transferred in 1291 seconds
```



IBM PowerVS

Migration acceleration engagement process

The PowerVS Center of Excellence (CoE) team will manage requests coming through the engagement process steps 1-4




PowerVS Disaster Recovery

IBM




Cloud DR example: PowerHA AIX Hybrid Cloud



- PowerHA AIX enables an economical highly automated hybrid cloud DR solution (or Cloud to Cloud)
- GLVM, which is AIX LVM mirroring over IP keeps production/secondary production data in sync
- FlashCopy clones are saved to COS via PowerHA utility

PowerHA SystemMirror for IBM i on prem to cloud via Geographic Mirroring



[Simple HA/DR with PowerHA for IBM i in Cloud](#)


- PowerHA i enables an economical highly automated hybrid cloud DR solution (or Cloud to Cloud)
- Geomirroring, which is IBM i mirroring over IP keeps production/secondary production data in sync
- With 7.4 TR6 and 7.5 compression for sync/resync will speed up synchronization, hardware acceleration with P10
- FlashCopy in cloud creates clones via volume clone, save to COS via either ICC or VTL [geomirroring and flashcopy](#)

Automation für PowerVS und SAP auf PowerVS

VPNaaS via VPC




PowerVS – VPNaas via VPC automation site to site



<https://github.ibm.com/workload-eng-services/power-vpn-gateway>

04/2024 github link might be outdated;
there should be a Deployable Architecture by now!!!

PowerVS – VPNaas via VPC automation client to site



<https://github.ibm.com/workload-eng-services/power-vpn-server#powervpn-client-to-site-server>

04/2024 github link might be outdated;
there should be a Deployable
Architecture by now!!!