

ONE ROUTE, FOUR STATES · JURY SUMMARY

4 m route unbroken; AI on one side; staffed Porch stays open

ONE PUBLIC ROUTE, FOUR CIVIC STATES

Ordinary service first; AI occupies one side; staffed Receipt Porch stays open



S7 OPEN DAY · PUBLIC CROSS RUNS INDEPENDENTLY

CONCEPT-GENERATED / NOT FIELD EVIDENCE; use vector model for dimensions

OPEN

ordinary layer only

TRIAL


one side after gates

PAUSE

isolate; staff takeover

RETIRE

remove; restore civic use



4m INVARIANT

unbroken in OPEN / TRIAL /
PAUSE / RETIRE

AI ON ONE SIDE

bay cannot enter public, fire
or removal routes


STAFFED SERVICE STAYS

state, appeal, decision and
recovery remain visible

90-SECOND JURY ROUTE

spatial conclusion → prototype → decision → next gate → context

90-SECOND JURY ROUTE · SPACE FIRST, THEN EVIDENCE



5 sec: one route / four states · 90 sec: decision + next gate · 10 min: component, owner, stop, recovery

Approved context locates the scheme but does not replace the mechanism; field unknowns remain blank.

PUBLIC SOURCES, STATUS + PRECISION

published, approved, design and unknown stay distinct

EVIDENCE STATUS + PRECISION BOUNDARY · FOUR STATES NEVER MIX

EXISTING PUBLISHED

Phase II completion and reported use

APPROVED CONTEXT

1,668.2 ha, 9 km, belt-axis-centres-nodes

DESIGN PROPOSAL

4 m route, one-side bay, Receipt Porch

UNKNOWN

survey, title, entrances, utilities, permits, performance

Public reporting proves published status; it does not replace participant fieldwork, survey, title or acceptance.


Official 1,668.2 ha context and submitted 11.4 sq km provisional geometry are separately recorded.

APPROVED CONTEXT + OPERATING OVERLAY

spine/stations/wings form a stoppable overlay

JING-ZHANG OPERATING LAYER ON APPROVED CONTEXT

Planning is the credible base; the civic cross and stations are the design protagonists



PUBLISHED GREEN BELT

spine/stations/wings = stoppable, removable overlay

EXISTING / PUBLISHED

9 km belt, slow-mobility links, Dazhongsi centre

DESIGN PROPOSAL

4 m route, one-side bay, staffed Porch

INTERFACE WINDOWS

Ring bypass / Gate passage / Porch cross

UNKNOWN

survey, title, entrances, utilities, permits


Map data © OpenStreetMap contributors · ODbL · 2026-08-13

DAZHONGSI GROUND INTERFACE

public, transit, blue-green and temporary trial

DAZHONGSI GROUND INTERFACE · PUBLIC / TRANSIT / BLUE-GREEN

1:2000 concept plan + one continuous longitudinal transect



PUBLIC GROUND

route / waiting / shade /
staffed service

TRANSIT


rail direction / transit /
crossing

BLUE-GREEN

tree pits / rainwater / egress

TEMPORARY

one-side trial bay / reversible
buffer



THREE-LANDMARK ARCHITECTURAL FAMILY

verification as Ring, translation as Gate, decision as Porch



RING, GATE, PORCH · ONE MATERIAL FAMILY, THREE DISTINCT TYPES

S7 occupies 60%; entrances, staffed interface and back-of-house visible




DAZHONGSI · ORDINARY OPEN DAY

CONCEPT-GENERATED / NOT FIELD EVIDENCE; use vector model for dimensions




VERIFICATION RING · PUBLIC / CONTROLLED



When inner court closes, public ring, observation and east equipment exit remain

TRANSLATION GATE · 3 PASSAGES + STAFF



Plug-in wall closes at night; static signs, staffed desk and routes remain

T2/S2 have independent entry, closure and equipment exit; the S7 matched view verifies the public route remains

FIVE REGIONAL EXCHANGE CONTRACTS

problem, capability, validation, evidence, owner and exit

FIVE REGIONAL EXCHANGE CONTRACTS · EACH CAN FAIL AND EXIT

BEIWEI COMMUNITY

resident issue → S5/S6 →
access/climate evidence

FUTURE SCIENCE CITY

research task → T1 →
reproducibility report

HUAIROU SCIENCE CITY

instrument condition → T3 →
energy/offline log

E-TOWN

manufacture/maintenance → T2/S7
→ safety/retirement list

JING-JIN-JI

cross-region issue → stations →
reusable knowledge

Institutions are suggested roles, not partnerships; invalid rights, baseline or permits stop exchange.

ZHONGZHIYUAN · VERIFICATION RING


public outer ring independent of controlled inner court



ZHONGZHIYUAN · VERIFICATION RING

CONCEPT-GENERATED / NOT FIELD EVIDENCE; use vector model for dimensions

VERIFICATION RING · PUBLIC / CONTROLLED



When inner court closes, public ring, observation and east equipment exit remain

PUBLIC BYPASS


Outer ring continues when inner court closes

FAILURE DISPLAY + EXIT

Dual e-stop, observation and east exit visible

AI ORIGIN · TRANSLATION GATE


three account-free routes pass staffed service and closable plug-ins



AI ORIGIN · TRANSLATION GATE

CONCEPT-GENERATED / NOT FIELD EVIDENCE; use vector model for dimensions

TRANSLATION GATE · 3 PASSAGES + STAFF



Plug-in wall closes at night; static signs, staffed desk and routes remain

ACCOUNT-FREE PASSAGE

Three routes and staffed desk remain complete

PLUG-IN WALL + REVIEW


Plug-ins close at night; staff service continues

S7 ALTERNATIVES + SPATIAL DECISION

one yardstick rejects the option that cuts the route

ONE YARDSTICK · THREE OPTIONS, ONE PUBLIC REJECTION


ALT-A CENTRAL MIXING



REJECT · CUTS PUBLIC CROSS

Hard conflict among public, fire and removal routes.


ALT-B SPLIT BAYS



REVISE · FRAGMENTED CONTROL

Routes remain but posts and exit are dispersed.

ALT-C ONE-SIDE BAY



ADVANCE · ROUTE CONTINUOUS


AI is concentrated; posts, e-stop and exit are reachable.

Result comes from local-metric geometry audit; it is not field traffic, safety or acceptance evidence.

reject_design / revise_design / advance_design ≠ adopt / revise / stop

ALT-C 1:500 ARCHITECTURE–SITE PLAN


curb, ramp, tactile, waiting, blue-green, posts, fire and removal



LIVED SECTIONS + REVERSIBLE NODES


ordinary and trial days share the public route

ORDINARY DAY · ROUTE, WAITING + STAFFED SERVICE




Structure, clearance, drainage, fire and durability are prototype assumptions pending review

TRIAL DAY · PUBLIC-BUFFER-BAY-PORCH



Structure, clearance, drainage, fire and durability are prototype assumptions pending review




1:50 / 1:20 REVERSIBLE NODES · PUBLIC LAYER FIRST



CUTAWAY, DAY/NIGHT + FOUR STATES

same camera, same geometry, different operating states

ONE SPATIAL MODEL · LAYERED CUTAWAY ASSEMBLY



TWELVE SCENES, PERSONAS, EVIDENCE MILE + CIVIC YEAR

one Two-Answers protocol across distinct spatial addresses

TWELVE SCENES + SIX PERSONAS · ONE PROTOCOL, DISTINCT ADDRESSES

T1

Open model and data provenance reproduction

BASELINE FIRST
OWNER + MEASURE + STOP + RESTORE
REFERENCE

T2

Controlled robot–pedestrian–accessibility test

BASELINE FIRST
OWNER + MEASURE + STOP + RESTORE
SUPPORT

T3

Edge compute energy, noise and offline degradation test

BASELINE FIRST
OWNER + MEASURE + STOP + RESTORE
REFERENCE

S1

Staffed enterprise service with optional AI triage

BASELINE FIRST
OWNER + MEASURE + STOP + RESTORE
REFERENCE

S2

International arrival and civic-service navigation

BASELINE FIRST
OWNER + MEASURE + STOP + RESTORE
SUPPORT

S3

Open knowledge matching and community problem workshop

BASELINE FIRST
OWNER + MEASURE + STOP + RESTORE
REFERENCE

S4

Staffed Jing-Zhang heritage tour with optional AI narration

BASELINE FIRST
OWNER + MEASURE + STOP + RESTORE
REFERENCE

S5

Static accessible wayfinding with optional dynamic assistance

BASELINE FIRST
OWNER + MEASURE + STOP + RESTORE
REFERENCE

S6

Shade, rest and extreme-weather service prompts

BASELINE FIRST
OWNER + MEASURE + STOP + RESTORE
REFERENCE

S7

Conventional transit interchange with optional low-speed feeder

BASELINE FIRST
OWNER + MEASURE + STOP + RESTORE
HERO

S8

Staffed public-service desk with optional AI information guide

BASELINE FIRST
OWNER + MEASURE + STOP + RESTORE
REFERENCE

S9

Conventional event operations with aggregate flow assistance

BASELINE FIRST
OWNER + MEASURE + STOP + RESTORE
REFERENCE

PERSONAS · wheelchair / visual impairment / no-phone elder / resident-carer / international team / night staff

EVIDENCE MILE · verified fact → staffed interpretation → optional AI → correction receipt; each civic season archives knowledge.

S7 PRE-FEASIBILITY DECISION PACKAGE

capacity, staffing, cost, dependencies and recovery are reproducible

S7 PRE-FEASIBILITY · PARTICIPANT-READY / EXTERNAL HOLD

Capacity, staffing, cost, dependencies and acceptance share one reproducible input

01

12

PERSON DESIGN CAP

48 SQM PORCH

4 sqm/person comfort assumption

TWO 4M ROUTES

excluded from occupancy; always clear

5M GEOMETRY DISTANCE

half diagonal; not statutory egress

TRIAL BAY

no public occupancy; accountable staff only

02

2.28

FTE-EQUIVALENT

BASELINE 1.20

40 h/week + 20% relief

VENUE 0.36

12 h/week + 20% relief

SAFETY 0.36

independent from baseline service

DATA 0.36

vendor support cannot replace duty

03

7 / 3

COST CLASSES / ROM CASES

LOW / BASE / HIGH

rate inputs 0.8 / 1.0 / 1.2

10% + 15% + 20%

design / logistics / uncertainty

12% RESTORATION RESERVE

of removable works, outside base ROM

FORMAL TOTAL BLANK

scope-mismatch stays pending_quote

04

10

CRITICAL DEPENDENCIES

ACCEPTANCE 8 + 4

8 design-judgeable; 4 field-dependent

PERMITS 0 / 8

any open gate blocks TRIAL

QUOTE / OPERATOR 0

no verified quote or named operator

CURRENT STATUS

participant package ready; external HOLD

Capacity, FTE and ROM are participant assumptions; survey, specialist review, budget authority and field performance remain pending.

ACCEPTANCE, EXTERNAL HOLD + NEXT GATE

eight design checks; four field-dependent; external evidence is zero

TWELVE ACCEPTANCE CHECKS · EIGHT NOW, FOUR REQUIRE FIELD EVIDENCE

Design consistency never substitutes for field performance or external release

DESIGN-TIME JUDGEABLE

01	route connected in four states	PASS
02	route outside trial boundary	PASS
03	independent fire route	PASS
04	independent removal route	PASS
05	dual e-stops reachable	PASS
06	16 quantity formulas resolve	PASS
07	4 roles not conflated	PASS
08	8 permits are prerequisites	PASS

FIELD-DEPENDENT

01	ordinary task completion	NULL
02	accessibility non-regression	NULL
03	safety / near miss / intervention	NULL
04	recovery duration after stop	NULL

EXTERNAL EVIDENCE STATUS · ALL HOLD

0

VERIFIED QUOTES

0

NAMED OPERATOR

0

PRO SIGN-OFF

0

SITE AUTHORISATION

0

FIELD RESULTS

Any open external condition keeps ordinary opening and blocks AI trial.