

Members: Felix Anthony (M11415812), Ian Joseph Chandra (D11202805)

Google Workspace Agent [LLM Project 2]

[Email]

Auto

```
felix@ACER MINGW64 ~/projects/llm/google_workspace_agent (main)
$ uv run agent_main.py refund --mode auto --email felixanthonyyy03@gmail.com
```

Using Google email: felixanthonyyy03@gmail.com

Starting MCP server on port 8000...

✓ MCP server responded with status 406

✓ MCP server is ready!

Refund agent will use the following tools:

- search_gmail_messages
- get_gmail_message_content
- get_gmail_messages_content_batch
- send_gmail_message
- draft_gmail_message
- get_gmail_thread_content
- get_gmail_threads_content_batch
- list_gmail_labels
- modify_gmail_message_labels
- batch_modify_gmail_message_labels

Using system prompt with email: felixanthonyyy03@gmail.com

```
TOOL CALLS:
→ search_gmail_messages
  Args: {
    "query": "is:unread (refund OR return OR complaint)",
    "user_google_email": "felixanthonyyy03@gmail.com"
  }
}
```

```
TOOL CALLS:
→ get_gmail_messages_content_batch
  Args: {
    "message_ids": [
      "19e7a47b436b68ed",
      "19e7a471e04445e7",
      "19e7a46c3980fbaf"
    ],
    "user_google_email": "felixanthonyyy03@gmail.com"
  }
}
```

```
TOOL CALLS:
→ send_gmail_message
  Args: {
    "user_google_email": "felixanthonyyy03@gmail.com",
    "to": "felixanthony03@gmail.com",
    "subject": "Refund Request Received",
    "body": "Dear Customer,\n\nThank you for your refund request. We acknowledge your request and will process it within 3-5 business days.\n\nBest regards,\nCustomer Support",
    "body_format": "plain",
    "thread_id": "19e7a47b436b68ed"
  }
}

→ send_gmail_message
  Args: {
    "user_google_email": "felixanthonyyy03@gmail.com",
    "to": "felixanthony03@gmail.com",
    "subject": "Complaint Acknowledgment",
    "body": "Dear Customer,\n\nWe sincerely apologize for the issue you are experiencing with the product. We acknowledge your complaint and will follow up within 24 hours.\n\nBest regards,\nCustomer Support",
    "body_format": "plain",
    "thread_id": "19e7a471e04445e7"
  }
}
```

Members: Felix Anthony (M11415812), Ian Joseph Chandra (D11202805)

```
}
  → send_gmail_message
  Args: {
    "user_google_email": "felixanthony03@gmail.com",
    "to": "felixanthony03@gmail.com",
    "subject": "Return Request Received",
    "body": "Dear Customer,\n\nThank you for your return request. Please send the item back to us at the following address:\n\n[Insert Return Address Here]\n\nOnce we receive the item, we will process your return.\n\nBest regards,\nCustomer Support",
    "body_format": "plain",
    "thread_id": "19e7a46c3980fbaf"
  }

  TOOL CALLS:
  → modify_gmail_message_labels
  Args: {
    "user_google_email": "felixanthony03@gmail.com",
    "message_id": "19e7a47b436b68ed",
    "remove_label_ids": [
      "UNREAD"
    ]
  }

  → modify_gmail_message_labels
  Args: {
    "user_google_email": "felixanthony03@gmail.com",
    "message_id": "19e7a471e04445e7",
    "remove_label_ids": [
      "UNREAD"
    ]
  }
}
```

```
→ modify_gmail_message_labels
Args: {
  "user_google_email": "felixanthony03@gmail.com",
  "message_id": "19e7a46c3980fbaf",
  "remove_label_ids": [
    "UNREAD"
  ]
}

Summary of Processed Emails

• Total emails found: 3
• Classifications:
  • REFUND_REQUEST: 1
  • RETURN_REQUEST: 1
  • COMPLAINT: 1
  • OTHER: 0

Details of Each Email Processed:

1 Sender: Felix Anthony
  • Classification: REFUND_REQUEST
  • Action Taken: Sent a reply acknowledging the refund request and marked as read.
2 Sender: Felix Anthony
  • Classification: COMPLAINT
  • Action Taken: Sent a reply apologizing for the issue and marked as read.
3 Sender: Felix Anthony
  • Classification: RETURN_REQUEST
  • Action Taken: Sent a reply providing return instructions and marked as read.

Confirmation:

All processed emails have been marked as read successfully.
```

Interactive

Members: Felix Anthony (M11415812), Ian Joseph Chandra (D11202805)

```
felix@ACER MINGW64 ~/projects/llm/google_workspace_agent (main)
$ uv run agent_main.py refund --mode interactive --email felixanthony03@gmail.com
```

Using Google email: felixanthony03@gmail.com

Starting MCP server on port 8000...

✓ MCP server responded with status 406

✓ MCP server is ready!

Refund agent will use the following tools:

- search_gmail_messages
- get_gmail_message_content
- get_gmail_messages_content_batch
- send_gmail_message
- draft_gmail_message
- get_gmail_thread_content
- get_gmail_threads_content_batch
- list_gmail_labels
- modify_gmail_message_labels
- batch_modify_gmail_message_labels

Using system prompt with email: felixanthony03@gmail.com

You: check my unread emails

```
TOOL CALLS:
→ search_gmail_messages
  Args: {
    "query": "is:unread refund OR return OR complaint",
    "user_google_email": "felixanthony03@gmail.com"
  }
```

```
TOOL CALLS:
→ get_gmail_messages_content_batch
  Args: {
    "message_ids": [
      "19e7a50963008ab1",
      "19e7a5006cfb591e",
      "19e7a4fe1d0785d6"
    ],
    "user_google_email": "felixanthony03@gmail.com"
  }
```

```
TOOL CALLS:
→ send_gmail_message
  Args: {
    "user_google_email": "felixanthony03@gmail.com",
    "to": "felixanthony03@gmail.com",
    "subject": "Return Request",
    "body": "Dear Customer,\n\nThank you for your return request. Please follow these instructions to return the product:\n1. Ensure the product is in its original packaging.\n2. Include a copy of your receipt.\n3. Ship the product to the following address: [Insert Address Here].\n\nOnce we receive the product, we will process your return.\n\nBest regards,\nCustomer Support",
    "body_format": "plain",
    "thread_id": "19e7a50963008ab1"
  }
→ send_gmail_message
  Args: {
    "user_google_email": "felixanthony03@gmail.com",
    "to": "felixanthony03@gmail.com",
    "subject": "Complaint Acknowledgment",
    "body": "Dear Customer,\n\nWe sincerely apologize for the inconvenience you have experienced with our product. Your feedback is important to us, and we will follow up on this issue within 24 hours.\n\nThank you for bringing this to our attention.\n\nBest regards,\nCustomer Support",
    "body_format": "plain",
    "thread_id": "19e7a5006cfb591e"
  }
```

```
→ send_gmail_message
  Args: {
    "user_google_email": "felixanthony03@gmail.com",
    "to": "felixanthony03@gmail.com",
    "subject": "Refund Request",
    "body": "Dear Customer,\n\nWe have received your refund request and it will be processed within 3-5 business days. Thank you for your patience.\n\nBest regards,\nCustomer Support",
    "body_format": "plain",
    "thread_id": "19e7a4fe1d0785d6"
  }
→ batch_modify_gmail_message_labels
  Args: {
    "user_google_email": "felixanthony03@gmail.com",
    "message_ids": [
      "19e7a50963008ab1",
      "19e7a5006cfb591e",
      "19e7a4fe1d0785d6"
    ],
    "remove_label_ids": [
      "UNREAD"
    ]
  }
```

Agent: All unread emails have been processed successfully. Here's a summary of the actions taken:

Members: Felix Anthony (M11415812), Ian Joseph Chandra (D11202805)

```
• Total emails found: 3
• Classifications:
  • RETURN_REQUEST: 1
  • COMPLAINT: 1
  • REFUND_REQUEST: 1
  • OTHER: 0

Details of Processed Emails:

1 Sender: Felix Anthony
  • Classification: RETURN_REQUEST
  • Action Taken: Sent a reply with return instructions and marked as read.
2 Sender: Felix Anthony
  • Classification: COMPLAINT
  • Action Taken: Sent a reply acknowledging the complaint and marked as read.
3 Sender: Felix Anthony
  • Classification: REFUND_REQUEST
  • Action Taken: Sent a reply confirming the refund request will be processed and marked as read.

All processed emails have been marked as read. If you need further assistance, feel free to ask!
```

[Calendar]

Interactive

CLI

```
felix@ACER MINGW64 ~/projects/llm/google_workspace_agent (main)
$ uv run agent_main.py calendar --mode interactive --email felixanthony03@gmail.com

Using Google email: felixanthony03@gmail.com

Starting MCP server on port 8000...
✓ MCP server responded with status 406
✓ MCP server is ready!
Calendar agent will use the following tools:
- manage_event
- manage_out_of_office
- manage_focus_time
- query_freebusy
- create_calendar
- cli_today_events
- cli_list_events
- cli_list_calendars
- cli_get_event
- cli_tool_list
Using 10 tools for calendar agent.

Using system prompt with email: felixanthony03@gmail.com
```

Today's event

```
You: what's on today

TOOL CALLS:
→ cli_today_events
  Args: {
    "user_email": "felixanthony03@gmail.com"
  }

Agent: You have one event scheduled for today:

• Lab Meeting
  • Start Time: 10:00 AM (Taipei time)
  • End Time: 11:00 AM (Taipei time)
  • Event Link
```

This week events

Members: Felix Anthony (M11415812), Ian Joseph Chandra (D11202805)

```
You: what on upcoming week

TOOL CALLS:
→ cli_list_events
  Args: {
    "user_email": "felixanthony03@gmail.com",
    "time_min": "2026-06-01T00:00:00+08:00",
    "time_max": "2026-06-08T00:00:00+08:00"
  }

Agent: Here are your upcoming events for the week of June 1 to June 8, 2026:

1 Prof Pao Meeting
  • Date: June 3, 2026
  • Time: 9:00 AM - 10:00 AM (Taipei time)
  • Event Link
2 Mandarin Class
  • Date: June 3, 2026
  • Time: 6:00 PM - 7:00 PM (Taipei time)
  • Event Link
3 Pak iqbal Meeting
  • Date: June 6, 2026
  • Time: 10:00 AM - 11:00 AM (Taipei time)
  • Event Link
```

Calendars that I have

```
You: what calendars do i have?

TOOL CALLS:
→ cli_list_calendars
  Args: {
    "email": "felixanthonyyy03@gmail.com"
  }

Agent: You have the following calendars:

1 Holidays in Indonesia
  • Calendar ID: en.indonesian#holiday@group.v.calendar.google.com
2 Your Primary Calendar
  • Calendar ID: felixanthonyyy03@gmail.com
3 Holidays in Taiwan
  • Calendar ID: en.taiwan#holiday@group.v.calendar.google.com
```

MCP

Setting an event

```
You: set a meeting for an hour at 11am tomorrow!
Agent: To confirm, you would like to schedule a meeting for one hour starting at 11:00 AM on June 1, 2026.

Could you please provide the following details for the meeting?

  • Title of the meeting
  • Description (if any)
  • Location (if any)
  • Attendees' email addresses (if any)

Once I have this information, I can create the event for you!
You: project meeting on zoom, that's all

TOOL CALLS:
→ manage_event
  Args: {
    "user_google_email": "felixanthony03@gmail.com",
    "action": "create",
    "summary": "Project Meeting on Zoom",
    "start_time": "2026-06-01T03:00:00Z",
    "end_time": "2026-06-01T04:00:00Z",
    "description": "Join the meeting on Zoom.",
    "location": "Zoom",
    "timezone": "Asia/Taipei"
  }

Agent: The "Project Meeting on Zoom" has been successfully scheduled for June 1, 2026, from 11:00 AM to 12:00 P
M
(Taipei time).

You can join the meeting using the following link: Join Meeting.
```

Free time

Members: Felix Anthony (M11415812), Ian Joseph Chandra (D11202805)

You: when im free?

```
🔗 TOOL CALLS:
→ query_freebusy
  Args: {
    "user_google_email": "felixanthony03@gmail.com",
    "time_min": "2026-06-01T00:00:00+08:00",
    "time_max": "2026-06-01T23:59:59+08:00"
  }
```

Agent: On June 1, 2026, you are free for the entire day except for the following busy period:

- **Busy:** 7:00 PM - 8:00 PM (Taipei time)

You have no other scheduled events for that day. If you need to schedule something else or have any other questions, let me know!

Demo

```
felix@ACER MINGW64 ~/projects/llm/google_workspace_agent (main)
$ uv run agent_main.py calendar --mode demo --email felixanthonyyy03@gmail.com
```

Using Google email: felixanthonyyy03@gmail.com

Starting MCP server on port 8000...

✓ MCP server responded with status 406

✓ MCP server is ready!

Calendar agent will use the following tools:

- manage_event
- manage_out_of_office
- manage_focus_time
- query_freebusy
- create_calendar
- cli_today_events
- cli_list_events
- cli_list_calendars
- cli_get_event
- cli_tool_list

Using 10 tools for calendar agent.

Using system prompt with email: felixanthonyyy03@gmail.com

Demo 1: What calendars do I have?

```
🔗 TOOL CALLS:
→ cli_list_calendars
  Args: {
    "email": "felixanthonyyy03@gmail.com"
  }
```

You have the following calendars:

- 1 **Holidays in Indonesia** (ID: en.indonesian#holiday@group.v.calendar.google.com)
- 2 **felixanthonyyy03@gmail.com** (Primary) (ID: felixanthonyyy03@gmail.com)
- 3 **Holidays in Taiwan** (ID: en.taiwan#holiday@group.v.calendar.google.com)

Demo 2: What's on my calendar today?

```
🔗 TOOL CALLS:
→ cli_today_events
  Args: {
    "user_email": "felixanthonyyy03@gmail.com"
  }
```

You have one event on your calendar today:

- **Lab Meeting**
 - **Start Time:** May 31, 2026, 10:00 AM (Taipei time)
 - **End Time:** May 31, 2026, 11:00 AM (Taipei time)
 - [Event Link](#)

Members: Felix Anthony (M11415812), Ian Joseph Chandra (D11202805)

Demo 3: Show me my events for the next 7 days.

```
🔗 TOOL CALLS:  
→ cli_list_events  
  Args: {  
    "user_email": "felixanthonyyy03@gmail.com",  
    "time_min": "2026-05-31T04:00:00+08:00",  
    "time_max": "2026-06-07T04:00:00+08:00"  
  }
```

Here are your events for the next 7 days:

- 1 **Lab Meeting**
 - **Starts:** May 31, 2026, 10:00 AM (Taipei time)
 - **Ends:** May 31, 2026, 11:00 AM (Taipei time)
 - [Event Link](#)
- 2 **Class**
 - **Starts:** June 1, 2026, 09:00 AM (Taipei time)
 - **Ends:** June 1, 2026, 10:00 AM (Taipei time)
 - [Event Link](#)
- 3 **Group Meeting**
 - **Starts:** June 4, 2026, 04:00 PM (Taipei time)
 - **Ends:** June 4, 2026, 05:00 PM (Taipei time)
 - [Event Link](#)
- 4 **Project Meeting**
 - **Starts:** June 5, 2026, 11:00 AM (Taipei time)
 - **Ends:** June 5, 2026, 12:00 PM (Taipei time)
 - [Event Link](#)

Let me know if you need any further assistance!