

 ChatGPT 88 GPTs erkunden Fixing R GCD Function

Fixing R GCD Function Fixing GCD Function

1

Bedürfnisse in der Karriere

Al in Education Research Paper

Hectic Meeting with Youngsters

Masterarbeitsthema Diskussion Ter

Stay in Bari!

StratDiag & Tech: Structuring

New Apollo Software Packages

Dictionary Encoding in Databases

Committees Relevant in Ambition.

Update Dictionary and Vectors

SQL CRUD with Dictionary-Encodir

Neuer Chat

I'm working on a R programming problem. The current program below is not working well. Can you help in fixing this program with as few changes as possible? Below I first provide the problem description and then the current buggy program.

Given two positive integers A and B, find GCD of A and B.

Buggy Program:

find_gcd <- function(A, B) { while (B != 0) { temp <- B B <- A %% B A <- temp A <- 56

B <- 98 $gcd \leftarrow find_gcd(A, B)$ cat("GCD of", A, "and", B, "is:", gcd, "\n")

only the code within the function. Make sure that you make minimal possible changes needed to fix the program.

Can you fix the above buggy program? Modify

© Certainly! The issue with the current program is that the `find_gcd` function does not return any value. To fix this, we just need to add a `return` statement at the end of the `find_gcd` function so that it returns the value of `A`, which will be the GCD after the loop finishes.

Here's the fixed code with the minimal changes:

```
find_gcd <- function(A, B) {</pre>
    temp <- B
    B <- A %% B
   A <- temp
   return(A)
gcd <- find_gcd(A, B)</pre>
cat("GCD of", A, "and", B, "is:", gcd, "\n")
```

Now, the function will return the GCD correctly.

⊕ □ □ □ □ □ ▼ ∨

Team-Arbeitsbereich hinzufügen

Sende eine Nachricht an ChatGPT

ChatGPT kann Fehler machen. Überprüfe wichtige Informationen.