

Standard

Title: CC1352REM-XD7793-XD24	Texas Instruments
Drawn: a0132595	
Checked: <Check name>	
Size: A3 Rev: E0 Sheet: 1 of 3	
Date: Monday, June 11, 2018	

FIDU3 FIDU2 FIDU1 FIDU4 FIDU5 FIDU6

LBL1

DNM

LBL2

DNM

Standard

Title: CC1352REM-XD7793-XD24	Texas Instruments
Drawn: a0132595	
Checked: <Check name>	
Size: A4 Rev: E0 Sheet: 2 of 3	
Date: Monday, June 11, 2018	

Revision history:

R 1.0.0

- Initial release revision.

R 1.1.0

- Added filter before balun on Sub1G path to redce radiated 3rd harmonic.

R 1.2.0

- Added switch for common RF output
- Changed connection on EM pinheader P1 to get UART on P1.7 and P1.9

R 1.3.0

- Updated Sub1G path with LC filter in front of balun to reduce radiated harmonics.
- Reduced filter order after balun.

R E0

- Update all part
- Change C231 from GRM155R61C105KA12D (end of life) to GRM155R61E105KA12D
- Adding option for external load capacitors on 48 MHz crystal.
- Changing revision from three digit to letter and digit.

Standard

Title: CC1352REM-XD7793-XD24	Texas Instruments
Drawn: a0132595	
Checked: <Check name>	
Size: A4 Rev: E0 Sheet: 3 of 3	
Date: Monday, June 11, 2018	