

Copy Figure

Print

Show Code

Title

Subtitle

X-Label

Y-Label

Z-Label

Legend


Colorbar

Grid

X-Grid

Y-Grid

FILE LABELS AND ANNOTATIONS



Command Window


10.0000	0.0357	0.8562
15.0000	0.0423	1.0160
20.0000	0.0459	1.1015
25.0000	0.0478	1.1473
30.0000	0.0488	1.1718

>>

Save As, Copy Figure, Print, Show Code, FILE

TITLE AND ANNOTATIONS: Title, Subtitle, X-Label, Y-Label, Z-Label, Legend, Colorbar, Grid, X-Grid, Y-Grid

```
untitled30.m x untitled31.m x untitled32.m x untitled33.m x untitled34.m x untitled35.m x
/MATLAB Drive/untitled35.m
2 clear;
3 close all;
4 % SNR values (dB)
5 SNR = 0:5:30;
6 % Simulated Latency (ms)
7 NB_IoT = [180 160 145 130 120 110 100];
8 LTE_M = [90 80 70 60 50 45 40];
9 disp('SNR(dB) NB-IoT Latency(ms) LTE-M Latency(ms)')
10 disp([SNR' NB_IoT' LTE_M'])
11 figure
12 % ----- Graph 1 -----
13 subplot(2,1,1)
14 plot(SNR,NB_IoT,'-o','LineWidth',2)
15 title('NB-IoT Latency vs SNR')
16 xlabel('Signal-to-Noise Ratio (dB)')
17 ylabel('Latency (ms)')
18 grid on
19 % ----- Graph 2 -----
20 subplot(2,1,2)
21 plot(SNR,LTE_M,'-s','LineWidth',2)
22 title('LTE-M Latency vs SNR')
23 xlabel('Signal-to-Noise Ratio (dB)')
24 ylabel('Latency (ms)')
```



Command Window


10	145	70
15	130	60
20	120	50
25	110	45
30	100	40

>>

Save As, Copy Figure, Print, Show Code, FILE

TITLE AND ANNOTATIONS: Title, Subtitle, X-Label, Y-Label, Z-Label, Legend, Colorbar, Grid, X-Grid, Y-Grid

```
untitled30.m x untitled31.m x untitled32.m x untitled33.m x untitled34.m x untitled35.m x untitled36.m x
/MATLAB Drive/untitled36.m
2 clear;
3 close all;
4 % SNR values (dB)
5 SNR = 0:5:30;
6 % Simulated Packet Delivery Ratio (%)
7 NB_IoT = [82 86 89 92 95 97 99];
8 LTE_M = [88 91 94 96 98 99 100];
9 disp('SNR(dB) NB-IoT PDR(%) LTE-M PDR(%)')
10 disp([SNR' NB_IoT' LTE_M'])
11 figure
12 % ----- Graph 1 -----
13 subplot(2,1,1)
14 plot(SNR,NB_IoT,'-o','LineWidth',2)
15 title('NB-IoT Packet Delivery Ratio vs SNR')
16 xlabel('Signal-to-Noise Ratio (dB)')
17 ylabel('Packet Delivery Ratio (%)')
18 grid on
19 % ----- Graph 2 -----
20 subplot(2,1,2)
21 plot(SNR,LTE_M,'-s','LineWidth',2)
22 title('LTE-M Packet Delivery Ratio vs SNR')
23 xlabel('Signal-to-Noise Ratio (dB)')
24 ylabel('Packet Delivery Ratio (%)')
```



Command Window

10	89	94
15	92	96
20	95	98
25	97	99
30	99	100

>>