

Prime Diagnostics

404 NW Hall of Fame Dr. Suite: D Lake City, FL 32055

P: (386)-243-8047 F: (386)-243-8062

CLIA: #10D2308890 COLA: #33700



<div>Facility Information</div> <div>Facility Name: DIRECT</div> <div>Provider Name: SELF</div> <div>Address: --</div> <div>www.primedx.us</div>	<div>Patient Information</div> <div>Name: MR. DUMMY TESTING</div> <div>DOB: 12/10/2000</div> <div>Gender: Male</div> <div>Phone Number: S25000002</div>	<div>Specimen Information</div> <div>Accession No: S25000002</div> <div>Date Collected: 07/23/2025, 03:09 AM</div> <div>Date Received: 07/23/2025, 03:10 AM</div> <div>Report Date: 07/23/2025, 03:11 AM</div> <div>Sample Type: SERUM</div>		
Test Name	Result	Flag	Units	Reference Range/Cutoff

ASO

ASO	22	N	IU/mL	<200
-----	----	---	-------	------

Complete Blood Count (CBC) Without Differential

White Blood Cell Count (WBC)	22	H	x10E3cells /ul	3.4 - 10.3
Red Blood Cell Count (RBC)	32	H	x10E6cells /ul	3.56 - 5.49
Hemoglobin (Hb)	12	N	g/dl	11.1 - 16.5
Hematocrit	35	N	%	32.8 - 47.6
Mean Corpuscular Volume (MCV)	-		fl	80.1 - 98.5
Mean Corpuscular Hemoglobin (MCH)	-		p/g	27.1 - 34.2
Mean Corpuscular Hemoglobin Concentration (MCHC)	-		g/dl	33 - 35.6
Red Blood Cell Distribution Width (RDW)	11	L	%	11.8 - 15.1
RDW- SD	30	L	fl	35.9 - 46.5
Platelet Count	130	BL	x10E3cells /ul	130 - 400
MPV	7	N	fL	6.6 - 10.2

Lipid Panel *

Triglycerides	10	N	mg/dL	<150
Cholesterol	20	N	mg/dL	<200
Chol/HDL Ratio	-		mg/dl	<5.0
HDL-Cholesterol	-		mg/dL	>39
LDL Cholesterol-Calculated	-		mg/dL	<100

*This test was performed by the clinical Pathology labs Inc,9200 Wall Street, Austin, TX 78754 CLIA # 45D0505003 Director: Mark A Silberman M.D

N = NORMAL L = LOW BL = BORDERLINE LOW CL = CRITICAL LOW BH = BORDERLINE HIGH H = HIGH CH = CRITICAL HIGH A = Abnormal

Accession: S25000002

Patient: MR. DUMMY TESTING

DOB: 12/10/2000

Prime Diagnostics

404 NW Hall of Fame Dr. Suite: D Lake City, FL 32055

P: (386)-243-8047 F: (386)-243-8062

CLIA: #10D2308890 COLA: #33700



<div>Facility Information</div> <div>Facility Name: DIRECT</div> <div>Provider Name: SELF</div> <div>Address: --</div> <div>www.primedx.us</div>	<div>Patient Information</div> <div>Name: MR. DUMMY TESTING</div> <div>DOB: 12/10/2000</div> <div>Gender: Male</div> <div>Phone Number: S25000002</div>	<div>Specimen Information</div> <div>Accession No: S25000002</div> <div>Date Collected: 07/23/2025, 03:09 AM</div> <div>Date Received: 07/23/2025, 03:10 AM</div> <div>Report Date: 07/23/2025, 03:11 AM</div> <div>Sample Type: SERUM</div>		
Test Name	Result	Flag	Units	Reference Range/Cutoff

LDL/HDL Ratio

-

Ratio

<3.55

END OF REPORT

*This test was performed by the clinical Pathology labs Inc,9200 Wall Street, Austin, TX 78754 CLIA # 45D0505003 Director: Mark A Silberman M.D

N = NORMAL L = LOW BL = BORDERLINE LOW CL = CRITICAL LOW BH = BORDERLINE HIGH H = HIGH CH = CRITICAL HIGH A = Abnormal

Accession: S25000002

Patient: MR. DUMMY TESTING

DOB: 12/10/2000