

## **APPENDIX FOR**

### **Body mass and cell size shape the tolerance of fishes to low oxygen in a temperature-dependent manner**

**by**

Wilco CEP Verberk, Jeroen F Sandker, Iris van de Pol, Mauricio A Urbina, Rod W  
Wilson, David J McKenzie, Félix P Leiva

- Babikian, J., Nasser, N., Monzer, S., & Saoud, I. P. (2017). Survival and respiration of marbled rabbitfish (*Siganus rivulatus*) fingerlings at various oxygen tensions. *Aquaculture Research*, 48(8), 4219–4227.
- Barnes, R. K., King, H., & Carter, C. G. (2011). Hypoxia tolerance and oxygen regulation in Atlantic salmon, *Salmo salar* from a Tasmanian population. *Aquaculture*, 318(3–4), 397–401. <https://doi.org/10.1016/j.aquaculture.2011.06.003>
- Belão, T. C., Leite, C. A. C., Florindo, L. H., Kalinin, A. L., & Rantin, F. T. (2011). Cardiorespiratory responses to hypoxia in the African catfish, *Clarias gariepinus* (Burchell 1822), an air-breathing fish. *Journal of Comparative Physiology B*, 181(7), 905–916.
- Berschick, P., Bridges, C. R., & Grieshaber, M. K. (1987). The influence of hyperoxia, hypoxia and temperature on the respiratory physiology of the intertidal rockpool fish *Gobius cobitis* Pallas. *Journal of Experimental Biology*, 130(1), 368–387.
- Borowiec, B. G., Crans, K. D., Khajali, F., Pranckevicius, N. A., Young, A., & Scott, G. R. (2016). Interspecific and environment-induced variation in hypoxia tolerance in sunfish. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 198, 59–71.
- Borowiec, B. G., Hoffman, R. D., Hess, C. D., Galvez, F., & Scott, G. R. (2020). Interspecific variation in hypoxia tolerance and hypoxia acclimation responses in killifish from the family Fundulidae. *Journal of Experimental Biology*, 223(4), jeb209692.
- Bouyoucos, I. A., Trujillo, J. E., Weideli, O. C., Nakamura, N., Mourier, J., Planes, S., Simpfendorfer, C. A., & Rummer, J. L. (2021). Investigating links between thermal tolerance and oxygen supply capacity in shark neonates from a hyperoxic tropical

- environment. *Science of the Total Environment*, 782, 146854.
- Burggren, W. W., Arriaga-Bernal, J. C., Méndez-Arzate, P. M., & Méndez-Sánchez, J. F. (2019). Metabolic physiology of the Mayan cichlid fish (*Mayaheros urophthalmus*): Re-examination of classification as an oxyconformer. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 237, 110538.
- Burggren, W. W., Mendez-Sanchez, J. F., Martinez Bautista, G., Peña, E., Martinez Garcia, R., & Alvarez Gonzalez, C. A. (2019). Developmental changes in oxygen consumption and hypoxia tolerance in the heat and hypoxia-adapted tabasco line of the Nile tilapia *Oreochromis niloticus*, with a survey of the metabolic literature for the genus *Oreochromis*. *Journal of Fish Biology*, 94(5), 732–744.
- Butler, P. J., & Taylor, E. W. (1975). The effect of progressive hypoxia on respiration in the dogfish (*Scyliorhinus canicula*) at different seasonal temperatures. *Journal of Experimental Biology*, 63(1), 117–130.
- Campos, D. F. de, Jesus, T. F., Kochhann, D., Heinrichs-Caldas, W., Coelho, M. M., & Almeida-Val, V. M. F. (2017). Metabolic rate and thermal tolerance in two congeneric Amazon fishes: *Paracheirodon axelrodi* Schultz, 1956 and *Paracheirodon simulans* Géry, 1963 (Characidae). *Hydrobiologia*, 789(1), 133–142.
- Candebat, C. L., Booth, M., Williamson, J. E., & Pirozzi, I. (2020). The critical oxygen threshold of Yellowtail Kingfish (*Seriola lalandi*). *Aquaculture*, 516, 734519.
- Capossela, K. M., Brill, R. W., Fabrizio, M. C., & Bushnell, P. G. (2012). Metabolic and cardiorespiratory responses of summer flounder *Paralichthys dentatus* to hypoxia at two temperatures. *Journal of Fish Biology*, 81(3), 1043–1058.
- Chen, B.-J., Fu, S.-J., Cao, Z.-D., & Wang, Y.-X. (2019). Effect of temperature on critical

- oxygen tension (Pcrit) and gill morphology in six cyprinids in the Yangtze River, China. *Aquaculture*, 508, 137–146.
- Clarke, S. B., Chapman, L. J., & Krahe, R. (2020). The effect of normoxia exposure on hypoxia tolerance and sensory sampling in a swamp-dwelling mormyrid fish. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 240, 110586.
- Cochran, R. E., & Burnett, L. E. (1996). Respiratory responses of the salt marsh animals, *Fundulus heteroclitus*, *Leiostomus xanthurus*, and *Palaemonetes pugio* to environmental hypoxia and hypercapnia and to the organophosphate pesticide, azinphosmethyl. *Journal of Experimental Marine Biology and Ecology*, 195(1), 125–144.
- Collins, G. M., Clark, T. D., & Carton, A. G. (2015). Physiological plasticity v. inter-population variability: Understanding drivers of hypoxia tolerance in a tropical estuarine fish. *Marine and Freshwater Research*, 67(10), 1575–1582.
- Collins, G. M., Clark, T. D., Rummer, J. L., & Carton, A. G. (2013). Hypoxia tolerance is conserved across genetically distinct sub-populations of an iconic, tropical Australian teleost (*Lates calcarifer*). *Conservation Physiology*, 1(1).
- Cook, D. G., Brown, E. J., Lefevre, S., Domenici, P., & Steffensen, J. F. (2014). The response of striped surfperch *Embiotoca lateralis* to progressive hypoxia: Swimming activity, shoal structure, and estimated metabolic expenditure. *Journal of Experimental Marine Biology and Ecology*, 460, 162–169.
- Cook, D. G., Iftikar, F. I., Baker, D. W., Hickey, A. J., & Herbert, N. A. (2013). Low-O<sub>2</sub> acclimation shifts the hypoxia avoidance behaviour of snapper (*Pagrus auratus*) with only subtle changes in aerobic and anaerobic function. *Journal of Experimental Biology*, 216(3), 369–378.

- Cook, D. G., Wells, R. M., & Herbert, N. A. (2011). Anaemia adjusts the aerobic physiology of snapper (*Pagrus auratus*) and modulates hypoxia avoidance behaviour during oxygen choice presentations. *Journal of Experimental Biology*, 214(17), 2927–2934.
- Corkum, C. P., & Gamperl, A. K. (2009). Does the ability to metabolically downregulate alter the hypoxia tolerance of fishes?: A comparative study using cunner (*T. adspersus*) and Greenland cod (*G. ogac*). *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, 311(4), 231–239.
- Craig, P. M., Fitzpatrick, J. L., Walsh, P. J., Wood, C. M., & McClelland, G. B. (2014). Coping with aquatic hypoxia: How the plainfin midshipman (*Porichthys notatus*) tolerates the intertidal zone. *Environmental Biology of Fishes*, 97(2), 163–172.
- Crocker, C. E., & Cech, J. J. (1997). Effects of environmental hypoxia on oxygen consumption rate and swimming activity in juvenile white sturgeon, *Acipenser transmontanus*, in relation to temperature and life intervals. *Environmental Biology of Fishes*, 50(4), 383–389.
- Cruz-Neto, A. P., & Steffensen, J. F. (1997). The effects of acute hypoxia and hypercapnia on oxygen consumption of the freshwater European eel. *Journal of Fish Biology*, 50(4), 759–769.
- Cumming, H., & Herbert, N. A. (2016). Gill structural change in response to turbidity has no effect on the oxygen uptake of a juvenile sparid fish. *Conservation Physiology*, 4(1), cow033.
- Dan, X.-M., Yan, G.-J., Zhang, A.-J., Cao, Z.-D., & Fu, S.-J. (2014). Effects of stable and diel-cycling hypoxia on hypoxia tolerance, postprandial metabolic response, and growth performance in juvenile qingbo (*Spinibarbus sinensis*). *Aquaculture*, 428, 21–28.

- De Boeck, G., Vlaeminck, A., Van der Linden, A., & Blust, R. (2000). Salt stress and resistance to hypoxic challenges in the common carp (*Cyprinus carpio* L.). *Journal of Fish Biology*, 57(3), 761–776.
- De Boeck, G., Wood, C. M., Iftikar, F. I., Matey, V., Scott, G. R., Sloman, K. A., de Nazaré Paula da Silva, M., Almeida-Val, V. M., & Val, A. L. (2013). Interactions between hypoxia tolerance and food deprivation in Amazonian oscars, *Astronotus ocellatus*. *Journal of Experimental Biology*, 216(24), 4590–4600.
- Dupont-Prinet, A., Vagner, M., Chabot, D., & Audet, C. (2013). Impact of hypoxia on the metabolism of Greenland halibut (*Reinhardtius hippoglossoides*). *Canadian Journal of Fisheries and Aquatic Sciences*, 70(3), 461–469.
- Ern, R., Norin, T., Gamperl, A. K., & Esbaugh, A. J. (2016). Oxygen dependence of upper thermal limits in fishes. *Journal of Experimental Biology*, 219(21), 3376–3383.
- Fernandes, M. N., & Rantin, F. T. (1989). Respiratory responses of *Oreochromis niloticus* (Pisces, Cichlidae) to environmental hypoxia under different thermal conditions. *Journal of Fish Biology*, 35(4), 509–519.
- Fitzgerald, J. A., Urbina, M. G., Rogers, N. J., Bury, N. R., Katsiadaki, I., Wilson, R. W., & Santos, E. M. (2019). Sublethal exposure to copper suppresses the ability to acclimate to hypoxia in a model fish species. *Aquatic Toxicology*, 217, 105325.
- Fitzgibbon, Q. P., Seymour, R. S., Buchanan, J., Musgrove, R., & Carragher, J. (2010). Effects of hypoxia on oxygen consumption, swimming velocity and gut evacuation in southern bluefin tuna (*Thunnus maccoyii*). *Environmental Biology of Fishes*, 89(1), 59–69.
- Fu, S.-J., Brauner, C. J., Cao, Z.-D., Richards, J. G., Peng, J.-L., Dhillon, R., & Wang, Y.-X. (2011). The effect of acclimation to hypoxia and sustained exercise on subsequent

- hypoxia tolerance and swimming performance in goldfish (*Carassius auratus*). *Journal of Experimental Biology*, 214(12), 2080–2088.
- Fu, S.-J., Fu, C., Yan, G.-J., Cao, Z.-D., Zhang, A.-J., & Pang, X. (2014). Interspecific variation in hypoxia tolerance, swimming performance and plasticity in cyprinids that prefer different habitats. *Journal of Experimental Biology*, 217(4), 590–597.
- Geist, S. J., Ekau, W., & Kunzmann, A. (2013). Energy demand of larval and juvenile Cape horse mackerels, *Trachurus capensis*, and indications of hypoxia tolerance as benefit in a changing environment. *Marine Biology*, 160(12), 3221–3232.
- Giacomin, M., Bryant, H. J., Val, A. L., Schulte, P. M., & Wood, C. M. (2019). The osmorepiratory compromise: Physiological responses and tolerance to hypoxia are affected by salinity acclimation in the euryhaline Atlantic killifish (*Fundulus heteroclitus*). *Journal of Experimental Biology*, 222(19), jeb206599.
- Giacomin, M., Vilarinho, G. C., Castro, K. F., Ferreira, M., Duarte, R. M., Wood, C. M., & Val, A. L. (2018). Physiological impacts and bioaccumulation of dietary Cu and Cd in a model teleost: The Amazonian tambaqui (*Colossoma macropomum*). *Aquatic Toxicology*, 199, 30–45.
- Gilmore, K. L., Doubleday, Z. A., & Gillanders, B. M. (2019). Prolonged exposure to low oxygen improves hypoxia tolerance in a freshwater fish. *Conservation Physiology*, 7(1), coz058.
- Gordon, M. S., Belman, B. W., & Chow, P. H. (1976). Comparative studies on the metabolism of shallow-water and deep-sea marine fishes. IV. Patterns of aerobic metabolism in the mesopelagic deep-sea fangtooth fish *Anoplogaster cornuta*. *Marine Biology*, 35(3), 287–293.

- Hancock, J. R., & Place, S. P. (2016). Impact of ocean acidification on the hypoxia tolerance of the woolly sculpin, *Clinocottus analis*. *Conservation Physiology*, 4(1), cow040.
- Haney, D. C., & Nordlie, F. G. (1997). Influence of environmental salinity on routine metabolic rate and critical oxygen tension of *Cyprinodon variegatus*. *Physiological Zoology*, 70(5), 511–518.
- Hartline, N. R., DeVries, D. R., Wright, R. A., Stoeckel, J. A., & Horne, L. M. (2020). Effect of Temperature on Respiratory Responses to Increasing Hypoxia for Five Species of Nongame Stream Fishes. *Journal of the Southeastern Association of Fish and Wildlife Agencies*, 7, 93–102.
- Henriksson, P., Mandic, M., & Richards, J. G. (2008). The osmorepiratory compromise in sculpins: Impaired gas exchange is associated with freshwater tolerance. *Physiological and Biochemical Zoology*, 81(3), 310–319.
- Hermaniuk, A., van de Pol, I. L., & Verberk, W.C.E.P. (2021). Are acute and acclimated thermal effects on metabolic rate modulated by cell size? A comparison between diploid and triploid zebrafish larvae. *Journal of Experimental Biology*, 224(1).
- Hill, J. V., Davison, W., & Marsden, I. D. (1996). Aspects of the respiratory biology of two New Zealand intertidal fishes, *Acanthoclinus fuscus* and *Forsterygion* sp. *Environmental Biology of Fishes*, 45(1), 85–93.
- Hilton, Z., Wellenreuther, M., & Clements, K. D. (2008). Physiology underpins habitat partitioning in a sympatric sister-species pair of intertidal fishes. *Functional Ecology*, 22(6), 1108–1117.
- Hughes, M. C., & Perry, S. F. (2021). Does blood flow limit acute hypoxia performance in larval zebrafish (*Danio rerio*)? *Journal of Comparative Physiology B*, 191(3), 469–478.



- Innes, A. J., & Wells, R. M. (1985). Respiration and oxygen transport functions of the blood from an intertidal fish, *Helcogramma medium* (Tripterygiidae). *Environmental Biology of Fishes*, 14(2), 213–226.
- Iversen, N. K., McKenzie, D. J., Malte, H., & Wang, T. (2010). Reflex bradycardia does not influence oxygen consumption during hypoxia in the European eel (*Anguilla anguilla*). *Journal of Comparative Physiology B*, 180(4), 495–502.
- Johannsson, O. E., Giacomini, M., Sadauskas-Henrique, H., Campos, D. F., Braz-Mota, S., Heinrichs-Caldas, W. D., Baptista, R., Wood, C. M., Almeida-Val, V. M. F., & Val, A. L. (2018). Does hypoxia or different rates of re-oxygenation after hypoxia induce an oxidative stress response in *Cyphocharax abramoides* (Kner 1858), a Characid fish of the Rio Negro? *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 224, 53–67.
- Kempf, S. (2020). *The physiological response of an Arctic key species Polar cod, Boreogadus saida, to environmental hypoxia: Critical oxygen level and swimming performance* [PhD Thesis]. Universität Bremen.
- Kulesza, A., Leonard, E. M., & McClelland, G. B. (2020). Influence of 96h sub-lethal copper exposure on aerobic scope and recovery from exhaustive exercise in killifish (*Fundulus heteroclitus*). *Aquatic Toxicology*, 218, 105373.
- Lapointe, D., Vogelbein, W. K., Fabrizio, M. C., Gauthier, D. T., & Brill, R. W. (2014). Temperature, hypoxia, and mycobacteriosis: Effects on adult striped bass *Morone saxatilis* metabolic performance. *Diseases of Aquatic Organisms*, 108(2), 113–127.
- LeMoine, C. M., Bucking, C., Craig, P. M., & Walsh, P. J. (2014). Divergent hypoxia tolerance in adult males and females of the plainfin midshipman (*Porichthys notatus*).

*Physiological and Biochemical Zoology*, 87(2), 325–333.

- Malekpouri, P., Peyghan, R., Mahboobi-Soofiani, N., & Mohammadian, B. (2016). Metabolic capacities of common carp (*Cyprinus carpio*) following combined exposures to copper and environmental hypoxia. *Ecotoxicology and Environmental Safety*, 127, 1–11.
- Mamun, S. M., Focken, U., & Becker, K. (2013). A respirometer system to measure critical and recovery oxygen tensions of fish under simulated diurnal fluctuations in dissolved oxygen. *Aquaculture International*, 21(1), 31–44.
- Mandic, M., Best, C., & Perry, S. F. (2020). Loss of hypoxia-inducible factor 1 $\alpha$  affects hypoxia tolerance in larval and adult zebrafish (*Danio rerio*). *Proceedings of the Royal Society B*, 287(1927), 20200798.
- Mandic, M., Pan, Y. K., Gilmour, K. M., & Perry, S. F. (2020). Relationships between the peak hypoxic ventilatory response and critical O<sub>2</sub> tension in larval and adult zebrafish (*Danio rerio*). *Journal of Experimental Biology*, 223(7), jeb213942.
- Mandic, M., Todgham, A. E., & Richards, J. G. (2009). Mechanisms and evolution of hypoxia tolerance in fish. *Proceedings of the Royal Society of London B: Biological Sciences*, 276(1657), 735–744.
- Mattiasen, E. G., Kashef, N. S., Stafford, D. M., Logan, C. A., Sogard, S. M., Bjorkstedt, E. P., & Hamilton, S. L. (2020). Effects of hypoxia on the behavior and physiology of kelp forest fishes. *Global Change Biology*, 26(6), 3498–3511.
- Maxime, V., Pichavant, K., Boeuf, G., & Nonnotte, G. (2000). Effects of hypoxia on respiratory physiology of turbot, *Scophthalmus maximus*. *Fish Physiology and Biochemistry*, 22(1), 51–59.
- McArley, T. J., Hickey, A. J., & Herbert, N. A. (2020). Acute high temperature exposure impairs

- hypoxia tolerance in an intertidal fish. *PloS One*, 15(4), e0231091.
- McArley, T. J., Hickey, A. J., Wallace, L., Kunzmann, A., & Herbert, N. A. (2019). Intertidal triplefin fishes have a lower critical oxygen tension ( $P_{crit}$ ), higher maximal aerobic capacity, and higher tissue glycogen stores than their subtidal counterparts. *Journal of Comparative Physiology B*, 189(3), 399–411.
- McBryan, T. L., Healy, T. M., Haakons, K. L., & Schulte, P. M. (2016). Warm acclimation improves hypoxia tolerance in *Fundulus heteroclitus*. *Journal of Experimental Biology*, 219(4), 474–484.
- McKenzie, D. J., Lund, I., & Pedersen, P. B. (2008). Essential fatty acids influence metabolic rate and tolerance of hypoxia in Dover sole (*Solea solea*) larvae and juveniles. *Marine Biology*, 154(6), 1041–1051.
- McKenzie, D. J., Steffensen, J. F., Korsmeyer, K., Whiteley, N. M., Bronzi, P., & Taylor, E. W. (2007). Swimming alters responses to hypoxia in the Adriatic sturgeon *Acipenser naccarii*. *Journal of Fish Biology*, 70(2), 651–658.
- Mendez-Sanchez, J. F., & Burggren, W. W. (2017). Cardiorespiratory physiological phenotypic plasticity in developing air-breathing anabantid fishes (*Betta splendens* and *Trichopodus trichopterus*). *Physiological Reports*, 5(15), e13359.
- Monteiro, D. A., Thomaz, J. M., Rantin, F. T., & Kalinin, A. L. (2013). Cardiorespiratory responses to graded hypoxia in the neotropical fish matrinxã (*Brycon amazonicus*) and traíra (*Hoplias malabaricus*) after waterborne or trophic exposure to inorganic mercury. *Aquatic Toxicology*, 140–141, 346–355. <https://doi.org/10.1016/j.aquatox.2013.06.011>
- Moulton, T. L., Chapman, L. J., & Krahe, R. (2020). Effects of hypoxia on aerobic metabolism and active electrosensory acquisition in the African weakly electric fish *Marcusenius*

- victoriae*. *Journal of Fish Biology*, 96(2), 496–505.
- Nati, J. J., Lindström, J., Yeomans, W., & Killen, S. S. (2018). Physiological and behavioural responses to hypoxia in an invasive freshwater fish species and a native competitor. *Ecology of Freshwater Fish*, 27(3), 813–821.
- Negrete Jr, B., & Esbaugh, A. J. (2019). A methodological evaluation of the determination of critical oxygen threshold in an estuarine teleost. *Biology Open*, 8(11), bio045310.
- Nilsson, G. E., Hobbs, J.-P. A., & Östlund-Nilsson, S. (2007). Tribute to PL Lutz: Respiratory ecophysiology of coral-reef teleosts. *Journal of Experimental Biology*, 210(10), 1673–1686.
- Nilsson, G. E., Hobbs, J.-P., Munday, P. L., & Östlund-Nilsson, S. (2004). Coward or braveheart: Extreme habitat fidelity through hypoxia tolerance in a coral-dwelling goby. *Journal of Experimental Biology*, 207(1), 33–39.
- Nilsson, G. E., & Östlund-Nilsson, S. (2008). Does size matter for hypoxia tolerance in fish? *Biological Reviews*, 83(2), 173–189.
- Nilsson, G. E., Östlund-Nilsson, S., & Munday, P. L. (2010). Effects of elevated temperature on coral reef fishes: Loss of hypoxia tolerance and inability to acclimate. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 156(4), 389–393.
- Nilsson, G. E., Östlund-Nilsson, S., Penfold, R., & Grutter, A. S. (2007). From record performance to hypoxia tolerance: Respiratory transition in damselfish larvae settling on a coral reef. *Proceedings of the Royal Society B: Biological Sciences*, 274(1606), 79–85.
- Nonnotte, G., Maxime, V., Truchot, J. P., Williot, P., & Peyraud, C. (1993). Respiratory responses to progressive ambient hypoxia in the sturgeon, *Acipenser baeri*. *Respiration*

*Physiology*, 91(1), 71–82.

- Östlund–Nilsson, S., & Nilsson, G. E. (2004). Breathing with a mouth full of eggs: Respiratory consequences of mouthbrooding in cardinalfish. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 271(1543), 1015–1022.
- Ott, M. E., Heisler, N., & Ultsch, G. R. (1980). A re-evaluation of the relationship between temperature and the critical oxygen tension in freshwater fishes. *Comparative Biochemistry and Physiology Part A: Physiology*, 67(3), 337–340.
- Pan, Y. K., Ern, R., Morrison, P. R., Brauner, C. J., & Esbaugh, A. J. (2017). Acclimation to prolonged hypoxia alters hemoglobin isoform expression and increases hemoglobin oxygen affinity and aerobic performance in a marine fish. *Scientific Reports*, 7(1), 1–11.
- Pan, Y. K., Khursigara, A. J., Johansen, J. L., & Esbaugh, A. J. (2018). The effects of oil induced respiratory impairment on two indices of hypoxia tolerance in Atlantic croaker (*Micropogonias undulatus*). *Chemosphere*, 200, 143–150.
- Pan, Y. K., Mandic, M., Zimmer, A. M., & Perry, S. F. (2019). Evaluating the physiological significance of hypoxic hyperventilation in larval zebrafish (*Danio rerio*). *Journal of Experimental Biology*, 222(13), jeb204800.
- Paz, M. V. G., Sánchez, J. F. M., Burggren, W., & Martínez, J. L. A. G. (2020). Metabolic rate and hypoxia tolerance in *Girardinichthys multiradiatus* (Pisces: Goodeidae), an endemic fish at high altitude in tropical Mexico. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 239, 110576.
- Pelster, B., Bridges, C. R., & Grieshaber, M. K. (1988). Respiratory adaptations of the burrowing marine teleost *Lumpenus lampretaeformis* (Walbaum). II. Metabolic adaptations. *Journal of Experimental Marine Biology and Ecology*, 124(1), 43–55.

- Perna, S. A., & Fernandes, M. N. (1996). Gill morphometry of the facultative air-breathing loricariid fish, *Hypostomus plecostomus* (Walbaum) with special emphasis on aquatic respiration. *Fish Physiology and Biochemistry*, 15(3), 213–220.
- Porteus, C. S., Wright, P. A., & Milsom, W. K. (2014). The effect of sustained hypoxia on the cardio-respiratory response of bowfin *Amia calva*: Implications for changes in the oxygen transport system. *Journal of Fish Biology*, 84(3), 827–843.
- Rantin, F. T., Glass, M. L., Kalinin, A. L., Verzola, R. M., & Fernandes, M. N. (1993). Cardio-respiratory responses in two ecologically distinct erythrinids (*Hoplias malabaricus* and *Hoplias lacerdae*) exposed to graded environmental hypoxia. *Environmental Biology of Fishes*, 36(1), 93–97.
- Reardon, E. E., & Chapman, L. J. (2010). Energetics of hypoxia in a mouth-brooding cichlid: Evidence for interdemtic and developmental effects. *Physiological and Biochemical Zoology*, 83(3), 414–423.
- Reardon, E. E., Parisi, A., Krahe, R., & Chapman, L. J. (2011). Energetic constraints on electric signalling in wave-type weakly electric fishes. *Journal of Experimental Biology*, 214(24), 4141–4150.
- Reemeyer, J. E., & Rees, B. B. (2019). Standardizing the determination and interpretation of Pcrit in fishes. *Journal of Experimental Biology*, 222(18), jeb210633.  
<https://doi.org/10.1242/jeb.210633>
- Reemeyer, J. E., & Rees, B. B. (2020). Plasticity, repeatability and phenotypic correlations of aerobic metabolic traits in a small estuarine fish. *Journal of Experimental Biology*, 223(14), jeb228098. <https://doi.org/10.1242/jeb.228098>
- Regan, M. D., Gill, I. S., & Richards, J. G. (2017a). Calorespirometry reveals that goldfish

- prioritize aerobic metabolism over metabolic rate depression in all but near-anoxic environments. *Journal of Experimental Biology*, 220(4), 564–572.
- Regan, M. D., Gill, I. S., & Richards, J. G. (2017b). Metabolic depression and the evolution of hypoxia tolerance in threespine stickleback, *Gasterosteus aculeatus*. *Biology Letters*, 13(11), 20170392.
- Regan, M. D., Kuchel, L. J., Huang, S. S., Higgs, D. A., Wang, J., Schulte, P. M., & Brauner, C. J. (2010). The effect of dietary fish oil and poultry fat replacement with canola oil on swimming performance and metabolic response to hypoxia in stream type spring Chinook salmon parr. *Aquaculture*, 308(3–4), 183–189.
- Regan, M. D., & Richards, J. G. (2017). Rates of hypoxia induction alter mechanisms of O<sub>2</sub> uptake and the critical O<sub>2</sub> tension of goldfish. *Journal of Experimental Biology*, 220(14), 2536–2544.
- Remen, M., Oppedal, F., Imsland, A. K., Olsen, R. E., & Torgersen, T. (2013). Hypoxia tolerance thresholds for post-smolt Atlantic salmon: Dependency of temperature and hypoxia acclimation. *Aquaculture*, 416, 41–47.
- Richards, J. G., Sardella, B. A., & Schulte, P. M. (2008). Regulation of pyruvate dehydrogenase in the common killifish, *Fundulus heteroclitus*, during hypoxia exposure. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 295(3), R979–R990.
- Rodgers, E. M., Opinion, A. G. R., Isaza, D. F. G., Rašković, B., Poleksić, V., & De Boeck, G. (2021). Double whammy: Nitrate pollution heightens susceptibility to both hypoxia and heat in a freshwater salmonid. *Science of The Total Environment*, 765, 142777.
- Rosenberger, A. E., & Chapman, L. J. (2000). Respiratory characters of three species of

- haplochromine cichlids: Implications for use of wetland refugia. *Journal of Fish Biology*, 57(2), 483–501.
- Routley, M. H., Nilsson, G. E., & Renshaw, G. M. (2002). Exposure to hypoxia primes the respiratory and metabolic responses of the epaulette shark to progressive hypoxia. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 131(2), 313–321.
- Saint-Paul, U. (1984). Physiological adaptation to hypoxia of a neotropical characoid fish *Colossoma macropomum*, Serrasalminae. *Environmental Biology of Fishes*, 11(1), 53–62.
- Sakuragui, M. M., Sanches, J. R., & Fernandes, M. N. (2003). Gill chloride cell proliferation and respiratory responses to hypoxia of the neotropical erythrinid fish *Hoplias malabaricus*. *Journal of Comparative Physiology B*, 173(4), 309–317.
- Schjolden, J., Sørensen, J., Nilsson, G. E., & Poléo, A. B. (2007). The toxicity of copper to crucian carp (*Carassius carassius*) in soft water. *Science of the Total Environment*, 384(1–3), 239–251.
- Schofield, P. J., & Chapman, L. J. (2000). Hypoxia tolerance of introduced Nile perch: Implications for survival of indigenous fishes in the Lake Victoria basin. *African Zoology*, 35(1), 35–42.
- Schurmann, H., & Steffensen, J. F. (1997). Effects of temperature, hypoxia and activity on the metabolism of juvenile Atlantic cod. *Journal of Fish Biology*, 50(6), 1166–1180.
- Schwieterman, G. D., Crear, D. P., Anderson, B. N., Lavoie, D. R., Sulikowski, J. A., Bushnell, P. G., & Brill, R. W. (2019). Combined Effects of Acute Temperature Change and Elevated pCO<sub>2</sub> on the Metabolic Rates and Hypoxia Tolerances of Clearnose Skate (*Rostaraja eglanteria*), Summer Flounder (*Paralichthys dentatus*), and Thorny Skate



- (*Amblyraja radiata*). *Biology*, 8(3), 56.
- Shi, K., Dong, S., Zhou, Y., Gao, Q., Li, L., Zhang, M., & Sun, D. (2018). Comparative evaluation of toleration to heating and hypoxia of three kinds of salmonids. *Journal of Ocean University of China*, 17(6), 1465–1472.
- Sloman, K. A., Sloman, R. D., De Boeck, G., Scott, G. R., Iftikar, F. I., Wood, C. M., Almeida-Val, V. M., & Val, A. L. (2009). The role of size in synchronous air breathing of *Hoplosternum littorale*. *Physiological and Biochemical Zoology*, 82(6), 625–634.
- Sloman, K. A., Wood, C. M., Scott, G. R., Wood, S., Kajimura, M., Johannsson, O. E., Almeida-Val, V. M., & Val, A. L. (2006). Tribute to RG Boutilier: The effect of size on the physiological and behavioural responses of oscar, *Astronotus ocellatus*, to hypoxia. *Journal of Experimental Biology*, 209(7), 1197–1205.
- Smit, H., Van Den Berg, R. J., Kijne-Den Hartog, I., & Rozing, J. (1973). Some experiments on thermal acclimation in the goldfish (*Carassius auratus* L.). *Netherlands Journal of Zoology*, 24(1), 32–49.
- Snyder, S., Nadler, L. E., Bayley, J. S., Svendsen, M. B. S., Johansen, J. L., Domenici, P., & Steffensen, J. F. (2016). Effect of closed v. Intermittent-flow respirometry on hypoxia tolerance in the shiner perch *Cymatogaster aggregata*. *Journal of Fish Biology*, 88(1), 252–264.
- Sollid, J., Weber, R. E., & Nilsson, G. E. (2005). Temperature alters the respiratory surface area of crucian carp *Carassius carassius* and goldfish *Carassius auratus*. *Journal of Experimental Biology*, 208(6), 1109–1116.
- Sørensen, C., Munday, P. L., & Nilsson, G. E. (2014). Aerobic vs. anaerobic scope: Sibling species of fish indicate that temperature dependence of hypoxia tolerance can predict

- future survival. *Global Change Biology*, 20(3), 724–729.
- Speers-Roesch, B., Richards, J. G., Brauner, C. J., Farrell, A. P., Hickey, A. J., Wang, Y. S., & Renshaw, G. M. (2012). Hypoxia tolerance in elasmobranchs. I. Critical oxygen tension as a measure of blood oxygen transport during hypoxia exposure. *The Journal of Experimental Biology*, 215(1), 93–102.
- Steffensen, J. F., Bushnell, P. G., & Schurmann, H. (1994). Oxygen consumption in four species of teleosts from Greenland: No evidence of metabolic cold adaptation. *Polar Biology*, 14(1), 49–54.
- Steffensen, J. F., Lomholt, J. P., & Johansen, K. (1982). Gill ventilation and O<sub>2</sub> extraction during graded hypoxia in two ecologically distinct species of flatfish, the flounder (*Platichthys flesus*) and the plaice (*Pleuronectes platessa*). *Environmental Biology of Fishes*, 7(2), 157–163.
- Stevens, E. D., Sutterlin, A., & Cook, T. (1998). Respiratory metabolism and swimming performance in growth hormone transgenic Atlantic salmon. *Canadian Journal of Fisheries and Aquatic Sciences*, 55(9), 2028–2035.
- Stoffels, R. J. (2015). Physiological trade-offs along a fast-slow lifestyle continuum in fishes: What do they tell us about resistance and resilience to hypoxia? *PLoS One*, 10(6), e0130303.
- Stoffels, R. J., Weatherman, K. E., & Allen-Ankins, S. (2017). Heat and hypoxia give a global invader, *Gambusia holbrooki*, the edge over a threatened endemic fish on Australian floodplains. *Biological Invasions*, 19(8), 2477–2489.
- Svendsen, J. C., Steffensen, J. F., Aarestrup, K., Frisk, M., Etzerodt, A., & Jyde, M. (2012). Excess posthypoxic oxygen consumption in rainbow trout (*Oncorhynchus mykiss*):

- Recovery in normoxia and hypoxia. *Canadian Journal of Zoology*, 90(1), 1–11.
- Takasusuki, J., Fernandes, M. N., & Severi, W. (1998). The occurrence of aerial respiration in *Rhinelepis strigosa* during progressive hypoxia. *Journal of Fish Biology*, 52(2), 369–379.
- Thomaz, J. M., Martins, N. D., Monteiro, D. A., Rantin, F. T., & Kalinin, A. L. (2009). Cardio-respiratory function and oxidative stress biomarkers in Nile tilapia exposed to the organophosphate insecticide trichlorfon (NEGUVON®). *Ecotoxicology and Environmental Safety*, 72(5), 1413–1424. <https://doi.org/10.1016/j.ecoenv.2008.11.003>
- Thuy, N. H., Tien, L. A., Tuyet, P. N., Huong, D. T. T., Cong, N. V., Bayley, M., Wang, T., & Lefevre, S. (2010). Critical oxygen tension increases during digestion in the perch *Perca fluviatilis*. *Journal of Fish Biology*, 76(4), 1025–1031. <https://doi.org/10.1111/j.1095-8649.2009.02533.x>
- Tiffany, B. N., Enzor, L. A., & Bennett, W. A. (2010). Responses of skiltefish *Gobiesox strumosus* to high temperature and low oxygen stress. *Journal of Fish Biology*, 76(3), 556–563. <https://doi.org/10.1111/j.1095-8649.2009.02511.x>
- Timmerman, C. M., & Chapman, L. J. (2004a). Behavioral and physiological compensation for chronic hypoxia in the sailfin molly (*Poecilia latipinna*). *Physiological and Biochemical Zoology*, 77(4), 601–610.
- Timmerman, C. M., & Chapman, L. J. (2004b). Hypoxia and interdemc variation in *Poecilia latipinna*. *Journal of Fish Biology*, 65(3), 635–650.
- Tripathi, R. K., Mohindra, V., Singh, A., Kumar, R., Mishra, R. M., & Jena, J. K. (2013). Physiological responses to acute experimental hypoxia in the air-breathing Indian catfish, *Clarias batrachus* (Linnaeus, 1758). *Journal of Biosciences*, 38(2), 373–383.
- Ultsch, G. R., Boschung, H., & Ross, M. J. (1978). Metabolism, critical oxygen tension, and

- habitat selection in darters (*Etheostoma*). *Ecology*, 59(1), 99–107.
- Ultsch, G. R., Jackson, D. C., & Moalli, R. (1981). Metabolic oxygen conformity among lower vertebrates: The toadfish revisited. *Journal of Comparative Physiology*, 142(4), 439–443. <https://doi.org/10.1007/BF00688973>
- Urbina, M. A., Glover, C. N., & Forster, M. E. (2012). A novel oxyconforming response in the freshwater fish *Galaxias maculatus*. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 161(3), 301–306.
- Valverde, J. C., López, F.-J. M., & García, B. G. (2006). Oxygen consumption and ventilatory frequency responses to gradual hypoxia in common dentex (*Dentex dentex*): Basis for suitable oxygen level estimations. *Aquaculture*, 256(1–4), 542–551.
- Wells, R. M. G. (1987). Respiration of Antarctic fish from McMurdo Sound. *Comparative Biochemistry and Physiology Part A: Physiology*, 88(3), 417–424. [https://doi.org/10.1016/0300-9629\(87\)90056-9](https://doi.org/10.1016/0300-9629(87)90056-9)
- Wong, C. C., Drazen, J. C., Callan, C. K., & Korsmeyer, K. E. (2018). Hypoxia tolerance in coral-reef triggerfishes (Balistidae). *Coral Reefs*, 37(1), 215–225.
- Yamanaka, H. (2007). Difference in the hypoxia tolerance of the round crucian carp and largemouth bass: Implications for physiological refugia in the macrophyte zone. *Ichthyological Research*, 54(3), 308–312. <https://doi.org/10.1007/s10228-006-0400-0>
- Yamanaka, H., Takahara, T., Kohmatsu, Y., & Yuma, M. (2013). Body size and temperature dependence of routine metabolic rate and critical oxygen concentration in larvae and juveniles of the round crucian carp *Carassius auratus grandoculis* Temminck & Schlegel 1846. *Journal of Applied Ichthyology*, 29(4), 891–895. <https://doi.org/10.1111/jai.12126>
- Yang, Y., Cao, Z.-D., & Fu, S.-J. (2015). Variations in temperature acclimation effects on

glycogen storage, hypoxia tolerance and swimming performance with seasonal acclimatization in juvenile Chinese crucian carp. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 185, 16–23.

Zhang, Y., Healy, T. M., Vandersteen, W., Schulte, P. M., & Farrell, A. P. (2018). A rainbow trout *Oncorhynchus mykiss* strain with higher aerobic scope in normoxia also has superior tolerance of hypoxia. *Journal of Fish Biology*, 92(2), 487–503.