

ASSIGNMENT 5

(PRIORITY QUEUES)

INTRODUCTION

In Part 1 of this assignment, you will be implementing the PriorityQueue interface using a generic array-based Heap data structure. A reference-based implementation is provided for you (LinkedPriorityQueue.java and A5Node.java), so you can run the tester and compare the run times of the two implementations.

In Part 2, you will implement a small application modeling an Emergency Room at a hospital (called EmergencyRoom.java). The EmergencyRoom class uses the HeapPriorityQueue you implement from Part 1.

The automated grading of your assignment will include some different and additional tests to those found in the A5Tester.java file, as it does not include a comprehensive set of tests for each method. You are expected to write additional tests until you are convinced each method has full test coverage. The [displayResults](#) and [test coverage](#) videos provide more information about code testing.

OBJECTIVES

Upon finishing this assignment, you should be able to:

- Write an implementation of an array-based Heap
- Implement a compareTo method to specify the order of two Comparable objects
- Write code that uses an implementation of the Priority Queue ADT

SUBMISSION AND GRADING

Attach HeapPriorityQueue.java, Patient.java, and EmergencyRoom.java to the BrightSpace assignment page. Remember to click **submit** afterward. You should receive a notification that your assignment was successfully submitted.

If you chose not to complete some of the methods required, you **must** provide a stub for the incomplete method(s) in order for our tester to compile. If you submit files that do not compile with our tester, you will receive a zero grade for the assignment. It is your responsibility to ensure you follow the specification and submit the correct files. Additionally, your code must not be written to specifically pass the test cases in the tester, instead, it must work on all valid inputs. We may change the input values during grading and we will inspect your code for hard-coded solutions. [This video](#) explains stubs.

Be sure you submit your assignment, not just save a draft. All late and incorrect submissions will be given a zero grade. A reminder that it is OK to talk about your assignment with your classmates, but not to share code electronically or visually (on a display screen or paper). Plagiarism detection software will be run on all submissions.

OVERVIEW:

The `LinkedPriorityQueue` implementation provided does not make use of the $O(\log n)$ heap insertion and removal algorithms we discussed in lecture. Instead, when an item is inserted, the queue is searched from beginning to end until the correct position to insert the item is found. The `HeapPriorityQueue` insertion implementation you write should improve on this implementation so that the insert runs in $O(\log n)$ using the `bubbleUp` algorithm covered in lecture. Similarly, your `removeMin` should use the `bubbleDown` algorithm.

Part 2 asks you to complete the implementation of the `JobApplication` and `ApplicationManager` classes. Using these classes with a priority queue will give you experience building a small application that models a system that helps prioritize job applications from a large application pool. In the system, all job applications are given priority depending on how suitable their application looks. All job applications submitted to the system are stored in the priority queue such that high priority applications are handled (ie. removed from the priority queue) first.

Note that the priority queue in this assignment extends the `Comparable` class. All classes that implement [Java's Comparable](#) interface must provide an implementation of the `compareTo` method, which is a method that allows us to compare two objects and return a number that represents which of the two should come first when sorted. The `compareTo` method is helpful for a priority queue as it can be used to compare priority values to determine how items should be ordered within the priority queue.

When implemented correctly, an object's `compareTo` method has the following behaviour:

- returns 0 if the two objects being compared are ordered equally
- returns a negative value if this object should be ordered before the other object
- returns a positive value if this object should be ordered after the other object

For example:

```
Integer a = 7;
Integer b = 9;
a.compareTo(b); // returns a negative value.
a.compareTo(a); // returns 0
String x = "computer";
String y = "science";
x.compareTo(y); // returns a negative value.
y.compareTo(x); // returns a positive value
```

PART 1 INSTRUCTIONS

1. Download and unzip all of the files found in a5-files.zip.
2. The documentation for the methods you will implement are all found in PriorityQueue.java. Some comments are provided in HeapPriorityQueue.java to help you with your implementation.
3. Compile and run the test program A5Tester.java with the LinkedPriorityQueue to understand the behaviour of the tester.

```
javac A5Tester.java
java A5Tester linked
```

Note: the A5Tester is executed with the word "linked" as an argument. This argument allows us to run all of the tests against the LinkedPriorityQueue implementation provided for you. You will notice it is extremely slow with larger file input sizes (for the largest input size we will only test it with the heap implementation).

4. Compile and run A5Tester.java using the HeapPriorityQueue implementation:

```
javac A5Tester.java
java A5Tester
```

- (a) Uncomment one of the tests in the tester
- (b) Implement one of the methods in HeapPriorityQueue.java
- (c) Once all of the tests have passed compare the runtime against the LinkedList Implementation
(outlined in step 3)

HINT: The first big thing you need to think about is whether you will store the root element in the heap an index 0 or index 1. I have provided a rootIndex field for you that should be set to 0 or 1 depending on what method you choose. This choice will affect how you access parent and child indexes, as well as how you print out the contents of the heap when debugging (you will notice an if-statement in the toString provided).

Another thing to think about is creating helper methods to help with the bubbleUp and bubbleDown methods. You can make (any) number of helper methods probably something with the names like isLeaf, minChildIndex, and swap etc. It might be a good idea to implement your own helper methods (there can be any number of helper methods for your solution).

PART 2 INSTRUCTIONS

For this part of the assignment, you will be creating an application to support the modelling of an emergency room in a hospital. You are asked to write the software that will manage handling patients waiting to be helped based on the priority level of their ailment and their arrival time at the hospital.

Imagine you are checking people in to an emergency room at a hospital. Each time someone arrives they get a waiting number ticket (which is a letter followed by numbers), and are asked to wait until their ticket number is called. You must make sure high priority patients are helped before lower priority patients.

For example:

- A patient (A) enters with a priority level 3 ailment. You add them to the queue.
- A patient (B) enters with a priority level 1 ailment. You add them to the queue ahead of the previous patient (A), because priority level 1 ailments must be handled first.
- Another patient (C) enters, also with a priority level 1 ailment. You add them to the queue ahead of patient A (priority level 3) but behind patient B (also priority level 1) because both B and C have the same priority level, but C arrived at a later time.
- A doctor is now ready to help a patient, so patient B gets helped and leaves the waiting room (so is removed from the priority queue).
- A patient (D) enters with priority level 2. You add them to the queue ahead of patient A (priority level 3) but behind patient C (priority level 1).

The given tester (A5Tester.java) will test the functionality of your EmergencyRoom implementation and mimics a scenario similar to the one above. First, you will need to implement the compareTo and equals methods in the Patient.java file. Next, you will complete the implementation of the EmergencyRoom class making use of the HeapPriorityQueue you implemented in Part 1. Read the tests provided and documentation carefully to help you understand how the classes you will be writing will be used.