



September 17th 2021 — Quantstamp Verified

Ondo Finance V2

This audit report was prepared by Quantstamp, the leader in blockchain security.

Executive Summary

Type Yield Aggregator Strategy

Auditors Leonardo Passos, Senior Research Engineer

Fayçal Lalidji, Security Auditor

Timeline 2021-08-23 through 2021-09-13

EVM Muir Glacier

Languages Solidity

Methods Architecture Review, Unit Testing, Functional

Testing, Computer-Aided Verification, Manual

Low

Review

Specification None

Documentation Quality

Test Quality

Source Code

	Low
Repository	Commit
protocol-dev	<u>610a629</u>
None	<u>5a06c25</u>

Total Issues

15 (7 Resolved)

High Risk Issues

0 (0 Resolved)

Medium Risk Issues

4 (2 Resolved)

Low Risk Issues

6 (3 Resolved)

Informational Risk Issues

4 (2 Resolved)

Undetermined Risk Issues 1 (0 Resolved)

O Unresolved 8 Acknowledged 7 Resolved

A High Risk	The issue puts a large number of users' sensitive information at risk, or is reasonably likely to lead to catastrophic impact for client's reputation or serious financial implications for client and users.
^ Medium Risk	The issue puts a subset of users' sensitive information at risk, would be detrimental for the client's reputation if exploited, or is reasonably likely to lead to moderate financial impact.
➤ Low Risk	The risk is relatively small and could not be exploited on a recurring basis, or is a risk that the client has indicated is low-impact in view of the client's business circumstances.
• Informational	The issue does not post an immediate risk, but is relevant to security best practices or Defence in Depth.
? Undetermined	The impact of the issue is uncertain.

decided to accept it without aging in special efforts to control it.
issue remains in the code but is a alt of an intentional business or gn decision. As such, it is supposed e addressed outside the grammatic means, such as: 1) ments, documentation, README, 2; 2) business processes; 3) analyses wing that the issue shall have no ative consequences in practice (e.g., analysis, deployment settings).
usted program implementation, uirements or constraints to eliminate risk.
lemented actions to minimize the act or likelihood of the risk.

Summary of Findings

Initial Audit

Through reviewing the code, we found 15 potential issues of various levels of severity. We recommend addressing the findings prior to deploying the smart contracts to the main network.

** Re-audit Update **

After the initial round of reaudit, all issues have been either resolved or acknowledged by the Ondo team.

ID)	Description	Severity	Status
Q	SP-1	Mid-Term Lp Deposits Allow For Relative Risk-Free Profits	^ Medium	Acknowledged
Q(SP-2	Use of Magic Numbers Dependent on External Protocol Fees	^ Medium	Acknowledged
Q:	SP-3	Possible Truncation While Calculating Vault Deposits Shares	^ Medium	Fixed
Q(SP-4	Possible Incorrect Path Reward Update	^ Medium	Fixed
Q(SP-5	Privileged Roles and Ownership	✓ Low	Acknowledged
Q(SP-6	Potential Division by an Extremely Small Value	✓ Low	Acknowledged
Q	SP-7	Harvest Is Not Affected by Pausing	✓ Low	Fixed
Q:	SP-8	updateRewardPath Allows Circular Paths	✓ Low	Fixed
Q:	SP-9	Mising isContract Validation	✓ Low	Acknowledged
Q\$	SP-10	Lp Removal Does Not Validate Target Address	✓ Low	Fixed
Q:	SP-11	Clone and Own (1)	O Informational	Fixed
Q	SP-12	Clone and Own (2)	O Informational	Acknowledged
Q	SP-13	Vault Shares Update Does Not Follow the Same Pattern	O Informational	Fixed
Q(SP-14	Possible Transaction Revert Due to Sandwich Attack	O Informational	Acknowledged
Q(SP-15	Incorrect Path Validation Logic	? Undetermined	Acknowledged

Quantstamp Audit Breakdown

Quantstamp's objective was to evaluate the repository for security-related issues, code quality, and adherence to specification and best practices.

Possible issues we looked for included (but are not limited to):

- Transaction-ordering dependence
- Timestamp dependence
- Mishandled exceptions and call stack limits
- Unsafe external calls
- Integer overflow / underflow
- Number rounding errors
- Reentrancy and cross-function vulnerabilities
- Denial of service / logical oversights
- Access control
- Centralization of power
- Business logic contradicting the specification
- Code clones, functionality duplication
- Gas usage
- Arbitrary token minting

Methodology

The Quantstamp auditing process follows a routine series of steps:

- 1. Code review that includes the following
 - i. Review of the specifications, sources, and instructions provided to Quantstamp to make sure we understand the size, scope, and functionality of the smart contract.
 - ii. Manual review of code, which is the process of reading source code line-by-line in an attempt to identify potential vulnerabilities.
 - iii. Comparison to specification, which is the process of checking whether the code does what the specifications, sources, and instructions provided to Quantstamp describe.
- 2. Testing and automated analysis that includes the following:
 - i. Test coverage analysis, which is the process of determining whether the test cases are actually covering the code and how much code is exercised when we run those test cases.
 - ii. Symbolic execution, which is analyzing a program to determine what inputs cause each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, and actionable recommendations to help you take steps to secure your smart contracts.

Toolset

The notes below outline the setup and steps performed in the process of this audit.

Setup

Tool Setup:

• Slither v0.8.0

Steps taken to run the tools:

Installed the Slither tool: pip install slither-analyzer Run Slither from the project directory: slither .

Findings

QSP-1 Mid-Term Lp Deposits Allow For Relative Risk-Free Profits

Severity: Medium Risk

Status: Acknowledged

File(s) affected: SushiStakingV2Strategy.sol

Description: An attacker can sandwich-attack every time SushiStakingV2Strategy.harvest(...) is called by mid-term depositing LP tokens before the harvest (receiving tranche tokens). The attacker proceeds to withdraw the tranche share tokens for an increased amount of LP tokens.

Exploit Scenario: 1. Attacker observes a pending harvest function by the strategist

- 1. Attacker deposits LP tokens using AllPairVault.depositLp(...). The latter invokes Strategy.addLp(...), which gets being resolved to SushiStakingV2Strategy.addLp(...). The attacker receives tranche tokens representing a fair share of the current LP tokens of the strategy
- 2. Harvest happens, increasing the total LP tokens of the strategy
- 3. Attacker redeems their tranche tokens from step (2) by calling AllPairVault.withdrawLp(...) (calling Strategy.removeLp(...)) and receives more LP tokens than initially due to the increase in (3).

Recommendation: We recommend compounding the rewards before assigning the shares to a possible attacker.

QSP-2 Use of Magic Numbers Dependent on External Protocol Fees

Severity: Medium Risk

Status: Acknowledged

File(s) affected: SushiStakingV2Strategy.sol

Description: The constants used in the calculateSwapInAmount() function depend on the fees charged by Uniswap and SushiSwap. Changes in fees by these protocols would lead to incorrect calculations.

Recommendation: Parameterize the contract s.t. one could make updates to the fee values as needed.

Update: Team response: "We take the same approach as other protocols. If the fee changes we can redeploy the contract."

QSP-3 Possible Truncation While Calculating Vault Deposits Shares

Severity: Medium Risk

Status: Fixed

File(s) affected: SushiStakingV2Strategy.sol

Description: The implemented staking mechanism in SushiStakingV2Strategy is highly optimized and helps avoid any extra computation. However, setting the values of the initial shares for a specific pool is important and should be analyzed carefully.

The algorithm is designed in a way to compute smaller shares every time that the LP rewards get higher, meaning that depositing the same LP tokens values for a specific vault will result in giving different shares values (while the reward is accruing).

However, if the initial deposit is low enough and if the LP rewards are significantly greater than the initial LP deposit, new deposits to the vault will see their computed share being truncated. In a worst-case scenario, if for any reason higher LP rewards can be introduced by an attacker, the next deposits will be truncated following the value of rewards introduced. The attacker will profit by getting higher returns.

Recommendation: This issue can be solved by multiplying the initial amount by a constant multiplier in depositIntoChef L496 and L498. The value of the multiplier should be determined following the smallest possible investment, for example, if the smallest possible investment is 1 Wei, we would recommend a multiplier of 10**18.

QSP-4 Possible Incorrect Path Reward Update

Severity: Medium Risk

Status: Fixed

File(s) affected: SushiStakingV2Strategy.sol

Description: updateRewardPath requirement in <u>L282</u> seems incorrect since in the case if reward token and end token are similar the required length is set to be higher than 1, meaning that resetting a path length equal to 1 is not allowed.

Recommendation: The team should confirm if this behavior was intended since the requirement looks like it has to be changed to check if the length is equal to one when both reward and end token are equal.

QSP-5 Privileged Roles and Ownership

Status: Acknowledged

File(s) affected: SushiStakingV2Strategy.sol

Description: Many operations in SushiStakingV2Strategy rely on a strategist role.

A vault's strategist is responsible for correctly executing most of the vault and strategy actions and needs to be trusted.

Even when assuming full trust in strategists, SushiStakingV2Strategy would be at risk if strategists get compromised.

Recommendation: Document the trust assumptions for the strategist role and consider using a multi-sig defence.

Update: Team response: "The strategist is a trusted account".

QSP-6 Potential Division by an Extremely Small Value

Severity: Low Risk

Status: Acknowledged

File(s) affected: SushiStakingV2Strategy.sol

Description: The SushiStakingV2Strategy.depositIntoChef(...) calls _compound() before reaching the block in L497-500, in which the following calculation s performed:

```
uint256 shares = (_amount * poolData.totalShares) / poolData.totalLp
```

If poolData.totalLp is an extremely small value (for example, because of some dust generated from calling _compound()), this may lead to an extremely large value being stored in the shares variable. A similar issue is present in withdrawFromChef(...).

Recommendation: Consider writing several test cases in which these code blocks are reached to ensure intended behavior.

Update: Team response: This case is extremely unlikely but it will be monitored.

QSP-7 Harvest Is Not Affected by Pausing

Severity: Low Risk

Status: Fixed

File(s) affected: SushiStakingV2Strategy.sol

Description: To allow reacting to a potential hack, it is always a good practice to allow pausing a contract. However, SushiStakingV2Strategy.harvest(...) can still be called when the contract is paused. Note that the latter calls _compound, which is itself not affected by any pauses. Hence, one can invoke harvest(...) while the strategy is paused. That should not be allowed, especially in the case of reacting to a hack.

Recommendation: Add the whenNotPaused modifier to SushiStakingV2Strategy.harvest(...).

QSP-8 updateRewardPath Allows Circular Paths

Severity: Low Risk

Status: Fixed

File(s) affected: SushiStakingV2Strategy.sol

Description: The SushiStakingV2Strategy.updateRewardPath(...) function allows paths with lengths greater than one, yet, with the reward and end token being the same (circular). It is just wasteful to trade a token for itself.

At the code level (L278--281), this appears as follows:

```
L278. require(
L279. rewardToken != endToken || _pathFromReward.length > 1, <===
L280. "Invalid path"
);
```

For _pathFromReward.length > 1 to be evaluated, rewardToken must be the same as endToken, in which case the length is already greater than one. Otherwise, if rewardToken == endToken, the length should be exactly one, which is not the condition being checked.

Recommendation: Change L278--281 to:

```
require(
  rewardToken != endToken || _pathFromReward.length == 1,
  "Invalid path"
);
```

QSP-9 Mising isContract Validation

Severity: Low Risk

Status: Acknowledged

File(s) affected: AlchemixUserReward.sol, SushiStakingV2Strategy.sol

Description: The constructor of SushiStakingV2Strategy does not validate whether the input addresses are indeed contracts; same with SushiStakingV2Strategy.addPool(...) and AlchemixUserReward.constructor(...). Hence, incorrect setups could lead the contract to misbehave.

Recommendation: As mitigation, add a check requiring that all provided addresses that should refer to a contract pass the Address.isContract(...) check. Alternatively, make sure your deployment scripts assert that the given addresses refer to the contract addresses expected by SushiStakingV2Strategy.constructor(...).

Update: Team response: Addresses are set by a trusted account. The contract size is already too large, adding Address. sol from OZ will bloat the contracts further.

QSP-10 Lp Removal Does Not Validate Target Address

Status: Fixed

File(s) affected: SushiStakingV2Strategy.sol

Description: The SushiStakingV2Strategy.removeLp(...) does not validate its to argument. If address(0), the removal essentially burn funds.

Recommendation: Add a require statement to ensure the to address is not 0×0 .

QSP-11 Clone and Own (1)

Severity: Informational

Status: Fixed

File(s) affected: SushiStakingV2Strategy.sol

Description: Function calculateSwapInAmount(...) appears to have been cloned from Alpha Homora and Zapper, but the inline code comment does not indicate the commit hash and file from which it was taken. If buggy, faulty behavior may be permanently set in unless one is able to trace the code and corresponding fixes that might surface.

Recommendation: Link the cloned code with its source so one can trace potential bugs and patches, periodically pulling the latter whenever available.

QSP-12 Clone and Own (2)

Severity: Informational

Status: Acknowledged

File(s) affected: SushiStakingV2Strategy.sol

Description: Contract SushiStakingV2Strategy shares a lot of commonality with SushiStrategyLP, but duplicated code appears in both contracts. Not only this adds extra maintenance, but also can lead to incorrect bug fixing if fixes are done in one strategy, but not the other.

Recommendation: Refactor duplicated code in SushiStakingV2Strategy and SushiStrategyLP in a base contract that gets inherited by both.

Update: Team response: "We are refactoring for future strategies".

QSP-13 Vault Shares Update Does Not Follow the Same Pattern

Severity: Informational

Status: Fixed

File(s) affected: SushiStakingV2Strategy.sol

Description: depositIntoChef() does not accumulate the vault shares but rewrites them, using the input value. This scheme is not used any of the other functions that update the shares. Even if depositIntoChef can be called only once, developers should be careful with future contract updates.

Recommendation: We recommend to accumulates its value rather than resetting it.

QSP-14 Possible Transaction Revert Due to Sandwich Attack

Severity: Informational

Status: Acknowledged

Description: Not including the minimum out values and setting its value to zero when executing an external call to Sushiswap might result in a failing transaction due to bots not recognizing that a transaction may fail later on. This issue depends on how the attack bots are implemented.

QSP-15 Incorrect Path Validation Logic

Severity: Undetermined

Status: Acknowledged

File(s) affected: SushiStakingV2Strategy.sol

Description: TherewardPaths array should have two paths. It seems one path should end in token0 and the other in token1 (or vice-versa). However, the implementation in SushiStakingV2Strategy.addPool(...), both paths could end in token0 or token1. It is unclear if the latter situation is indeed desired; our understanding is that **only** the first case should be allowed.

Recommendation: Clarify this issue with better documentation in the code. If the current implementation is incorrect, then require that both paths have distinct ends, one ending in token0 and the other in token1.

Update: Team response: "In rare cases it is preferable to swap both reward tokens to ETH and then swap from ETH to one of the end tokens to addLiquidity".

Automated Analyses

Slither

Slither did not report any significant issues.

Adherence to Best Practices

- In SushiStakingV2Strategy.sol, make sure to add descriptive messages for the require statements. For example, require(_router != address(0), "Invalid address") could be restated as require(_router != address(0), "Invalid router address").
- SushiStakingV2Strategy.sol make use of magic constants whose purpose is unclear to readers. Please provide supporting documentation.
- Unused storage variable SushiStakingV2Strategy.xSushi. Consider removing it.
- Unused function SushiStakingV2Strategy.getSushiPath(...). Consider removing it.
- Message in SushiStakingV2Strategy. sol at L245 is misleading, as it could be the case that both the first element in the first and second paths are sushi. In the latter case, although the first path would be sushi, the error message would report the contrary.
- Function SushiStakingV2Strategy._compound(...) is too large. Consider refactoring it.
- It seems SushiStakingV2Strategy.updateRewardPath(...) does not need to be marked nonReentrant, as it does not contain any external calls.

Test Results

Test Suite Results

```
npm run test
> ondo-contracts@0.0.1 test /home/faycal/Documents/quantstampAudits/ondo2/protocol-dev
> hardhat test
 masterchefv2 dual incentive pool
   mcv2 vault lifecycle
       ✓ get assets (514ms)

✓ create vaults (141ms)

√ deposit assets and fast-forward (454ms)

√ invest ALCX/ETH vault (193ms)
       ✓ invest ETH/ALCX vault (547ms)

√ harvest (304ms)

√ harvest (268ms)

√ harvest (264ms)

√ harvest (263ms)

√ harvest (258ms)

√ harvest (266ms)

√ redeem ALCX/ETH vault (515ms)
       ✓ redeem ETH/ALCX vault (503ms)
 Claim

✓ Create vault (1754ms)

✓ Get some DAI

     ✓ Deposit on both sides (99ms)

✓ Move to invest state (76ms)

    ✓ Try to claim DAI
    ✓ Try to claim ETH (39ms)
    ✓ Redeem funds (131ms)

√ Withdraw all funds (91ms)

 Create2
     ✓ create Vault (2171ms)
 Performance fees
   delayed Vault

✓ setup vault fixture (478ms)

✓ create vault (2389ms)

√ can only deposit after start time (2028ms)

✓ setup fee collector and performance fee

√ deposits after start time (72ms)

√ invest and redeem (198ms)

 0ndo
   metadata

√ has a name

√ has a symbol

   balanceOf
       ✓ grants to initial account
   delegateBySig
       ✓ reverts if the signatory is invalid

✓ reverts if the nonce is bad

✓ reverts if the signature has expired

✓ delegates on behalf of the signatory

   numCheckpoints

✓ returns the number of checkpoints for a delegate (92ms)

   Ondo transfer disabled
       ✓ transfer reverts when transfers are disabled

√ account with transfer role can transfer

√ transferAllowed works correctly

 Registry

✓ grant roles

√ register contracts

 Rescue functions
   pause and rescue asset and LP tokens

√ doesn't allow rescuing tokens outside of pause mode

✓ pauses and freezes Vault functions (74ms)

√ rescue tokens (57ms)

       \checkmark stops the pause and restores functionality
 test reverts
     ✓ reverts (160ms)
 RolloverVault
   basic rollover

√ create rollover (4020ms)

√ create rollover from existing Vault (6747ms)

√ deposit senior asset (217ms)

√ deposit exceeds senior user cap (53ms)

√ deposit junior asset (173ms)

√ adds another Vault to rollover tip (2073ms)

√ migrate (174ms)

√ single deposit (56ms)

√ deposit senior asset (181ms)

√ deposit exceeds senior user cap (44ms)

√ deposit junior asset (179ms)

√ adds another Vault to rollover tip (7077ms)

√ migrate (308ms)

√ deposit senior asset (177ms)

√ deposit exceeds senior user cap (48ms)

√ deposit junior asset (163ms)

       ✓ adds another Vault to rollover tip (3879ms)

√ migrate (305ms)

√ single deposit (56ms)

√ deposit senior asset (180ms)

√ deposit exceeds senior user cap (48ms)

√ deposit junior asset (170ms)

√ adds another Vault to rollover tip (4587ms)

√ migrate (288ms)

√ deposit senior asset (177ms)

√ deposit exceeds senior user cap (46ms)

√ deposit junior asset (163ms)

√ adds another Vault to rollover tip (6001ms)

√ migrate (296ms)
       ✓ doesn't send additional excess on deposit after claiming
```

```
√ withdraw (96ms)

√ deposit senior asset (184ms)

√ deposit exceeds senior user cap (46ms)

√ deposit junior asset (156ms)

√ adds another Vault to rollover tip (2496ms)

√ migrate (294ms)

StakingPools

√ should set correct state variables (44ms)

√ should allow emergency withdraw (207ms)

√ should give out ondos only after farming time (1163ms)

√ should not distribute ONDOs if no one deposit (643ms)

√ should distribute ondos properly for each staker (1567ms)

   ✓ should give proper ONDOs allocation to each pool (900ms)

√ should stop giving bonus ONDOs after the bonus period ends (1180ms)

√ should track minimumOndoRequiredBalance properly (993ms)

SushiStrategyLP
   ✓ pool add and update reverts (1131ms)
 batchCreate
     ✓ create Vault: sell senior for leveraged junior returns (119ms)

✓ create Vault: sell all junior to partially cover senior (109ms)

     ✓ create Vault: sell some junior to cover senior (119ms)
 batchDeposit
     ✓ deposit senior asset: sell senior for leveraged junior returns (88ms)

√ deposit junior asset: sell senior for leveraged junior returns (96ms)

√ deposit senior asset: sell all junior to partially cover senior (100ms)

√ deposit junior asset: sell all junior to partially cover senior (92ms)

     ✓ deposit senior asset: sell some junior to cover senior (93ms)

√ deposit junior asset: sell some junior to cover senior (90ms)

  increase time
     ✓ increase time
  batchInvest
     ✓ invest assets: sell senior for leveraged junior returns (124ms)
     ✓ invest assets: sell all junior to partially cover senior (235ms)

√ invest assets: sell some junior to cover senior (239ms)

  increase time
     ✓ increase time
 batchMidDeposit
     ✓ deposit LP tokens mid-duration with signer 4: sell senior for leveraged junior returns (558ms)
     ✓ deposit LP tokens mid-duration with signer 4: sell all junior to partially cover senior (568ms)
     ✓ deposit LP tokens mid-duration with signer 4: sell some junior to cover senior (558ms)
 batchMidDeposit
     ✓ deposit LP tokens mid-duration with signer 5: sell senior for leveraged junior returns (577ms)
     ✓ deposit LP tokens mid-duration with signer 5: sell all junior to partially cover senior (569ms)
     ✓ deposit LP tokens mid-duration with signer 5: sell some junior to cover senior (573ms)
 increase time
     ✓ increase time
 batchHarvest

√ harvest rewards: sell senior for leveraged junior returns (254ms)

√ harvest rewards: sell all junior to partially cover senior (312ms)

     ✓ harvest rewards: sell some junior to cover senior (199ms)
 batchMidWithdraw
     ✓ withdraw LP mid-duration with signer 4: sell senior for leveraged junior returns (124ms)
     ✓ withdraw LP mid-duration with signer 4: sell all junior to partially cover senior (141ms)
     \checkmark withdraw LP mid-duration with signer 4: sell some junior to cover senior (111ms)
 batchMidDeposit
     ✓ deposit LP tokens mid-duration with signer 6: sell senior for leveraged junior returns (604ms)
     ✓ deposit LP tokens mid-duration with signer 6: sell all junior to partially cover senior (575ms)
     ✓ deposit LP tokens mid-duration with signer 6: sell some junior to cover senior (612ms)
 batchHarvest

√ harvest rewards: sell senior for leveraged junior returns (182ms)

√ harvest rewards: sell all junior to partially cover senior (188ms)

√ harvest rewards: sell some junior to cover senior (179ms)

 increase time
     ✓ increase time
 batchClaim

√ claim tranche tokens: sell senior for leveraged junior returns (87ms)

√ claim tranche tokens: sell all junior to partially cover senior (90ms)

     ✓ claim tranche tokens: sell some junior to cover senior (95ms)
  redeem and withdrawal: sell senior for leveraged junior returns

√ redeem LP after fee accrual (357ms)

√ withdraw received amounts (308ms)

  redeem and withdrawal: sell all junior to partially cover senior

√ redeem LP after fee accrual (405ms)

     ✓ withdraw received amounts (392ms)
 redeem and withdrawal: sell some junior to cover

√ redeem LP after fee accrual (469ms)

√ withdraw received amounts (350ms)

 final sanity check
     ✓ pool totallp and totalshares is zero
 works with sushi as token in pair being farmed
   batchCreate
       ✓ create Vault: sell senior for leveraged junior returns (1883ms)
       ✓ create Vault: sell all junior to partially cover senior (2077ms)

✓ create Vault: sell some junior to cover senior (107ms)

       \checkmark deposit senior asset: sell senior for leveraged junior returns (59ms)

√ deposit junior asset: sell senior for leveraged junior returns (88ms)

√ deposit senior asset: sell all junior to partially cover senior (61ms)

       ✓ deposit junior asset: sell all junior to partially cover senior (84ms)

√ deposit senior asset: sell some junior to cover senior (58ms)

       ✓ deposit junior asset: sell some junior to cover senior (84ms)
    increase time
       ✓ increase time
    batchInvest
       ✓ invest assets: sell senior for leveraged junior returns (114ms)
       ✓ invest assets: sell all junior to partially cover senior (343ms)

√ invest assets: sell some junior to cover senior (222ms)

    increase time
       ✓ increase time
    batchMidDeposit
       ✓ deposit LP tokens mid-duration with signer 4: sell senior for leveraged junior returns (540ms)
       ✓ deposit LP tokens mid-duration with signer 4: sell all junior to partially cover senior (564ms)
       ✓ deposit LP tokens mid-duration with signer 4: sell some junior to cover senior (552ms)
    batchMidDeposit
       ✓ deposit LP tokens mid-duration with signer 5: sell senior for leveraged junior returns (513ms)
       \checkmark deposit LP tokens mid-duration with signer 5: sell all junior to partially cover senior (518ms)
       ✓ deposit LP tokens mid-duration with signer 5: sell some junior to cover senior (517ms)
    increase time
       ✓ increase time
    batchHarvest

√ harvest rewards: sell senior for leveraged junior returns (143ms)

       ✓ harvest rewards: sell all junior to partially cover senior (152ms)

√ harvest rewards: sell some junior to cover senior (151ms)

    batchMidWithdraw
       ✓ withdraw LP mid-duration with signer 4: sell senior for leveraged junior returns (106ms)
       ✓ withdraw LP mid-duration with signer 4: sell all junior to partially cover senior (115ms)
       ✓ withdraw LP mid-duration with signer 4: sell some junior to cover senior (102ms)
    batchMidDeposit
       ✓ deposit LP tokens mid-duration with signer 6: sell senior for leveraged junior returns (498ms)
       ✓ deposit LP tokens mid-duration with signer 6: sell all junior to partially cover senior (530ms)
       ✓ deposit LP tokens mid-duration with signer 6: sell some junior to cover senior (540ms)
    batchHarvest

√ harvest rewards: sell senior for leveraged junior returns (235ms)

       ✓ harvest rewards: sell all junior to partially cover senior (224ms)

√ harvest rewards: sell some junior to cover senior (149ms)

    increase time
       ✓ increase time
   batchClaim

√ claim tranche tokens: sell senior for leveraged junior returns (84ms)

       ✓ claim tranche tokens: sell all junior to partially cover senior (83ms)
       ✓ claim tranche tokens: sell some junior to cover senior (93ms)
    redeem and withdraw

√ redeem LP after fee accrual (736ms)

alchemix
 alchemix vault lifecycle
     ✓ get assets (238ms)

✓ add pool

✓ create vaults (3919ms)
```

```
√ deposit assets and fast-forward (312ms)

     ✓ invest ALCX/ETH vault (135ms)

√ invest ETH/ALCX vault (479ms)

√ harvest (262ms)

√ harvest (422ms)

√ harvest (418ms)

√ harvest (425ms)

√ harvest (421ms)

√ harvest (386ms)

✓ redeem ALCX/ETH vault (633ms)

√ redeem ETH/ALCX vault (534ms)
TrancheToken

√ spin up tranche tokens on Vault creation (2146ms)

√ deposit base assets during Deposit phase (107ms)

√ claim tokens only after investment (133ms)

√ approve and transferFrom

√ test create mock (1165ms)

√ test uniPull (498ms)
AllPairVault
  delayed Vault

✓ setup vault fixture (434ms)

✓ create vault (2126ms)

√ can only deposit after start time (2034ms)

√ can get multiple vaults back from getVault (6256ms)

√ deposits after start time (65ms)

√ deposits exceed user cap

√ deposits exceed tranche cap (95ms)

     ✓ can't deposit after investment
  withdraw midterm LP deposit

✓ setup vault fixture (419ms)

√ create vault (2218ms)

√ deposit senior asset (123ms)

√ deposit junior asset (126ms)

√ deposits as expected

✓ cannot invest too early

√ invest assets (87ms)

✓ can't deposit or withdraw midterm unless tranche tokens are enabled

     ✓ deposit LP tokens mid-duration with signer 7 (333ms)

√ withdraws as expected after depositing LP without claiming (191ms)

√ withdraw received amounts (139ms)

  sell senior for leveraged junior returns

✓ setup vault fixture (428ms)

✓ create vault (2178ms)

√ deposit senior asset (116ms)

√ deposit junior asset (118ms)

√ deposits as expected

✓ cannot invest too early

✓ gets Vault by tranche token addresses

✓ gets all Vaults

√ invest assets (82ms)

√ claim tranche tokens and excess (130ms)

     ✓ withdraw LP mid-duration from original deposits (196ms)
     ✓ deposit LP tokens mid-duration with signer 6 (327ms)
     ✓ deposit LP tokens mid-duration with signer 7 (319ms)

✓ withdraw LP mid-duration with signer 6 (65ms)

     ✓ withdraw LP mid-duration with signer 7 (71ms)

√ redeem LP after fee accrual (195ms)

√ withdraw received amounts (209ms)

  sell all junior to partially cover senior

✓ setup vault fixture (414ms)

✓ create vault (2174ms)

√ deposit senior asset (135ms)

√ deposit junior asset (128ms)

√ deposits as expected

✓ cannot invest too early

√ invest assets (90ms)

√ claim tranche tokens and excess (132ms)

     ✓ withdraw LP mid-duration from original deposits (199ms)

√ deposit LP tokens mid-duration with signer 6 (357ms)

√ deposit LP tokens mid-duration with signer 7 (337ms)

     ✓ withdraw LP mid-duration with signer 6 (71ms)
     ✓ withdraw LP mid-duration with signer 7 (71ms)
     ✓ redeem LP after fee accrual (187ms)

√ withdraw received amounts (279ms)

  sell some junior to cover senior

✓ setup vault fixture (473ms)

     ✓ create vault (2081ms)

√ deposit senior asset (123ms)

√ deposit junior asset (124ms)

√ deposits as expected

√ cannot invest too early

√ invest assets (85ms)

√ claim tranche tokens and excess (133ms)

√ withdraw LP mid-duration from original deposits (191ms)

     \checkmark deposit LP tokens mid-duration with signer 6 (336ms)
     ✓ deposit LP tokens mid-duration with signer 7 (341ms)
     ✓ withdraw LP mid-duration with signer 6 (67ms)

✓ withdraw LP mid-duration with signer 7 (67ms)

√ redeem LP after fee accrual (188ms)

     ✓ withdraw received amounts (219ms)
259 passing (2m)
```

Code Coverage

Quantstamp usually recommends developers to increase the branch coverage to 90% and above before a project goes live, in order to avoid hidden functional bugs that might not be easy to spot during the development phase. For code coverage, the current targeted files by the audit achieve poor scores that should be improved before live deployment.

File	% Stmts	% Branch	% Funcs	% Lines	Uncovered Lines
strategies/	66.67	40.79	72.73	67.31	
SushiStakingV2Strategy.sol	66.67	40.79	72.73	67.31	766,767,773
strategies/helpers/	63.64	25	50	63.64	
AlchemixUserReward.sol	63.64	25	50	63.64	30,31,32,42
All files	66.52	40	69.23	67.12	

Appendix

File Signatures

The following are the SHA-256 hashes of the reviewed files. A file with a different SHA-256 hash has been modified, intentionally or otherwise, after the security review. You are cautioned that a different SHA-256 hash could be (but is not necessarily) an indication of a changed condition or potential vulnerability that was not within the scope of the review.

Contracts

```
82a9f07ea3e27e4d49c3f9c60b4846241d08172dbf86f68c8443bb693788c8ff ./AlchemixUserReward.sol cc49b66f9abccfb9adb737a87051167fb539046c8a4c71c8749a48ebed88c763 ./SushiStakingV2Strategy.sol
```

Tests

```
908edcc0cb080e925404af48107fa5607cf377a86691c1d69930d845c2ed3064 ./test/registry.spec.ts
567a9c7e1b3987bc44df301dfe8e47c4e9c0da6417c9b9fbe41084fc202a65fb ./test/alchemix.spec.ts
731ec323616913c12b4d4a053d966f1a9c7b3694346cf1cffbc4a914a6a2b214 ./test/staking.spec.ts
7f32b85cd16273b127afdffe45c6f7cbcfa74961af421a37aeaa79a9a68b8909 ./test/sushi2.spec.ts
641794a46f5826bd3f75e17ba1e88d705bb35c168cb59d94fd912b2bb04b7f84 ./test/ondo.spec.ts
55884a6ce789c9e7eb49d014ad5b61cb82c9342587cb8785a5e0a1ad179f17bd ./test/sushi-lp.spec.ts
898f83e353c4d0408e138b8058bab776d9ea90ef2a1fc6bc4456ed6573d2497a ./test/claim.spec.ts
4d4cced62f58bb967fdb051981cf30042e2feb4cbb5f036dd6d2bfdf0e5f3aaa ./test/token.spec.ts
632ea85d33b6cf9f011e6e1ef462cb66c2c4965ae44ff082f5ade451ae1f1c0e ./test/uni.spec.ts
ffededa76363b9e27cd3a5e1feb028fd676b2f9c0b9d668c5a3fd505691cc5df ./test/reverts.spec.ts
5d0def6f1d8d660ea6f3a968da264c422d4e9e5a1e84032f95cdb4129f21d757 ./test/rollover.spec.ts
12d8149fdc16ef1d733fb68edee18e01b1cdfe742e514208256effb1434319b3 ./test/vault.spec.ts
967a06267b1ed917e6976c4d0511034cc98218b77f5e6f047e896763c90c6dca ./test/fee.spec.ts
f53f15453e843ef9d70317f9e0b312615c3457bedb3d558fe949d82d8768f039 ./test/create2.spec.ts
d4166571a3d52d03dec09a09bc16e9bac304f5e820da1800530a1b7e86f1f084 ./test/rescue.spec.ts
3555c740183d0ca7153eb1ac8f27e1ceb4110e7062a49a5a1b2bc57052abc961 ./test/utils/bignumberhax.ts
295e2a0d7763e85150d6eaa8bcf1779b6e5b42e760b0c1f083ce02b105d85657 ./test/utils/DebugSigner.ts
ab65a2857c1fb33dc00d7181aac429709391d1c8e0bbc484756d14889011a696 ./test/utils/vault.ts
66e8bc2c94fba576664f9b3835e7622f32c416aa20b619e1e6d6b78118992477 ./test/utils/uni.ts
5db8a0062c5cc308c9114d7bfd4de63a940a3c0cbd0ea278e218d6f56f3aa90b ./test/utils/addresses.ts
95e0919c58dd3dd10cd81597a7a034888902e174046af6e66c269077ddad8810 ./test/utils/signing.ts
d629e629864f5062bfa441b427ad696853b1b00e644eb632fc9cc93d4d8bdecf ./test/utils/getters.ts
```

Changelog

- 2021-09-03 Initial report
- 2021-09-13 Re-audit report (5a06c25)

About Quantstamp

Quantstamp is a Y Combinator-backed company that helps to secure blockchain platforms at scale using computer-aided reasoning tools, with a mission to help boost the adoption of this exponentially growing technology.

With over 1000 Google scholar citations and numerous published papers, Quantstamp's team has decades of combined experience in formal verification, static analysis, and software verification. Quantstamp has also developed a protocol to help smart contract developers and projects worldwide to perform cost-effective smart contract security scans.

To date, Quantstamp has protected \$5B in digital asset risk from hackers and assisted dozens of blockchain projects globally through its white glove security assessment services. As an evangelist of the blockchain ecosystem, Quantstamp assists core infrastructure projects and leading community initiatives such as the Ethereum Community Fund to expedite the adoption of blockchain technology.

Quantstamp's collaborations with leading academic institutions such as the National University of Singapore and MIT (Massachusetts Institute of Technology) reflect our commitment to research, development, and enabling world-class blockchain security.

Timeliness of content

The content contained in the report is current as of the date appearing on the report and is subject to change without notice, unless indicated otherwise by Quantstamp; however, Quantstamp does not guarantee or warrant the accuracy, timeliness, or completeness of any report you access using the internet or other means, and assumes no obligation to update any information following publication.

Notice of confidentiality

This report, including the content, data, and underlying methodologies, are subject to the confidentiality and feedback provisions in your agreement with Quantstamp. These materials are not to be disclosed, extracted, copied, or distributed except to the extent expressly authorized by Quantstamp.

Links to other websites

You may, through hypertext or other computer links, gain access to web sites operated by persons other than Quantstamp, Inc. (Quantstamp). Such hyperlinks are provided for your reference and convenience only, and are the exclusive responsibility of such web sites' owners. You agree that Quantstamp are not responsible for the content or operation of such web sites, and that Quantstamp shall have no liability to you or any other person or entity for the use of third-party web sites. Except as described below, a hyperlink from this web site to another web site does not imply or mean that Quantstamp endorses the content on that web site or the operator or operations of that site. You are solely responsible for determining the extent to which you may use any content at any other web sites to which you link from the report. Quantstamp assumes no responsibility for the use of third-party software on the website and shall have no liability whatsoever to any person or entity for the accuracy or completeness of any outcome generated by such software.

Disclaimer

This report is based on the scope of materials and documentation provided for a limited review at the time provided. Results may not be complete nor inclusive of all vulnerabilities. The review and this report are provided on an as-is, where-is, and as-available basis. You agree that your access and/or use, including but not limited to any associated services, products, protocols, platforms, content, and materials, will be at your sole risk. Blockchain technology remains under development and is subject to unknown risks and flaws. The review does not extend to the compiler layer, or any other areas beyond the programming language, or other programming aspects that could present security risks. A report does not indicate the endorsement of any particular project or team, nor guarantee its security. No third party should rely on the reports in any way, including for the purpose of making any decisions to buy or sell a product, service or any other asset. To the fullest extent permitted by law, we disclaim all warranties, expressed or implied, in connection with this report, its content, and the related services and products and your use thereof, including, without limitation, the implied warranties of merchantability, fitness for a particular purpose, and non-infringement. We do not warrant, endorse, guarantee, or assume responsibility for any product or service advertised or offered by a third party through the product, any open source or third-party software, code, libraries, materials, or information linked to, called by, referenced by or accessible through the report, its content, and the related services and products, any hyperlinked websites, any websites or mobile applications appearing on any advertising, and we will not be a party to or in any way be responsible for monitoring any transaction between you and any third-party providers of products or services. As with the purchase or use of a product or service through any medium or in any environment, you should use your best judgment and exercise caution

