



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. B3b

CONTRACT

SHEET 1 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. SM400-04

E 839911.98

DATE from 22/1/96 to 23/1/96

N 816534.61

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

| Drilling Progress | Casing size       | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description                |
|-------------------|-------------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|----------------------------|
| 1                 | SX                |                                 | 94                    |                       |        |                |       | SX      | 4.11          | 0.33      | △ △    |       | Concrete Slab.             |
| 2                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       | Wash boring. (No recovery) |
| 3                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 4                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 5                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 6                 | SX<br>6.00m<br>PX |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 7                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 8                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 9                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 10                |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- ▩ U75 UNDISTURBED SAMPLE
- ▩ U100 UNDISTURBED SAMPLE
- ▩ MAZIER SAMPLE (70mm)
- ▩ PISTON SAMPLE
- △ WATER SAMPLE
- ▲ PIEZOMETER TIP
- STANDPIPE
- ⊥ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∨ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 24/01/96

APPROVED C.LUN

DATE 25/01/96

REMARKS  
Hole termination depth at 28.05m.



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. B3b

CONTRACT

SHEET 2 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. SM400-04

E 839911.98  
N 816534.61

DATE from 22/1/96 to 23/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

| Drilling Progress | Casing size     | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m)      | Legend | Grade | Description                                                                                                                                                       |
|-------------------|-----------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|----------------|--------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11                |                 |                                 |                       |                       |        |                |       |         |               |                |        |       | AS SHEET 1 OF 3.                                                                                                                                                  |
| 12                |                 |                                 |                       |                       |        |                |       |         |               |                |        |       |                                                                                                                                                                   |
| 13                |                 |                                 |                       |                       |        |                |       |         |               |                |        |       |                                                                                                                                                                   |
| 14                |                 |                                 |                       |                       |        |                |       |         |               |                |        |       |                                                                                                                                                                   |
| 15                |                 |                                 |                       |                       |        |                |       |         |               |                |        |       |                                                                                                                                                                   |
| 16                |                 |                                 |                       |                       |        |                |       |         |               |                |        |       |                                                                                                                                                                   |
| 17                |                 |                                 |                       |                       |        |                |       |         |               |                |        |       |                                                                                                                                                                   |
| 18                | PX 18.00m<br>HX |                                 |                       |                       |        |                |       |         |               |                |        |       |                                                                                                                                                                   |
| 19                | HX 19.10m       |                                 | 67                    |                       |        |                |       | T2-101  | -14.06        | 18.50<br>19.10 |        |       |                                                                                                                                                                   |
| 20                |                 |                                 |                       |                       |        |                |       |         |               |                |        |       | Sub-rounded Cobbles and Gravels of moderately decomposed granite and tuff with some brown silty SAND. (ALLUVIUM)<br><br>19.10m-21.10m: wash boring. (No recovery) |

- SMALL DISTURBED SAMPLE
- ▬ LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- ▩ U76 UNDISTURBED SAMPLE
- ▩ U100 UNDISTURBED SAMPLE
- ▨ MAZIER SAMPLE (70mm)
- ▩ PISTON SAMPLE
- ▲ WATER SAMPLE
- ▲ PIEZOMETER TIP
- STANDPIPE
- ┆ STANDARD PENETRATION TEST
- ┆ PERMEABILITY TEST
- ∇ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN  
DATE 24/01/96  
APPROVED C.LUN  
DATE 25/01/96

## REMARKS



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. B3b

SHEET 3 of 3

CONTRACT

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. SM400-04

E 839911.98  
N 816534.61

DATE from 22/1/96 to 23/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m)               | Legend | Grade  | Description                                                                                                                                                                                                                                                                                                     |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-------------------------|--------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21/01/96          |             |                                 | 12                    |                       |        |                |       | T2-101  | -16.80        | 20.10<br>21.24          |        |        | AS SHEET 2 OF 3.                                                                                                                                                                                                                                                                                                |
| 22                |             |                                 | 100                   | 100                   | 86     |                |       | T2-101  |               | 21.89                   | +++    | III/II | Moderately strong to strong, pinkish grey spotted black and white, moderately to slightly decomposed medium to coarse grained GRANITE with widely to medium spaced and occasionally closely spaced, very narrow to extremely narrow, rough planar, limonite stained and clean joints, dipping 10°-20°, 80°-85°. |
| 23                |             |                                 | 100                   | 98                    | 98     | 2.1            |       | T2-101  |               | 22.91                   | +++    |        |                                                                                                                                                                                                                                                                                                                 |
| 24                |             |                                 | 100                   | 100                   | 100    |                |       | T2-101  |               | 23.55<br>23.65          | +++    |        |                                                                                                                                                                                                                                                                                                                 |
| 25                |             |                                 | 100                   | 100                   | 100    |                |       | T2-101  |               | 24.40                   | +++    |        |                                                                                                                                                                                                                                                                                                                 |
| 26                |             |                                 | 100                   | 97                    | 97     |                |       | T-74    |               | 25.78<br>26.26<br>26.30 | +++    |        |                                                                                                                                                                                                                                                                                                                 |
| 27                |             |                                 | 100                   | 100                   | 100    | 1.7            |       | T-74    |               | 27.12                   | +++    |        |                                                                                                                                                                                                                                                                                                                 |
| 28                |             |                                 |                       |                       |        |                |       |         | -23.61        | 28.05                   | +++    |        | End of hole at 28.05m.                                                                                                                                                                                                                                                                                          |
| 29                |             |                                 |                       |                       |        |                |       |         |               |                         |        |        |                                                                                                                                                                                                                                                                                                                 |
| 30                |             |                                 |                       |                       |        |                |       |         |               |                         |        |        |                                                                                                                                                                                                                                                                                                                 |

- SMALL DISTURBED SAMPLE
- ▬ LARGE DISTURBED SAMPLE
- ▬ SPT LINER SAMPLE
- ▬ U76 UNDISTURBED SAMPLE
- ▬ U100 UNDISTURBED SAMPLE
- ▬ MAZIER SAMPLE (70mm)
- ▬ PISTON SAMPLE
- ▲ WATER SAMPLE
- ▲ PIEZOMETER TIP
- STANDPIPE
- ↓ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∇ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 24/01/96

APPROVED C.LUN

DATE 25/01/96

REMARKS