



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. DH17

CONTRACT

SHEET 1 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-67

E 839894.89

DATE from 4/3/96 to 5/3/96

N 816536.06

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 3.63 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
1	SX								3.43	0.20			Concrete Slab.
2									1.63	2.00			Brown, gravelly silty medium to coarse SAND. (FILL)
3													Wash boring. (No recovery)
4													
5													
6													
7													
8													
9	SX 9.00m PX												
10													

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 06/03/96

APPROVED C.LUN

DATE 07/03/96

REMARKS
Hole termination depth at 26.77m.

						BACHY SOLETANCHE GROUP SOIL & FOUNDATIONS SPECIALISTS						DRILLHOLE RECORD CONTRACT						HOLE NO. DH17 SHEET 2 of 3					
PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY																							
METHOD ROTARY										CO-ORDINATES								W.O. W-518					
MACHINE & No. LY-67										E 839894.89 N 816536.06								DATE from 4/3/96 to 5/3/96					
FLUSHING MEDIUM WATER										ORIENTATION Vertical								GROUND-LEVEL 3.63 mPD					
Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description										
11													AS SHEET 1 OF 3.										
12																							
13																							
14																							
15																							
16																							
17																							
18			25					T2 -101	-14.28	17.91			Sub-rounded GRAVEL and COBBLES of moderately decomposed granite and tuff with some brown, silty sand. (ALLUVIUM)										
19			87					T2 -101		18.50													
20			37					T2 -101		18.96													
20									-15.87	19.50			19.50m-21.00m: wash boring. (No recovery)										
• SMALL DISTURBED SAMPLE ▲ WATER SAMPLE ▬ LARGE DISTURBED SAMPLE ■ PIEZOMETER TIP ▨ SPT LINER SAMPLE □ STANDPIPE ▩ U76 UNDISTURBED SAMPLE STANDARD PENETRATION TEST ▪ U100 UNDISTURBED SAMPLE ┤ PERMEABILITY TEST ▧ MAZIER SAMPLE (70mm) √ IN-SITU VANE SHEAR TEST ▦ PISTON SAMPLE										LOGGED FRANK CHAN DATE 06/03/96 APPROVED C.LUN DATE 07/03/96								REMARKS					



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. DH17

CONTRACT

SHEET 3 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-67

E 839894.89

DATE from 4/3/96 to 5/3/96

N 816536.06

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 3.63 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
04/03/96	PX 21.00m												AS SHEET 2 OF 3.
21			47					T2-101	-17.37	21.00			
						5.2		T2-101	-17.69	21.32			
22			100	100	76	10.6				21.90			
						7.3				22.37			
23			100	100	84	2.8		T2-101		22.45			
										22.64			
24										22.86			
05/03/96													
25			100	100	97	2.6		T2-101		23.93			
26			100	100	92	5.4		T2-101		25.35			
										25.85			
27									-23.14	26.77			End of hole at 26.77m.
28													
29													
30													

- SMALL DISTURBED SAMPLE
- ▮ LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- ▩ U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- ▧ MAZIER SAMPLE (70mm)
- ▦ PISTON SAMPLE
- Δ WATER SAMPLE
- ▲ PIEZOMETER TIP
- ◻ STANDPIPE
- ⊥ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∇ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 06/03/96

APPROVED C.LUN

DATE 07/03/96

REMARKS