



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. DH30

SHEET 1 of 3

CONTRACT

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-09

E 839895.64

DATE from 6/2/96 to 9/2/96

N 816573.02

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 3.54 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
1	SX								3.34	0.20	4-4		Concrete Slab.
2									2.04	1.50			Brown, gravelly silty medium to coarse SAND. (FILL)
3	SX 3.00m PX		33					T2-101		3.00			Angular GRAVEL, COBBLES and BOULDERS of moderately decomposed granite and tuff with some brown, silty SAND and some concrete fragment and red bricks. (FILL)
4			33					T2-101		4.50			8.37m-8.60m, 8.98m-9.20m, 9.37m-9.70m & 10.00m-10.28m: boulders.
5			20					T2-101		6.00			
6			53					T2-101		7.00			
7	PX 7.60m HX		72					T2-101		7.60			
8			80					T2-101		8.60			
9			67					T2-101		9.20			
10			86					T2-101		9.70			
			100					T2-101					

- SMALL DISTURBED SAMPLE
- ▬ LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- ▩ U76 UNDISTURBED SAMPLE
- ▩ U100 UNDISTURBED SAMPLE
- ▨ MAZIER SAMPLE (70mm)
- ▩ PISTON SAMPLE
- Δ WATER SAMPLE
- ▲ PIEZOMETER TIP
- STANDPIPE
- ⊥ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∨ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 10/02/96

APPROVED C.LUN

DATE 12/02/96

REMARKS

Hole termination depth at 29.69m



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. DH30

CONTRACT

SHEET 2 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-09

E 839895.64

DATE from 6/2/96 to 9/2/96

N 816573.02

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 3.54 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
07/02			100					T2-101	-6.96	10.50			AS SHEET 1 OF 3.
11													Wash boring. (No recovery)
12													
13													
14													
15													
08/02/96													
16													
17													
18													
19													
20													

- | | |
|---------------------------|-----------------------------|
| • SMALL DISTURBED SAMPLE | Δ WATER SAMPLE |
| ▮ LARGE DISTURBED SAMPLE | ▲ PIEZOMETER TIP |
| ▨ SPT LINER SAMPLE | ◻ STANDPIPE |
| ▩ U76 UNDISTURBED SAMPLE | ⊥ STANDARD PENETRATION TEST |
| ▩ U100 UNDISTURBED SAMPLE | ⊥ PERMEABILITY TEST |
| ▨ MAZIER SAMPLE (70mm) | ∇ IN-SITU VANE SHEAR TEST |
| ▩ PISTON SAMPLE | |

LOGGED FRANK CHAN

DATE 10/02/96

APPROVED C.LUN

DATE 12/02/96

REMARKS



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. DH30

CONTRACT

SHEET 3 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-09

E 839895.64
N 816573.02

DATE from 6/2/96 to 9/2/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 3.54 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
21													AS SHEET 2 OF 3.
22													
23	HX 23.00m NX								-19.46	23.00			
24	NX 24.50m		13					T2-101	-20.96	24.50			Sub-rounded GRAVEL and COBBLES of moderately decomposed granite and tuff with some brown, silty SAND. (ALLUVIUM)
25			100	96	60	3.2		T-74		24.97		III/II	Moderately strong to strong, pinkish grey spotted black and white, moderately to slightly decomposed medium to coarse grained GRANITE with widely to medium spaced, extremely narrow, rough planar, limonite, manganese stained and kaolin coated joints, dipping 10°-20°, 40°-50° & 65°-75°.
26			100	100	98	8.0		T-74		26.07			
27			100	100	82			T-74		26.94			
28			100	100	100	2.9		T-74		27.73			
29			100	100	78			T-74		28.44			
30									-26.15	29.69			End of hole at 29.69m.

• SMALL DISTURBED SAMPLE	Δ WATER SAMPLE
▬ LARGE DISTURBED SAMPLE	▲ PIEZOMETER TIP
▨ SPT LINER SAMPLE	□ STANDPIPE
▩ U75 UNDISTURBED SAMPLE	⊥ STANDARD PENETRATION TEST
▩ U100 UNDISTURBED SAMPLE	⊥ PERMEABILITY TEST
▨ MAZIER SAMPLE (70mm)	∇ IN-SITU VANE SHEAR TEST
▩ PISTON SAMPLE	

LOGGED FRANK CHAN

DATE 10/02/96

APPROVED C.LUN

DATE 12/02/96

REMARKS