

BACHY SOLETANCHE							BACHY SOLETANCHE GROUP SOIL & FOUNDATIONS SPECIALISTS		DRILLHOLE RECORD						HOLE NO. DH42	
									CONTRACT						SHEET 4 of 4	
PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY																
METHOD ROTARY								CO-ORDINATES				W.O. W-518				
MACHINE & No. LY-09								E 839929.71 N 816552.96				DATE from 27/1/96 to 30/1/96				
FLUSHING MEDIUM WATER								ORIENTATION Vertical				GROUND-LEVEL 4.36 mPD				
Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description			
31			100	100	81	4.4		T2 -101		30.30	+	III	Moderately weak to moderately strong, brownish pink spotted black and white, moderately decomposed medium to coarse grained GRANITE with widely to medium spaced and occasionally closely spaced, very narrow to extremely narrow, rough planar, limonite, manganese, chlorite and kaolin stained joints, dipping 10°-20°, 50°-65°.			
32			100	100	93	10.9		T2 -101		30.94	+					
33			100	100	100	4.9		T2 -101		32.15	+		29.00m-29.10m: weak to moderately weak, brownish pink spotted black and white, highly to moderately decomposed medium to coarse grained GRANITE.			
34			100	100	90			T2 -101		32.82	+					
35			100	100	95	2.2		T2 -101		33.19	+					
36										33.49	+					
37										-30.63			End of hole at 34.99m.			
38																
39																
40																

SMALL DISTURBED SAMPLE

LARGE DISTURBED SAMPLE

SPT LINER SAMPLE

U76 UNDISTURBED SAMPLE

U100 UNDISTURBED SAMPLE

MAZIER SAMPLE (70mm)

PISTON SAMPLE

WATER SAMPLE

PIEZOMETER TIP

STANDPIPE

STANDARD PENETRATION TEST

PERMEABILITY TEST

IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 31/01/96

APPROVED C.LUN

DATE 01/02/96

REMARKS