



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH46

CONTRACT

SHEET 1 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. CMC-41

E 839929.39

DATE from 19/1/96 to 20/1/96

N 816540.70

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.31 mPD

| Drilling Progress | Casing size       | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m)    | Legend | Grade | Description                                                                                                                         |
|-------------------|-------------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|--------------|--------|-------|-------------------------------------------------------------------------------------------------------------------------------------|
| 1                 | SX                |                                 |                       |                       |        |                |       |         | 4.11          | 0.20         | △ △    |       | Concrete Slab.<br>Wash boring. (No recovery)                                                                                        |
| 2                 |                   |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                                                                                     |
| 3                 | SX<br>3.00m<br>PX |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                                                                                     |
| 4                 |                   |                                 | 40                    |                       |        |                |       | T2-101  | 0.31<br>-0.19 | 4.00<br>4.50 | ⊠      |       | Angular cobbles and gravels of<br>moderately decomposed granite with<br>some brown silty SAND. (FILL)<br>Wash boring. (No recovery) |
| 5                 |                   |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                                                                                     |
| 6                 |                   |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                                                                                     |
| 7                 |                   |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                                                                                     |
| 8                 |                   |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                                                                                     |
| 9                 |                   |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                                                                                     |
| 10                |                   |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                                                                                     |

|                           |                             |
|---------------------------|-----------------------------|
| • SMALL DISTURBED SAMPLE  | △ WATER SAMPLE              |
| ▬ LARGE DISTURBED SAMPLE  | ▲ PIEZOMETER TIP            |
| ▨ SPT LINER SAMPLE        | □ STANDPIPE                 |
| ▩ U76 UNDISTURBED SAMPLE  | ↓ STANDARD PENETRATION TEST |
| ▩ U100 UNDISTURBED SAMPLE | ⊥ PERMEABILITY TEST         |
| ▨ MAZIER SAMPLE (70mm)    | ∇ IN-SITU VANE SHEAR TEST   |
| ▩ PISTON SAMPLE           |                             |

LOGGED FRANK CHAN

DATE 22/01/96

APPROVED C.LUN

DATE 23/01/96

## REMARKS

Hole termination depth at 31.74m.



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH46

CONTRACT

SHEET 2 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. CMC-41

E 839929.39  
N 816540.70

DATE from 19/1/96 to 20/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.31 mPD

| Drilling Progress | Casing size     | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description      |
|-------------------|-----------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|------------------|
| 11                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       | AS SHEET 1 OF 4. |
| 12                | PX 12.00m<br>HX |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 13                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 14                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 15                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 16                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 17                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 18                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 19                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 20                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- ▨ MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- △ WATER SAMPLE
- ▲ PIEZOMETER TIP
- STANDPIPE
- ⊥ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∇ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 22/01/96

APPROVED C.LUN

DATE 23/01/96

REMARKS



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH46

CONTRACT

SHEET 3 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. CMC-41

E 839929.39  
N 816540.70

DATE from 19/1/96 to 20/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.31 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade  | Description                                                                                                                                                                                                                                                                                                                  |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21                |             |                                 |                       |                       |        |                |       |         |               |           |        |        | AS SHEET 2 OF 4.                                                                                                                                                                                                                                                                                                             |
| 22                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                                                                                                                                                                                              |
| 23                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                                                                                                                                                                                              |
| 24                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                                                                                                                                                                                              |
| 25                | HX 25.20m   |                                 |                       |                       |        |                |       |         | -20.89        | 25.20     |        |        | Moderately strong to strong, brownish pink spotted black and white, moderately to slightly decomposed medium to coarse grained GRANITE with widely to medium spaced and occasionally closely spaced, very narrow to extremely narrow, rough planar, limonite, manganese and kaolin stained joints, dipping 10°-20°, 65°-85°. |
| 26                |             |                                 | 100                   | 96                    | 71     | 4.8            |       | T2-101  |               |           |        | III    |                                                                                                                                                                                                                                                                                                                              |
| 27                |             |                                 |                       |                       |        | 19.4           |       |         | -22.34        | 26.65     |        |        |                                                                                                                                                                                                                                                                                                                              |
| 28                |             |                                 | 100                   | 100                   | 100    | 3.2            |       | T2-101  |               |           |        | III/II |                                                                                                                                                                                                                                                                                                                              |
| 29                |             |                                 |                       |                       |        |                |       |         |               | 28.19     |        |        |                                                                                                                                                                                                                                                                                                                              |
| 30                |             |                                 | 100                   | 100                   | 95     | 1.3            |       | T2-101  |               | 28.55     |        |        |                                                                                                                                                                                                                                                                                                                              |
|                   |             |                                 |                       |                       |        |                |       |         |               | 29.67     |        |        |                                                                                                                                                                                                                                                                                                                              |

- SMALL DISTURBED SAMPLE
- ▬ LARGE DISTURBED SAMPLE
- ▬ SPT LINER SAMPLE
- ▬ U76 UNDISTURBED SAMPLE
- ▬ U100 UNDISTURBED SAMPLE
- ▬ MAZIER SAMPLE (70mm)
- ▬ PISTON SAMPLE
- Δ WATER SAMPLE
- ▲ PIEZOMETER TIP
- STANDPIPE
- ┆ STANDARD PENETRATION TEST
- ┆ PERMEABILITY TEST
- ∇ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 22/01/96

APPROVED C.LUN

DATE 23/01/96

REMARKS



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH46

CONTRACT

SHEET 4 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. CMC-41

E 839929.39  
N 816540.70

DATE from 19/1/96 to 20/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.31 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade  | Description            |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|--------|------------------------|
| 31/01/96          |             |                                 | 100                   | 100                   | 100    | 1.3            |       | T2-101  |               | 31.18     | +      | III/II | AS SHEET 3 OF 4.       |
|                   |             |                                 | 100                   | 100                   | 100    |                |       | T2-101  | -27.43        | 31.74     | +      |        | End of hole at 31.74m. |
| 32                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                        |
| 33                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                        |
| 34                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                        |
| 35                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                        |
| 36                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                        |
| 37                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                        |
| 38                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                        |
| 39                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                        |
| 40                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                        |

|  |                         |  |                           |
|--|-------------------------|--|---------------------------|
|  | SMALL DISTURBED SAMPLE  |  | WATER SAMPLE              |
|  | LARGE DISTURBED SAMPLE  |  | PIEZOMETER TIP            |
|  | SPT LINER SAMPLE        |  | STANDPIPE                 |
|  | U76 UNDISTURBED SAMPLE  |  | STANDARD PENETRATION TEST |
|  | U100 UNDISTURBED SAMPLE |  | PERMEABILITY TEST         |
|  | MAZIER SAMPLE (70mm)    |  | IN-SITU VANE SHEAR TEST   |
|  | PISTON SAMPLE           |  |                           |

LOGGED FRANK CHAN

DATE 22/01/96

APPROVED C.LUN

DATE 23/01/96

REMARKS