



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH42

CONTRACT

SHEET 1 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-09

E 839929.71  
N 816552.96

DATE from 27/1/96 to 30/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.36 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.O.D. | Fracture Index | Tests | Samples        | Reduced Level | Depth (m) | Legend | Grade | Description                                                                                                                    |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|----------------|---------------|-----------|--------|-------|--------------------------------------------------------------------------------------------------------------------------------|
| 1                 | SX          |                                 |                       |                       |        |                |       | INSPECTION PIT | 4.16          | 0.00      |        |       | Concrete Slab.                                                                                                                 |
|                   |             |                                 |                       |                       |        |                |       |                | 3.56          | 0.80      |        |       | Brown, gravelly silty medium to coarse SAND. (FILL)                                                                            |
|                   | SX 1.40m    |                                 | 67                    |                       |        |                |       | SX             |               | 1.40      |        |       | Concrete with cobbles and gravels of moderately decomposed granite and some red bricks. (FILL)                                 |
|                   | PX          |                                 | 50                    |                       |        |                |       | T2 -101        | 2.76          | 1.60      |        |       | Wash boring. (No recovery)                                                                                                     |
| 2                 |             |                                 |                       |                       |        |                |       |                |               |           |        |       |                                                                                                                                |
| 3                 |             |                                 |                       |                       |        |                |       |                |               |           |        |       |                                                                                                                                |
| 4                 |             |                                 |                       |                       |        |                |       |                | 0.36          | 4.00      |        |       | Angular Boulders, Cobbles and Gravels of moderately decomposed granite with some brown, silty SAND and some red bricks. (FILL) |
| 5                 |             |                                 | 60                    |                       |        |                |       | T2 -101        |               | 5.00      |        |       |                                                                                                                                |
|                   |             |                                 | 100                   |                       |        |                |       | T2 -101        |               | 5.50      |        |       |                                                                                                                                |
| 6                 |             |                                 | 67                    |                       |        |                |       | T2 -101        |               | 5.80      |        |       |                                                                                                                                |
|                   |             |                                 | 100                   |                       |        |                |       | T2 -101        |               | 6.20      |        |       | 5.80m-6.10m: boulder.                                                                                                          |
|                   |             |                                 | 100                   |                       |        |                |       | T2 -101        | -2.14         | 6.50      |        |       |                                                                                                                                |
| 7                 |             |                                 |                       |                       |        |                |       |                |               |           |        |       | Wash boring. (No recovery)                                                                                                     |
| 8                 |             |                                 |                       |                       |        |                |       |                |               |           |        |       |                                                                                                                                |
| 9                 |             |                                 |                       |                       |        |                |       |                |               |           |        |       |                                                                                                                                |
| 10                |             |                                 |                       |                       |        |                |       |                |               |           |        |       |                                                                                                                                |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- ▨ U100 UNDISTURBED SAMPLE
- ▨ MAZIER SAMPLE (70mm)
- ▨ PISTON SAMPLE
- △ WATER SAMPLE
- ▲ PIEZOMETER TIP
- STANDPIPE
- ↓ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∇ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 31/01/96

APPROVED C.LUN

DATE 01/02/96

## REMARKS

Hole termination depth at 34.99m.  
Inspection Pit from 0.00m to 0.80m.



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH42

CONTRACT

SHEET 2 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-09

E 839929.71

N 816552.96

DATE from 27/1/96 to 30/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.36 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description      |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|------------------|
| 11                |             |                                 |                       |                       |        |                |       |         |               |           |        |       | AS SHEET 1 OF 4. |
| 12                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 13                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 14                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 15                | PX 15.00m   |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 16                | HX          |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 17                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 18                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 19                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 20                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |

- SMALL DISTURBED SAMPLE
- ▮ LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- ▩ U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- ▧ MAZIER SAMPLE (70mm)
- ▦ PISTON SAMPLE
- △ WATER SAMPLE
- ▲ PIEZOMETER TIP
- ◻ STANDPIPE
- ↓ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∨ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 31/01/96

APPROVED C.LUN

DATE 01/02/96

REMARKS



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH42

CONTRACT

SHEET 3 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-09

E 839929.71

DATE from 27/1/96 to 30/1/96

N 816552.96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.36 mPD

| Drilling Progress | Casing size  | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level    | Depth (m)               | Legend | Grade         | Description       |
|-------------------|--------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|------------------|-------------------------|--------|---------------|-------------------|
| 21                |              |                                 |                       |                       |        |                |       |         |                  |                         |        |               | AS SHEET 2 OF 4.  |
| 22                |              |                                 |                       |                       |        |                |       |         |                  |                         |        |               |                   |
| 23                |              |                                 |                       |                       |        |                |       |         |                  |                         |        |               |                   |
| 24                |              |                                 |                       |                       |        |                |       |         |                  |                         |        |               |                   |
| 25                |              |                                 |                       |                       |        |                |       |         |                  |                         |        |               |                   |
| 26                |              |                                 |                       |                       |        |                |       |         |                  |                         |        |               |                   |
| 27                |              |                                 |                       |                       |        |                |       |         |                  |                         |        |               |                   |
| 28                |              |                                 |                       |                       |        |                |       |         |                  |                         |        |               |                   |
| 29                | HX<br>29.00m |                                 | 100                   | 75                    | 33     | 10.0           |       | T2 -101 | -24.64<br>-24.74 | 29.00<br>29.10<br>29.40 |        | IV/III<br>III |                   |
| 30                |              |                                 | 100                   | 100                   | 81     | 4.4            |       | T2 -101 |                  |                         |        |               | SEE SHEET 4 OF 4. |

- SMALL DISTURBED SAMPLE
- ▮ LARGE DISTURBED SAMPLE
- ▮ SPT LINER SAMPLE
- ▮ U76 UNDISTURBED SAMPLE
- ▮ U100 UNDISTURBED SAMPLE
- ▮ MAZIER SAMPLE (70mm)
- ▮ PISTON SAMPLE
- △ WATER SAMPLE
- ▲ PIEZOMETER TIP
- STANDPIPE
- ⊥ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∨ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 31/01/96

APPROVED C.LUN

DATE 01/02/96

REMARKS



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH42

CONTRACT

SHEET 4 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-09

E 839929.71

DATE from 27/1/96 to 30/1/96

N 816552.96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.36 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 31                |             |                                 | 100                   | 100                   | 81     | 4.4            |       | T2 -101 |               | 30.30     | +      | III   | Moderately strong, brownish pink spotted black and white, moderately decomposed medium to coarse grained GRANITE with widely to medium spaced and occasionally closely spaced, very narrow to extremely narrow, rough planar, limonite, manganese, chlorite and kaolin stained joints, dipping 10°-20°, 50°-65°.<br><br>29.00m-29.10m: weak to moderately weak, brownish pink spotted black and white, highly to moderately decomposed medium to coarse grained GRANITE. |
|                   |             |                                 |                       |                       |        | 10.9           |       |         |               | 30.94     | +      |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 32                |             |                                 | 100                   | 100                   | 93     |                |       | T2 -101 |               | 32.15     | +      |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                   |             |                                 | 100                   | 100                   | 100    | 4.9            |       | T2 -101 |               | 32.82     | +      |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 33                |             |                                 | 100                   | 100                   | 90     |                |       | T2 -101 |               | 33.19     | +      |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                   |             |                                 |                       |                       |        |                |       | T2 -101 |               | 33.49     | +      |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 34                |             |                                 | 100                   | 100                   | 95     | 2.2            |       | T2 -101 |               |           | +      |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                   |             |                                 |                       |                       |        |                |       |         |               |           | +      |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 35                |             |                                 |                       |                       |        |                |       |         | -30.63        | 34.99     | +      |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|                   |             |                                 |                       |                       |        |                |       |         |               |           | +      |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 36                |             |                                 |                       |                       |        |                |       |         |               |           |        |       | End of hole at 34.99m.                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 37                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 38                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 39                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 40                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 31/01/96

APPROVED C.LUN

DATE 01/02/96

REMARKS