



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. C6a

CONTRACT

SHEET 1 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. D-12

E 839919.10  
N 816492.29

DATE from 23/7/96 to 24/7/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GUIDE WALL LEVEL 4.60 mPD

| Drilling Progress | Casing size    | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description                                                                                                                 |
|-------------------|----------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|-----------------------------------------------------------------------------------------------------------------------------|
| 1                 | PX             |                                 |                       |                       |        |                |       |         | 3.50          | 1.10      |        |       | Wash boring.                                                                                                                |
| 2                 |                |                                 | 42                    |                       |        |                |       | HX      | 2.20          | 2.40      |        |       | Rounded and sub-rounded COBBLES, fine to coarse GRAVEL and CONCRETE. No recovery, assumed finer material washed out. (FILL) |
| 3                 | PX 3.00m<br>HX |                                 |                       |                       |        |                |       |         |               |           |        |       | Wash boring.                                                                                                                |
| 4                 |                |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                             |
| 5                 |                |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                             |
| 6                 |                |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                             |
| 7                 |                |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                             |
| 8                 |                |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                             |
| 9                 |                |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                             |
| 10                |                |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                             |

- ▲ SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- ▨ U76 UNDISTURBED SAMPLE
- ▨ U100 UNDISTURBED SAMPLE
- ▨ MAZIER SAMPLE (70mm)
- ▨ PISTON SAMPLE
- ▲ WATER SAMPLE
- ▲ PIEZOMETER TIP
- STANDPIPE
- ⊥ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∇ IN-SITU VANE SHEAR TEST

LOGGED BENNY WONG

DATE 25/07/96

APPROVED C.LUN

DATE 26/07/96

## REMARKS

Hole termination depth at 26.57m.



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. C6a

CONTRACT

SHEET 2 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. D-12

E 839919.10

DATE from 23/7/96 to 24/7/96

N 816492.29

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GUIDE WALL LEVEL 4.60 mPD

| Drilling Progress | Casing size        | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade  | Description                                                                                                                                      |
|-------------------|--------------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| 11                |                    |                                 |                       |                       |        |                |       |         |               |           |        |        | AS SHEET 1 OF 3.                                                                                                                                 |
| 12                |                    |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                  |
| 13                |                    |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                  |
| 14                |                    |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                  |
| 15                | HX<br>15.00m<br>NX |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                  |
| 16                |                    |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                  |
| 17                |                    |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                  |
| 18                |                    |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                  |
| 19                | NX<br>18.95m       |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                  |
| 20                |                    |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                  |
| 24/07/96          |                    |                                 | 97                    | 46                    | 26     |                |       | T2-101  | -14.35        | 18.95     | +      | III    | Moderately strong, brownish grey spotted yellow, moderately decomposed, medium grained GRANITE with closely spaced, narrow to very narrow, rough |
|                   |                    |                                 | 100                   | 100                   | 100    | 14.1           |       | T2-101  | -15.20        | 19.34     | +      |        |                                                                                                                                                  |
|                   |                    |                                 |                       |                       |        |                |       | T2-101  |               | 19.80     | +      | II/III |                                                                                                                                                  |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- ▨ U76 UNDISTURBED SAMPLE
- ▨ U100 UNDISTURBED SAMPLE
- ▨ MAZIER SAMPLE (70mm)
- ▨ PISTON SAMPLE
- △ WATER SAMPLE
- ▲ PIEZOMETER TIP
- △ STANDPIPE
- ⊥ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∇ IN-SITU VANE SHEAR TEST

LOGGED BENNY WONG

DATE 25/07/96

APPROVED C.LUN

DATE 26/07/96

REMARKS



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. C6a

CONTRACT

SHEET 3 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. D-12

E 839919.10  
N 816492.29

DATE from 23/7/96 to 24/7/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GUIDE WALL LEVEL 4.60 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade  | Description                                                                                                                                                                                                                                                |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21                |             |                                 | 99                    | 99                    | 99     |                |       | T2 -101 |               | 20.88     | ++     | II/III | undulating, limonite and manganese stained joints, dipping 15°-35°.                                                                                                                                                                                        |
| 22                |             |                                 | 94                    | 94                    | 89     |                |       | T2 -101 |               | 22.38     | ++     |        | Moderately strong to strong, pinkish grey spotted black and white, moderately to slightly decomposed, medium grained GRANITE with closely to medium spaced, very narrow to extremely narrow, rough undulating, clean joints, dipping 5°-10°.               |
| 23                |             |                                 | 100                   | 100                   | 100    | 5.7            |       | T2 -101 |               | 22.76     | ++     |        |                                                                                                                                                                                                                                                            |
| 24                |             |                                 | 99                    | 99                    | 99     |                |       | T2 -101 |               | 23.89     | ++     |        |                                                                                                                                                                                                                                                            |
| 25                |             |                                 | 99                    | 99                    | 99     |                |       | T2 -101 |               | 25.29     | ++     |        |                                                                                                                                                                                                                                                            |
| 26                |             |                                 | 98                    | 78                    | 77     | 8.6            |       | T2 -101 | -20.69        | 26.57     | ++     | II/III | Strong to moderately strong, spotted black and white, slightly to moderately decomposed, medium grained GRANITE with closely to medium spaced, narrow to very narrow, rough undulating, limonite and manganese stained joints, dipping 5°-10° and 25°-35°. |
| 27                |             |                                 |                       |                       |        |                |       |         |               |           |        |        | End of hole at 26.37m.                                                                                                                                                                                                                                     |
| 28                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                                                                                                                            |
| 29                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                                                                                                                            |
| 30                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                                                                                                                            |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED BENNY WONG  
DATE 25/07/96  
APPROVED C.LUN  
DATE 26/07/96

REMARKS