



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. C2

CONTRACT

SHEET 2 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. CMC-41

E 839916.25
N 816543.71

DATE from 22/1/96 to 23/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
11													AS SHEET 1 OF 4.
12													
13													
14													
15	PX 15.00m HX												
16													
17													
18													
19			63					T2 -101	-14.36	18.80			
20									-15.16	19.60			Sub-rounded COBBLES and GRAVELS of moderately decomposed granite and tuff with some brown silty SAND. (ALLUVIUM)

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 24/01/96

APPROVED C.LUN

DATE 25/01/96

REMARKS



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. C2

CONTRACT

SHEET 3 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. CMC-41

E 839916.25
N 816543.71

DATE from 22/1/96 to 23/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
21													Wash boring. (No recovery)
22													
23													
24													
25													
26	HX 26.33m								-21.89	26.33			Moderately strong, brownish pink spotted black and white, moderately decomposed medium to coarse grained GRANITE with widely to medium spaced, extremely narrow, rough planar, limonite, manganese and kaolin stained joints, dipping 10°-20°, 40°-50°, 75°-85° and occasionally vertical joints.
27			100	100	100	3.1		T2-101				III	
28			100	100	95	7.0		T2-101		27.60 28.03			
29						2.3							
30			100	100	87			T2-101		29.13			

	SMALL DISTURBED SAMPLE		WATER SAMPLE
	LARGE DISTURBED SAMPLE		PIEZOMETER TIP
	SPT LINER SAMPLE		STANDPIPE
	U76 UNDISTURBED SAMPLE		STANDARD PENETRATION TEST
	U100 UNDISTURBED SAMPLE		PERMEABILITY TEST
	MAZIER SAMPLE (70mm)		IN-SITU VANE SHEAR TEST
	PISTON SAMPLE		

LOGGED FRANK CHAN

DATE 24/01/96

APPROVED C.LUN

DATE 25/01/96

REMARKS

BACHY SOLETANCHE						BACHY SOLETANCHE GROUP SOIL & FOUNDATIONS SPECIALISTS							DRILLHOLE RECORD								HOLE NO. C2														
										CONTRACT										SHEET 4 of 4															
PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY																																			
METHOD ROTARY													CO-ORDINATES E 839916.25 N 816543.71									W.O. W-518													
MACHINE & No. CMC-41																						DATE from 22/1/96 to 23/1/96													
FLUSHING MEDIUM WATER													ORIENTATION Vertical									GROUND-LEVEL 4.44 mPD													
Drilling Progress		Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description																					
31 23/01/96				100	100	87	2.3 8.1		T2 -101		30.20 30.57 30.60	+ + + + + + + + +	III	AS SHEET 3 OF 4.																					
				100	100	100	2.4		T2 -101	-26.95	31.39	+ + + + + + + + +		End of hole at 31.39m.																					
32																																			
33																																			
34																																			
35																																			
36																																			
37																																			
38																																			
39																																			
40																																			
SMALL DISTURBED SAMPLE LARGE DISTURBED SAMPLE SPT LINER SAMPLE U76 UNDISTURBED SAMPLE U100 UNDISTURBED SAMPLE MAZIER SAMPLE (70mm) PISTON SAMPLE ▲ WATER SAMPLE ▲ PIEZOMETER TIP □ STANDPIPE STANDARD PENETRATION TEST I PERMEABILITY TEST V IN-SITU VANE SHEAR TEST													LOGGED FRANK CHAN DATE 24/01/96 APPROVED C.LUN DATE 25/01/96													REMARKS									