



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. C3a

CONTRACT

SHEET 1 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-62

E 839916.88
N 816527.06

DATE from 26/1/96 to 29/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
1	SX		100					SX	4.24 4.04	0.20 0.40			Concrete Slab.
													Brown, gravelly silty medium to coarse SAND. (FILL)
			100					SX		1.10			Concrete with cobbles and gravels of moderately decomposed granite. (FILL)
2	SX 2.10m		74					SX		1.60			
	PX 2.51m		100					PX		2.10			
	HX		95					HX		2.51			
3			100					T2-101		2.93			
4									0.76	3.68			Wash boring. (No recovery)
5													
6													
7													
8													
9													
10													

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 30/01/96

APPROVED C.LUN

DATE 31/01/96

REMARKS

Hole termination depth at 28.09m.
Inspection Pit from 0.00m to 0.40m.



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. C3a

CONTRACT

SHEET 2 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-62

E 839916.88
N 816527.06

DATE from 26/1/96 to 29/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
11													AS SHEET 1 OF 3.
12													
13													
14													
15													
16													
17													
18													
19	HX 18.89m		100	95	95	1.7		T2 -101	-14.45	18.89	+	II	SEE SHEET 3 OF 3.
20			100	100	91			T2 -101		19.74	+		

- SMALL DISTURBED SAMPLE
- ▬ LARGE DISTURBED SAMPLE
- ▬ SPT LINER SAMPLE
- ▬ U76 UNDISTURBED SAMPLE
- ▬ U100 UNDISTURBED SAMPLE
- ▬ MAZIER SAMPLE (70mm)
- ▬ PISTON SAMPLE
- ▲ WATER SAMPLE
- ▲ PIEZOMETER TIP
- ▬ STANDPIPE
- ▬ STANDARD PENETRATION TEST
- ▬ PERMEABILITY TEST
- ▬ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 30/01/96

APPROVED C.LUN

DATE 31/01/96

REMARKS

DRILLHOLE RECORD

HOLE NO. C3a

SHEET 3 of 3

CONTRACT

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD	ROTARY
--------	--------

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-62

E 839916.88

DATE from 26/1/96 to 29/1/96

N 816527.06

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

[illegible]

- | | | | |
|---|-------------------------|---|---------------------------|
|  | SMALL DISTURBED SAMPLE |  | WATER SAMPLE |
|  | LARGE DISTURBED SAMPLE |  | PIEZOMETER TIP |
|  | SPT LINER SAMPLE |  | STANDPIPE |
|  | U76 UNDISTURBED SAMPLE |  | STANDARD PENETRATION TEST |
|  | U100 UNDISTURBED SAMPLE |  | PERMEABILITY TEST |
|  | MAZIER SAMPLE (70mm) |  | IN-SITU VANE SHEAR TEST |
|  | PISTON SAMPLE | | |

LOGGED FRANK CHAN

DATE 30/01/96

APPROVED C.LUN

DATE 31/01/96

REMARKS