



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. C3a

CONTRACT

SHEET 1 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-62

E 839916.88

N 816527.06

DATE from 26/1/96 to 29/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
1	SX		100					SX	4.24	0.20			Concrete Slab.
									4.04	0.40			Brown, gravelly silty medium to coarse SAND. (FILL)
2	SX 2.10m		74					SX		1.10			Concrete with cobbles and gravels of moderately decomposed granite. (FILL)
	PX 2.51m		100					SX		1.60			
3	HX		95					PX		2.10			
			100					HX		2.51			
4								T2-101		2.93			
5									0.76	3.68			Wash boring. (No recovery)
6													
7													
8													
9													
10													

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 30/01/96

APPROVED C.LUN

DATE 31/01/96

REMARKS

Hole termination depth at 28.09m.
Inspection Pit from 0.00m to 0.40m.



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. C3a

CONTRACT

SHEET 2 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-62

E 839916.88
N 816527.06

DATE from 26/1/96 to 29/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
11													AS SHEET 1 OF 3.
12													
13													
14													
15													
16													
17													
18													
19	HX 18.89m		100	95	95	1.7		T2 -101	-14.45	18.89	+	II	SEE SHEET 3 OF 3.
20			100	100	91			T2 -101		19.74	+		

- SMALL DISTURBED SAMPLE
- ▬ LARGE DISTURBED SAMPLE
- ▬ SPT LINER SAMPLE
- ▬ U76 UNDISTURBED SAMPLE
- ▬ U100 UNDISTURBED SAMPLE
- ▬ MAZIER SAMPLE (70mm)
- ▬ PISTON SAMPLE
- ▲ WATER SAMPLE
- ▲ PIEZOMETER TIP
- ▬ STANDPIPE
- ▬ STANDARD PENETRATION TEST
- ▬ PERMEABILITY TEST
- ▬ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 30/01/96

APPROVED C.LUN

DATE 31/01/96

REMARKS

						BACHY SOLETANCHE GROUP SOIL & FOUNDATIONS SPECIALISTS						DRILLHOLE RECORD CONTRACT						HOLE NO. C3a SHEET 3 of 3					
PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY																							
METHOD ROTARY										CO-ORDINATES E 839916.88 N 816527.06								W.O. W-518					
MACHINE & No. LY-62																		DATE from 26/1/96 to 29/1/96					
FLUSHING MEDIUM WATER										ORIENTATION Vertical								GROUND-LEVEL 4.44 mPD					
Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description										
21			100	100	91	1.7		T2 -101		21.16	+	II	Strong, pinkish grey spotted black and white, slightly decomposed medium to coarse grained GRANITE with widely to medium spaced, extremely narrow, rough planar, manganese, limonite stained and clean joints, dipping 10°-20°, 40°-60° and occasionally vertical joints.										
22			100	100	86	4.5		T2 -101		21.82	+												
23			100	100	95			T2 -101		22.37	+												
24			100	100	100	2.1		T2 -101		23.27	+												
25			100	100	100			T2 -101		23.32	+												
26			100	100	100			T2 -101		24.32	+												
27			100	100	97	1.7		T2 -101		25.39	+												
28			100	100	100			T2 -101		25.73	+												
										26.81	+												
										26.81	+												
									-23.65	28.09	+		End of hole at 28.09m.										
29																							
30																							

SMALL DISTURBED SAMPLE
LARGE DISTURBED SAMPLE
SPT LINER SAMPLE
U76 UNDISTURBED SAMPLE
U100 UNDISTURBED SAMPLE
MAZIER SAMPLE (70mm)
PISTON SAMPLE

WATER SAMPLE
PIEZOMETER TIP
STANDPIPE
STANDARD PENETRATION TEST
PERMEABILITY TEST
IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 30/01/96

APPROVED C.LUN

DATE 31/01/96

REMARKS