

		BACHY SOLETANCHE GROUP SOIL & FOUNDATIONS SPECIALISTS		DRILLHOLE RECORD		HOLE NO. DH21	
		CONTRACT		SHEET 1 of 3			
PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY							
METHOD ROTARY				CO-ORDINATES E 839895.02 N 816546.65		W.O. W-518	
MACHINE & No. LY-09						DATE from 28/2/96 to 29/2/96	
FLUSHING MEDIUM WATER				ORIENTATION Vertical		GROUND-LEVEL 3.60 mPD	
Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests
Samples	Reduced Level	Depth (m)	Legend	Grade	Description		
1	PX						
2							
3							
4							
5							
6	PX 6.00m HX						
7							
8							
9							
10							
• SMALL DISTURBED SAMPLE ▬ LARGE DISTURBED SAMPLE ▨ SPT LINER SAMPLE ▩ U76 UNDISTURBED SAMPLE ▩ U100 UNDISTURBED SAMPLE ▩ MAZIER SAMPLE (70mm) ▩ PISTON SAMPLE Δ WATER SAMPLE ▲ PIEZOMETER TIP ◻ STANDPIPE ↓ STANDARD PENETRATION TEST ⊥ PERMEABILITY TEST ∨ IN-SITU VANE SHEAR TEST				LOGGED <u>FRANK CHAN</u> DATE <u>01/03/96</u> APPROVED <u>C.LUN</u> DATE <u>02/03/96</u>		REMARKS Hole termination depth at 27.43m. Inspection pit from 0.00m to 2.00m.	



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. DH21

CONTRACT

SHEET 2 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-09

E 839895.02
N 816546.65

DATE from 28/2/96 to 29/2/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 3.60 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
11													AS SHEET 1 OF 3.
12													
13													
14													
15													
16													
17													
18													
19													
20													

- SMALL DISTURBED SAMPLE
- ▬ LARGE DISTURBED SAMPLE
- ▬ SPT LINER SAMPLE
- ▬ U76 UNDISTURBED SAMPLE
- ▬ U100 UNDISTURBED SAMPLE
- ▬ MAZIER SAMPLE (70mm)
- ▬ PISTON SAMPLE
- ▲ WATER SAMPLE
- ▲ PIEZOMETER TIP
- ▲ STANDPIPE
- ▬ STANDARD PENETRATION TEST
- ▬ PERMEABILITY TEST
- ▬ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 01/03/96

APPROVED C.LUN

DATE 02/03/96

REMARKS



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. DH21

CONTRACT

SHEET 3 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-09

E 839895.02
N 816546.65

DATE from 28/2/96 to 29/2/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 3.60 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
21													AS SHEET 2 OF 3.
22	HX 22.00m								-18.40	22.00			
23			100	100	78			T2 -101	-18.60	22.20	III/II		Sub-rounded GRAVEL and COBBLES of moderately decomposed granite and tuff with some brown silty SAND. (ALLUVIUM)
24	29/02/96		100	100	93	4.3		T2 -101		22.94			Moderately strong to strong, brownish pink spotted black and white, moderately to slightly decomposed medium to coarse grained GRANITE with medium spaced, very narrow to extremely narrow, rough planar, limonite and manganese stained joints, dipping 10°-20°, 50°-65° & occasionally vertical joints.
25			100	100	88			T2 -101		23.77			
26			100	100	93	5.8		T2 -101		24.78			
27			100	100	100			T2 -101		25.21			
								T2 -101		25.63			
								T2 -101		26.15			
								T2 -101		26.83			
28										27.43			End of hole at 27.43m.
29													
30													

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 01/03/96

APPROVED C.LUN

DATE 02/03/96

REMARKS