

|                                                                                     |             |                                                          |                       |                                            |        |                |       |                              |               |           |        |       |                                                                                                                      |
|-------------------------------------------------------------------------------------|-------------|----------------------------------------------------------|-----------------------|--------------------------------------------|--------|----------------|-------|------------------------------|---------------|-----------|--------|-------|----------------------------------------------------------------------------------------------------------------------|
|    |             | BACHY SOLETANCHE GROUP<br>SOIL & FOUNDATIONS SPECIALISTS |                       | DRILLHOLE RECORD                           |        |                |       | HOLE NO. DH35                |               |           |        |       |                                                                                                                      |
|                                                                                     |             |                                                          |                       | CONTRACT                                   |        |                |       | SHEET 1 of 4                 |               |           |        |       |                                                                                                                      |
| PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY                                       |             |                                                          |                       |                                            |        |                |       |                              |               |           |        |       |                                                                                                                      |
| METHOD ROTARY                                                                       |             |                                                          |                       | CO-ORDINATES<br>E 839911.84<br>N 816566.91 |        |                |       | W.O. W-518                   |               |           |        |       |                                                                                                                      |
| MACHINE & No. SM400-04                                                              |             |                                                          |                       |                                            |        |                |       | DATE from 29/1/96 to 30/1/96 |               |           |        |       |                                                                                                                      |
| FLUSHING MEDIUM WATER                                                               |             |                                                          |                       | ORIENTATION Vertical                       |        |                |       | GROUND-LEVEL 3.55 mPD        |               |           |        |       |                                                                                                                      |
| Drilling Progress                                                                   | Casing size | Water level (m) Shift start/end                          | Total core Recovery % | Solid core Recovery %                      | R.Q.D. | Fracture Index | Tests | Samples                      | Reduced Level | Depth (m) | Legend | Grade | Description                                                                                                          |
| 1                                                                                   | SX          |                                                          | 100                   |                                            |        |                |       | INSPECTION PIT               | 3.35          | 0.00      | 4-4    |       | Concrete Slab.                                                                                                       |
| 2                                                                                   |             |                                                          | 89                    |                                            |        |                |       | SX                           | 2.85          | 0.70      |        |       | Brown, gravelly silty medium to coarse SAND. (FILL)                                                                  |
| 3                                                                                   |             |                                                          | 54                    |                                            |        |                |       | PX                           |               | 1.40      |        |       | Concrete with cobbles and gravels of moderately decomposed granite and tuff with some red bricks and rubbish. (FILL) |
| 4                                                                                   | SX 3.50m    |                                                          | 50                    |                                            |        |                |       | PX                           |               | 1.85      |        |       |                                                                                                                      |
| 5                                                                                   | PX          |                                                          | 60                    |                                            |        |                |       | PX                           |               | 2.50      |        |       |                                                                                                                      |
| 6                                                                                   | PX 5.00m    |                                                          | 60                    |                                            |        |                |       | PX                           |               | 3.50      |        |       |                                                                                                                      |
| 7                                                                                   | HX          |                                                          | 33                    |                                            |        |                |       | PX                           |               | 4.50      |        |       |                                                                                                                      |
| 8                                                                                   |             |                                                          |                       |                                            |        |                |       | T2-101                       |               | 5.00      |        |       |                                                                                                                      |
| 9                                                                                   |             |                                                          |                       |                                            |        |                |       |                              |               |           |        |       |                                                                                                                      |
| 10                                                                                  |             |                                                          |                       |                                            |        |                |       |                              |               |           |        |       |                                                                                                                      |
|                                                                                     |             |                                                          |                       |                                            |        |                |       |                              | -2.95         | 6.50      |        |       | Wash boring. (No recovery)                                                                                           |
| REMARKS<br>Hole termination depth at 31.38m.<br>Inspection Pit from 0.00m to 0.70m. |             |                                                          |                       |                                            |        |                |       |                              |               |           |        |       |                                                                                                                      |

|                                                                                                                                                                                  |                    |                                                          |                       |                                            |        |                |       |                                                                                                                                      |               |                                                                                                   |        |         |                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------|-----------------------|--------------------------------------------|--------|----------------|-------|--------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------------------|--------|---------|------------------|
|                                                                                                 |                    | BACHY SOLETANCHE GROUP<br>SOIL & FOUNDATIONS SPECIALISTS |                       | <b>DRILLHOLE RECORD</b>                    |        |                |       | HOLE NO. DH35                                                                                                                        |               |                                                                                                   |        |         |                  |
|                                                                                                                                                                                  |                    |                                                          |                       | CONTRACT                                   |        |                |       | SHEET 2 of 4                                                                                                                         |               |                                                                                                   |        |         |                  |
| PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY                                                                                                                                    |                    |                                                          |                       |                                            |        |                |       |                                                                                                                                      |               |                                                                                                   |        |         |                  |
| METHOD ROTARY                                                                                                                                                                    |                    |                                                          |                       | CO-ORDINATES<br>E 839911.84<br>N 816566.91 |        |                |       | W.O. W-518                                                                                                                           |               |                                                                                                   |        |         |                  |
| MACHINE & No. SM400-04                                                                                                                                                           |                    |                                                          |                       |                                            |        |                |       | DATE from 29/1/96 to 30/1/96                                                                                                         |               |                                                                                                   |        |         |                  |
| FLUSHING MEDIUM WATER                                                                                                                                                            |                    |                                                          |                       | ORIENTATION Vertical                       |        |                |       | GROUND-LEVEL 3.55 mPD                                                                                                                |               |                                                                                                   |        |         |                  |
| Drilling Progress                                                                                                                                                                | Casing size        | Water level (m) Shift start/end                          | Total core Recovery % | Solid core Recovery %                      | R.Q.D. | Fracture Index | Tests | Samples                                                                                                                              | Reduced Level | Depth (m)                                                                                         | Legend | Grade   | Description      |
| 11                                                                                                                                                                               |                    |                                                          |                       |                                            |        |                |       |                                                                                                                                      |               |                                                                                                   |        |         | AS SHEET 1 OF 4. |
| 12                                                                                                                                                                               |                    |                                                          |                       |                                            |        |                |       |                                                                                                                                      |               |                                                                                                   |        |         |                  |
| 13                                                                                                                                                                               |                    |                                                          |                       |                                            |        |                |       |                                                                                                                                      |               |                                                                                                   |        |         |                  |
| 14                                                                                                                                                                               |                    |                                                          |                       |                                            |        |                |       |                                                                                                                                      |               |                                                                                                   |        |         |                  |
| 15                                                                                                                                                                               |                    |                                                          |                       |                                            |        |                |       |                                                                                                                                      |               |                                                                                                   |        |         |                  |
| 16                                                                                                                                                                               |                    |                                                          |                       |                                            |        |                |       |                                                                                                                                      |               |                                                                                                   |        |         |                  |
| 17                                                                                                                                                                               |                    |                                                          |                       |                                            |        |                |       |                                                                                                                                      |               |                                                                                                   |        |         |                  |
| 18                                                                                                                                                                               | HX<br>18.00m<br>NX |                                                          |                       |                                            |        |                |       |                                                                                                                                      |               |                                                                                                   |        |         |                  |
| 19                                                                                                                                                                               |                    |                                                          |                       |                                            |        |                |       |                                                                                                                                      |               |                                                                                                   |        |         |                  |
| 20                                                                                                                                                                               |                    |                                                          |                       |                                            |        |                |       |                                                                                                                                      |               |                                                                                                   |        |         |                  |
| • SMALL DISTURBED SAMPLE<br>▮ LARGE DISTURBED SAMPLE<br>▨ SPT LINER SAMPLE<br>▩ U75 UNDISTURBED SAMPLE<br>▪ U100 UNDISTURBED SAMPLE<br>▧ MAZIER SAMPLE (70mm)<br>▦ PISTON SAMPLE |                    |                                                          |                       |                                            |        |                |       | ▲ WATER SAMPLE<br>▲ PIEZOMETER TIP<br>□ STANDPIPE<br>↓ STANDARD PENETRATION TEST<br>⊥ PERMEABILITY TEST<br>∇ IN-SITU VANE SHEAR TEST |               | LOGGED <u>FRANK CHAN</u><br>DATE <u>31/01/96</u><br>APPROVED <u>C.LUN</u><br>DATE <u>01/02/96</u> |        | REMARKS |                  |



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH35

CONTRACT

SHEET 3 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. SM400-04

E 839911.84  
N 816566.91

DATE from 29/1/96 to 30/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 3.55 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m)      | Legend | Grade | Description                                                                                                                                                                                                                                                                                             |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|----------------|--------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21                |             |                                 |                       |                       |        |                |       |         |               |                |        |       | AS SHEET 2 OF 4.                                                                                                                                                                                                                                                                                        |
| 22                |             |                                 |                       |                       |        |                |       |         |               |                |        |       |                                                                                                                                                                                                                                                                                                         |
| 23                |             |                                 |                       |                       |        |                |       |         |               |                |        |       |                                                                                                                                                                                                                                                                                                         |
| 24                |             |                                 |                       |                       |        |                |       |         |               |                |        |       |                                                                                                                                                                                                                                                                                                         |
| 25                |             |                                 |                       |                       |        |                |       |         |               |                |        |       |                                                                                                                                                                                                                                                                                                         |
| 25.01/96          |             |                                 |                       |                       |        |                |       |         |               |                |        |       | Moderately strong, brownish pink spotted black and white, moderately decomposed medium to coarse grained GRANITE with widely to medium spaced and occasionally closely spaced, very narrow to extremely narrow, rough planar, limonite, manganese, chlorite and kaolin stained joints, dipping 10°-30°. |
| NX 25.50m         |             |                                 |                       |                       |        |                |       |         |               |                |        |       |                                                                                                                                                                                                                                                                                                         |
| 26                |             |                                 | 100                   | 94                    | 87     | 3.0            |       | ↑ T-76  | -21.95        | 25.50<br>25.58 | +      | III   |                                                                                                                                                                                                                                                                                                         |
| 27                |             |                                 |                       |                       |        |                |       | ↑ T-76  | 28.91         | 28.98          | +      |       |                                                                                                                                                                                                                                                                                                         |
| 28                |             |                                 | 100                   | 100                   | 93     | 3.9            |       | ↑ T-76  | 28.39         | 28.50          | +      |       |                                                                                                                                                                                                                                                                                                         |
| 29                |             |                                 | 100                   | 100                   | 100    | 2.1            |       | ↑ T-76  | 29.68         | 29.91          | +      |       |                                                                                                                                                                                                                                                                                                         |
| 30                |             |                                 | 100                   | 100                   | 80     |                |       | ↑ T-76  |               |                | +      |       |                                                                                                                                                                                                                                                                                                         |

|                           |                             |
|---------------------------|-----------------------------|
| • SMALL DISTURBED SAMPLE  | △ WATER SAMPLE              |
| ▬ LARGE DISTURBED SAMPLE  | ▲ PIEZOMETER TIP            |
| ▨ SPT LINER SAMPLE        | □ STANDPIPE                 |
| ▩ U76 UNDISTURBED SAMPLE  | ↓ STANDARD PENETRATION TEST |
| ▩ U100 UNDISTURBED SAMPLE | ⊥ PERMEABILITY TEST         |
| ▨ MAZIER SAMPLE (70mm)    | ∇ IN-SITU VANE SHEAR TEST   |
| ▩ PISTON SAMPLE           |                             |

LOGGED FRANK CHAN

DATE 31/01/96

APPROVED C.LUN

DATE 01/02/96

REMARKS

|                                                                                                                                                                                                                                         |             | BACHY SOLETANCHE GROUP          |                       | <b>DRILLHOLE RECORD</b><br><br>CONTRACT    |        | HOLE NO. DH35                |       |                                                                                                   |               |           |                                                               |       |                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------------------|-----------------------|--------------------------------------------|--------|------------------------------|-------|---------------------------------------------------------------------------------------------------|---------------|-----------|---------------------------------------------------------------|-------|------------------------|
|                                                                                                                                                                                                                                                                                                                          |             | SOIL & FOUNDATIONS SPECIALISTS  |                       |                                            |        | SHEET 4 of 4                 |       |                                                                                                   |               |           |                                                               |       |                        |
| PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY                                                                                                                                                                                                                                                                            |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
| METHOD ROTARY                                                                                                                                                                                                                                                                                                            |             |                                 |                       | CO-ORDINATES<br>E 839911.84<br>N 816566.91 |        | W.O. W-518                   |       |                                                                                                   |               |           |                                                               |       |                        |
| MACHINE & No. SM400-04                                                                                                                                                                                                                                                                                                   |             |                                 |                       |                                            |        | DATE from 29/1/96 to 30/1/96 |       |                                                                                                   |               |           |                                                               |       |                        |
| FLUSHING MEDIUM WATER                                                                                                                                                                                                                                                                                                    |             |                                 |                       | ORIENTATION Vertical                       |        | GROUND-LEVEL 3.55 mPD        |       |                                                                                                   |               |           |                                                               |       |                        |
| Drilling Progress                                                                                                                                                                                                                                                                                                        | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery %                      | R.Q.D. | Fracture Index               | Tests | Samples                                                                                           | Reduced Level | Depth (m) | Legend                                                        | Grade | Description            |
| 31 30/01/96                                                                                                                                                                                                                                                                                                              |             |                                 | 100                   | 100                                        | 80     | 16.0                         |       | ↑ 1-76                                                                                            |               | 30.11     | + + + + +<br>+ + + + +<br>+ + + + +<br>+ + + + +<br>+ + + + + | III   | AS SHEET 3 OF 4.       |
|                                                                                                                                                                                                                                                                                                                          |             |                                 | 100                   | 100                                        | 95     | 1.6                          |       | ↓ 1-76                                                                                            |               | -27.83    |                                                               |       |                        |
| 32                                                                                                                                                                                                                                                                                                                       |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       | End of hole at 31.38m. |
| 33                                                                                                                                                                                                                                                                                                                       |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
| 34                                                                                                                                                                                                                                                                                                                       |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
| 35                                                                                                                                                                                                                                                                                                                       |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
| 36                                                                                                                                                                                                                                                                                                                       |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
| 37                                                                                                                                                                                                                                                                                                                       |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
| 38                                                                                                                                                                                                                                                                                                                       |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
| 39                                                                                                                                                                                                                                                                                                                       |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
| 40                                                                                                                                                                                                                                                                                                                       |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
|                                                                                                                                                                                                                                                                                                                          |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
|                                                                                                                                                                                                                                                                                                                          |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
|                                                                                                                                                                                                                                                                                                                          |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
|                                                                                                                                                                                                                                                                                                                          |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
|                                                                                                                                                                                                                                                                                                                          |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
|                                                                                                                                                                                                                                                                                                                          |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
|                                                                                                                                                                                                                                                                                                                          |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
|                                                                                                                                                                                                                                                                                                                          |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |
| • SMALL DISTURBED SAMPLE    ▲ WATER SAMPLE<br>▮ LARGE DISTURBED SAMPLE    ▲ PIEZOMETER TIP<br>▨ SPT LINER SAMPLE    ▢ STANDPIPE<br>▩ U76 UNDISTURBED SAMPLE    ↓ STANDARD PENETRATION TEST<br>▪ U100 UNDISTURBED SAMPLE    ⊥ PERMEABILITY TEST<br>▧ MAZIER SAMPLE (70mm)    ∨ IN-SITU VANE SHEAR TEST<br>▦ PISTON SAMPLE |             |                                 |                       |                                            |        |                              |       | LOGGED <u>FRANK CHAN</u><br>DATE <u>31/01/96</u><br>APPROVED <u>C.LUN</u><br>DATE <u>01/02/96</u> |               | REMARKS   |                                                               |       |                        |
|                                                                                                                                                                                                                                                                                                                          |             |                                 |                       |                                            |        |                              |       |                                                                                                   |               |           |                                                               |       |                        |