

						BACHY SOLETANCHE GROUP SOIL & FOUNDATIONS SPECIALISTS						DRILLHOLE RECORD CONTRACT _____						HOLE NO. DH8 SHEET 1 of 3					
PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY																							
METHOD ROTARY										CO-ORDINATES							W.O. W-518						
MACHINE & No. ACKER-35										E 839894.57 N 816511.98							DATE from 20/1/96 to 22/1/96						
FLUSHING MEDIUM WATER										ORIENTATION Vertical							GROUND-LEVEL 4.02 mPD						
Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description										
	SX							INSPECTION PIT	3.82	0.20			Concrete Slab. Wash boring. (No recovery)										
1																							
2	SX 2.00m PX									2.00													
3																							
4																							
5																							
6																							
7																							
8																							
9																							
10																							
										REMARKS Hole termination depth at 31.09m. Inspection Pit from 0.00m to 2.00m.													
LOGGED FRANK CHAN DATE 23/01/96 APPROVED C.LUN DATE 24/01/96																							



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. DH8

CONTRACT

SHEET 2 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. ACKER-35

E 839894.57
N 816511.98

DATE from 20/1/96 to 22/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.02 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
11													AS SHEET 1 OF 3.
12													
13													
14													
15													
16													
17													
18	PX 18.00m HX												
19													
20													

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- ▨ U76 UNDISTURBED SAMPLE
- ▨ U100 UNDISTURBED SAMPLE
- ▨ MAZIER SAMPLE (70mm)
- ▨ PISTON SAMPLE
- Δ WATER SAMPLE
- ▲ PIEZOMETER TIP
- Δ STANDPIPE
- | STANDARD PENETRATION TEST
- | PERMEABILITY TEST
- ∨ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 23/01/96

APPROVED C.LUN

DATE 24/01/96

REMARKS



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. DH8

CONTRACT

SHEET 3 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. ACKER-35

E 839894.57
N 816511.98

DATE from 20/1/96 to 22/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.02 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
21	HX 20.80m		100	100	91			T2-101	-16.78	20.80	+++	III/II	AS SHEET 2 OF 3.
22			100	100	86	2.8		T2-101		21.84	+++		Moderately strong to strong, brownish pink spotted black and white, moderately to slightly decomposed medium to coarse grained GRANITE with widely to medium spaced and occasionally closely spaced, very narrow to extremely narrow, rough planar, limonite, manganese and kaolin stained joints, dipping 10°-20°, 40°-50°, 60°-70°.
23						8.7		T2-101		22.98	+++		
24			100	100	79	0.0		T2-101		23.24	+++		
25			100	100	80	12.1		T2-101		23.44	+++		
26			100	100	100	1.8		T2-101		24.17	+++		
27								T2-101		24.30	+++		
28								T2-101		24.50	+++		
29								T2-101		24.65	+++		
30								T2-101		25.20	+++		
								T2-101		25.63	+++		
								T2-101		25.80	+++		
								T2-101		26.44	+++		End of hole at 26.44m.

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 23/01/96

APPROVED C.LUN

DATE 24/01/96

REMARKS