



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH51

CONTRACT

SHEET 1 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. CMC-57

E 839929.03  
N 816527.37

DATE from 22/1/96 to 23/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.41 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description                |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|----------------------------|
| 1                 | SX          |                                 |                       |                       |        |                |       |         | 4.21          | 0.20      | △ △    |       | Concrete Slab.             |
| 2                 |             |                                 |                       |                       |        |                |       |         |               |           |        |       | Wash boring. (No recovery) |
| 3                 | SX 6.00m PX |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 4                 |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 5                 |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 6                 |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 7                 |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 8                 |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 9                 |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |
| 10                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                            |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 24/01/96

APPROVED C.LUN

DATE 25/01/96

REMARKS  
Hole termination depth at 26.30m.



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH51

CONTRACT

SHEET 2 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. CMC-57

E 839929.03

DATE from 22/1/96 to 23/1/96

N 816527.37

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.41 mPD

| Drilling Progress | Casing size     | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description      |
|-------------------|-----------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|------------------|
| 11                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       | AS SHEET 1 OF 3. |
| 12                | PX 12.00m<br>HX |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 13                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 14                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 15                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 16                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 17                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 18                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 19                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 20                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |

- |                           |                             |
|---------------------------|-----------------------------|
| ▲ SMALL DISTURBED SAMPLE  | ▲ WATER SAMPLE              |
| ■ LARGE DISTURBED SAMPLE  | ▲ PIEZOMETER TIP            |
| ▨ SPT LINER SAMPLE        | ▨ STANDPIPE                 |
| ▨ U76 UNDISTURBED SAMPLE  | ↓ STANDARD PENETRATION TEST |
| ▨ U100 UNDISTURBED SAMPLE | ⊥ PERMEABILITY TEST         |
| ▨ MAZIER SAMPLE (70mm)    | ∇ IN-SITU VANE SHEAR TEST   |
| ▨ PISTON SAMPLE           |                             |

LOGGED FRANK CHAN

DATE 24/01/96

APPROVED C.LUN

DATE 25/01/96

REMARKS



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH51

CONTRACT

SHEET 3 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. CMC-57

E 839929.03  
N 816527.37

DATE from 22/1/96 to 23/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.41 mPD

| Drilling Progress | Casing size  | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade  | Description                                                                                                                                                                                                                                                                                                                        |
|-------------------|--------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21<br>22/01/96    | HX<br>21.28m |                                 |                       |                       |        |                |       |         | -16.87        | 21.28     |        |        | AS SHEET 2 OF 3.                                                                                                                                                                                                                                                                                                                   |
| 22                |              |                                 | 100                   | 100                   | 100    |                |       | T2-101  |               | 21.62     | +      | III/II | Moderately strong to strong, pinkish grey spotted black and white, moderately to slightly decomposed medium to coarse grained GRANITE with widely spaced and occasionally medium spaced, extremely narrow, rough planar, limonite, manganese and kaolin stained joints, dipping 10°-20°, 50°-70° and occasionally vertical joints. |
| 23                |              |                                 | 100                   | 100                   | 96     |                |       | T2-101  |               | 22.45     | +      |        |                                                                                                                                                                                                                                                                                                                                    |
| 24                |              |                                 | 100                   | 100                   | 100    | 2.4            |       | T2-101  |               | 23.74     | +      |        |                                                                                                                                                                                                                                                                                                                                    |
| 25                |              |                                 | 100                   | 100                   | 100    |                |       | T2-101  |               | 24.47     | +      |        |                                                                                                                                                                                                                                                                                                                                    |
| 26                |              |                                 | 100                   | 100                   | 100    |                |       | T2-101  |               | 24.93     | +      |        |                                                                                                                                                                                                                                                                                                                                    |
| 27                |              |                                 | 100                   | 100                   | 100    | 1.2            |       | T2-101  |               | 25.78     | +      |        | End of hole at 26.30m.                                                                                                                                                                                                                                                                                                             |
| 28                |              |                                 | 100                   | 100                   | 100    |                |       | T2-101  |               | 26.30     | +      |        |                                                                                                                                                                                                                                                                                                                                    |
| 29                |              |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                                                                                                                                                                                                    |
| 30                |              |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                                                                                                                                                                                                    |

- |                           |                             |
|---------------------------|-----------------------------|
| • SMALL DISTURBED SAMPLE  | ▲ WATER SAMPLE              |
| ▬ LARGE DISTURBED SAMPLE  | ■ PIEZOMETER TIP            |
| ▨ SPT LINER SAMPLE        | △ STANDPIPE                 |
| ▩ U76 UNDISTURBED SAMPLE  | ↓ STANDARD PENETRATION TEST |
| ▩ U100 UNDISTURBED SAMPLE | ⊥ PERMEABILITY TEST         |
| ▩ MAZIER SAMPLE (70mm)    | ∨ IN-SITU VANE SHEAR TEST   |
| ▩ PISTON SAMPLE           |                             |

LOGGED FRANK CHAN

DATE 24/01/96

APPROVED C.LUN

DATE 25/01/96

REMARKS