



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. C1

SHEET 1 of 4

CONTRACT

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. SM400-04

E 839917.74  
N 816553.98

DATE from 2/2/96 to 2/2/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 3.84 mPD

| Drilling Progress | Casing size    | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples        | Reduced Level | Depth (m) | Legend                                              | Grade | Description |
|-------------------|----------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|----------------|---------------|-----------|-----------------------------------------------------|-------|-------------|
| 1                 | SX             |                                 |                       |                       |        |                |       | INSPECTION PIT | 3.64          | 0.20      | Concrete Slab.                                      |       |             |
| 2                 |                |                                 |                       |                       |        |                |       |                | 1.84          | 2.00      | Brown, gravelly silty medium to coarse SAND. (FILL) |       |             |
| 3                 |                |                                 |                       |                       |        |                |       |                |               |           |                                                     |       |             |
| 4                 |                |                                 |                       |                       |        |                |       |                |               |           |                                                     |       |             |
| 5                 |                |                                 |                       |                       |        |                |       |                |               |           |                                                     |       |             |
| 6                 | SX 6.00m<br>PX |                                 |                       |                       |        |                |       |                |               |           |                                                     |       |             |
| 7                 |                |                                 |                       |                       |        |                |       |                |               |           |                                                     |       |             |
| 8                 |                |                                 |                       |                       |        |                |       |                |               |           |                                                     |       |             |
| 9                 |                |                                 |                       |                       |        |                |       |                |               |           |                                                     |       |             |
| 10                |                |                                 |                       |                       |        |                |       |                |               |           |                                                     |       |             |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 03/02/96

APPROVED C.LUN

DATE 05/02/96

## REMARKS

Hole termination depth at 35.61m.  
Inspection Pit from 0.00m to 1.00m.



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. C1

SHEET 2 of 4

CONTRACT

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. SM400-04

E 839917.74

DATE from 2/2/96 to 2/2/96

N 816553.98

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 3.84 mPD

| Drilling Progress | Casing size        | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description      |
|-------------------|--------------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|------------------|
| 11                |                    |                                 |                       |                       |        |                |       |         |               |           |        |       | AS SHEET 1 OF 4. |
| 12                |                    |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 13                |                    |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 14                |                    |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 15                | PX<br>15.00m<br>HX |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 16                |                    |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 17                |                    |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 18                |                    |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 19                |                    |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 20                |                    |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 03/02/96

APPROVED C.LUN

DATE 05/02/96

REMARKS



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. C1

CONTRACT

SHEET 3 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. SM400-04

E 839917.74  
N 816553.98

DATE from 2/2/96 to 2/2/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 3.84 mPD

| Drilling Progress | Casing size  | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m)      | Legend | Grade | Description      |
|-------------------|--------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|----------------|--------|-------|------------------|
| 21                |              |                                 |                       |                       |        |                |       |         |               |                |        |       | AS SHEET 2 OF 4. |
| 22                |              |                                 |                       |                       |        |                |       |         |               |                |        |       |                  |
| 23                |              |                                 |                       |                       |        |                |       |         |               |                |        |       |                  |
| 24                |              |                                 |                       |                       |        |                |       |         |               |                |        |       |                  |
| 25                |              |                                 |                       |                       |        |                |       |         |               |                |        |       |                  |
| 26                |              |                                 |                       |                       |        |                |       |         |               |                |        |       |                  |
| 27                |              |                                 |                       |                       |        |                |       |         |               |                |        |       |                  |
| 28                |              |                                 |                       |                       |        |                |       |         |               |                |        |       |                  |
| 29                |              |                                 |                       |                       |        |                |       |         |               |                |        |       |                  |
| 30                | HX<br>29.65m |                                 | 100                   | 88                    | 37     | NI<br>10.6     |       | T2-101  | -25.81        | 29.65<br>29.75 | +      | III   |                  |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 03/02/96

APPROVED C.LUN

DATE 05/02/96

REMARKS

SEE SHEET 4 OF 4.



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. C1

CONTRACT

SHEET 4 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. SM400-04

E 839917.74  
N 816553.98

DATE from 2/2/96 to 2/2/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 3.84 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description                                                                                                                                                                                                                                                                                                                                                       |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 31                |             |                                 | 100                   | 88                    | 37     | 10.6           |       | T2 -101 |               | 31.10     | +      | III   | Moderately strong, brownish pink spotted black and white, moderately decomposed medium to coarse grained GRANITE with widely to medium spaced and occasionally closely spaced, moderately narrow to very narrow, rough planar, limonite, manganese stained chlorite and kaolin coated joints, dipping 10°-20°, 30°-40°, 70°-85° and occasionally vertical joints. |
| 32                |             |                                 | 100                   | 100                   | 90     | 5.1            |       | T2 -101 |               | 31.54     | +      |       |                                                                                                                                                                                                                                                                                                                                                                   |
| 33                |             |                                 | 100                   | 100                   | 89     |                |       | T2 -101 |               | 32.62     | +      |       |                                                                                                                                                                                                                                                                                                                                                                   |
| 34                |             |                                 | 100                   | 100                   | 100    | 2.4            |       | T2 -101 |               | 33.25     | +      |       |                                                                                                                                                                                                                                                                                                                                                                   |
| 35                |             |                                 | 100                   | 100                   | 100    |                |       | T2 -101 |               | 34.11     | +      |       |                                                                                                                                                                                                                                                                                                                                                                   |
| 36                |             |                                 |                       |                       |        |                |       |         |               | 35.61     | +      |       |                                                                                                                                                                                                                                                                                                                                                                   |
| 37                |             |                                 |                       |                       |        |                |       |         |               |           |        |       | End of hole at 35.61m.                                                                                                                                                                                                                                                                                                                                            |
| 38                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                                                                                                                                                                                                                                                                   |
| 39                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                                                                                                                                                                                                                                                                   |
| 40                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                                                                                                                                                                                                                                                                   |

- SMALL DISTURBED SAMPLE
- ▬ LARGE DISTURBED SAMPLE
- ▬ SPT LINER SAMPLE
- ▬ U76 UNDISTURBED SAMPLE
- ▬ U100 UNDISTURBED SAMPLE
- ▬ MAZIER SAMPLE (70mm)
- ▬ PISTON SAMPLE
- △ WATER SAMPLE
- ▲ PIEZOMETER TIP
- STANDPIPE
- ↓ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∇ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 03/02/96

APPROVED C.LUN

DATE 05/02/96

REMARKS