



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. C2a

CONTRACT

SHEET 1 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. CMC-41

E 839917.20  
N 816539.05

DATE from 24/1/96 to 25/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

| Drilling Progress | Casing size    | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples        | Reduced Level | Depth (m) | Legend | Grade | Description                                                                                 |
|-------------------|----------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|----------------|---------------|-----------|--------|-------|---------------------------------------------------------------------------------------------|
| 1                 | SX             |                                 | 91                    |                       |        |                |       | INSPECTION PIT | 4.24          | 0.20      | △ △    |       | Concrete Slab.                                                                              |
|                   |                |                                 |                       |                       |        |                |       |                | 3.84          | 0.60      |        |       | Wash boring. (No recovery)                                                                  |
| 2                 |                |                                 | 82                    |                       |        |                |       | SX             |               | 1.60      |        |       | Concrete with cobbles and gravels of moderately decomposed granite and some rubbish. (FILL) |
|                   |                |                                 |                       |                       |        |                |       | SX             |               | 2.50      |        |       |                                                                                             |
| 3                 |                |                                 |                       |                       |        |                |       |                | 1.94          |           |        |       | Wash boring. (No recovery)                                                                  |
| 4                 | SX 4.50m<br>PX |                                 |                       |                       |        |                |       |                |               |           |        |       |                                                                                             |
| 5                 |                |                                 |                       |                       |        |                |       |                |               |           |        |       |                                                                                             |
| 6                 |                |                                 |                       |                       |        |                |       |                |               |           |        |       |                                                                                             |
| 7                 |                |                                 |                       |                       |        |                |       |                |               |           |        |       |                                                                                             |
| 8                 |                |                                 |                       |                       |        |                |       |                |               |           |        |       |                                                                                             |
| 9                 |                |                                 |                       |                       |        |                |       |                |               |           |        |       |                                                                                             |
| 10                |                |                                 |                       |                       |        |                |       |                |               |           |        |       |                                                                                             |

- SMALL DISTURBED SAMPLE
- ▬ LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- ▩ U76 UNDISTURBED SAMPLE
- ▩ U100 UNDISTURBED SAMPLE
- ▨ MAZIER SAMPLE (70mm)
- ▩ PISTON SAMPLE
- ▲ WATER SAMPLE
- ▬ PIEZOMETER TIP
- ▨ STANDPIPE
- ↓ STANDARD PENETRATION TEST
- ▨ PERMEABILITY TEST
- ▽ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 26/01/96

APPROVED C.LUN

DATE 27/01/96

## REMARKS

Hole termination depth at 29.87m.  
Inspection Pit from 0.00m to 0.60m.



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. C2a

CONTRACT

SHEET 2 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. CMC-41

E 839917.20  
N 816539.05

DATE from 24/1/96 to 25/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

| Drilling Progress | Casing size          | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description      |
|-------------------|----------------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|------------------|
| 11                |                      |                                 |                       |                       |        |                |       |         |               |           |        |       | AS SHEET 1 OF 3. |
| 12                |                      |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 13                |                      |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 14                |                      |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 15                | PX<br>24/01/96<br>HX | 15.00m                          |                       |                       |        |                |       |         |               |           |        |       |                  |
| 16                |                      |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 17                |                      |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 18                |                      |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 19                |                      |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 20                |                      |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U75 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 26/01/96

APPROVED C.LUN

DATE 27/01/96

REMARKS



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. C2a

CONTRACT

SHEET 3 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. CMC-41

E 839917.20  
N 816539.05

DATE from 24/1/96 to 25/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade  | Description                                                                                                                                                                                                                                                                                |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 24/01/96          |             |                                 |                       |                       |        |                |       |         |               |           |        |        | AS SHEET 2 OF 3.                                                                                                                                                                                                                                                                           |
| 21                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                                                                                                                                                            |
| 22                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                                                                                                                                                            |
| 23                |             |                                 |                       |                       |        |                |       |         |               |           |        |        |                                                                                                                                                                                                                                                                                            |
| 24                | HX 23.60m   |                                 | 100                   | 100                   | 96     | 5.6            |       | T2 -101 | -19.16        | 23.60     | +++    | III/II | Moderately strong to strong, brownish pink spotted black and white, moderately to slightly decomposed medium to coarse grained GRANITE with widely to medium spaced, very narrow to extremely narrow, rough planar, limonite, manganese stained joints, dipping 10°-20°, 40°-50°, 65°-75°. |
| 25                |             |                                 | 100                   | 100                   | 100    |                |       | T2 -101 | 24.43         | 24.43     | +++    |        |                                                                                                                                                                                                                                                                                            |
| 26                |             |                                 | 100                   | 100                   | 88     | 2.5            |       | T2 -101 | 25.06         | 25.06     | +++    |        |                                                                                                                                                                                                                                                                                            |
| 27                |             |                                 | 100                   | 100                   | 85     |                |       | T2 -101 | 25.37         | 25.37     | +++    |        |                                                                                                                                                                                                                                                                                            |
| 28                |             |                                 | 100                   | 100                   | 92     | 6.2            |       | T2 -101 | 26.26         | 26.26     | +++    |        |                                                                                                                                                                                                                                                                                            |
| 29                |             |                                 | 100                   | 100                   | 82     |                |       | T2 -101 | 26.55         | 26.55     | +++    |        |                                                                                                                                                                                                                                                                                            |
| 30                |             |                                 | 100                   | 100                   | 81     | 5.4            |       | T2 -101 | 26.85         | 26.85     | +++    |        |                                                                                                                                                                                                                                                                                            |
|                   |             |                                 |                       |                       |        |                |       | T2 -101 | 28.01         | 28.01     | +++    |        |                                                                                                                                                                                                                                                                                            |
|                   |             |                                 |                       |                       |        |                |       | T2 -101 | 28.96         | 28.96     | +++    |        |                                                                                                                                                                                                                                                                                            |
|                   |             |                                 |                       |                       |        |                |       | T2 -101 | 29.87         | 29.87     | +++    |        | End of hole at 29.87m.                                                                                                                                                                                                                                                                     |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- ▨ U76 UNDISTURBED SAMPLE
- ▨ U100 UNDISTURBED SAMPLE
- ▨ MAZIER SAMPLE (70mm)
- ▨ PISTON SAMPLE
- △ WATER SAMPLE
- ▲ PIEZOMETER TIP
- STANDPIPE
- ⊥ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∇ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 26/01/96

APPROVED C.LUN

DATE 27/01/96

REMARKS