



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. C3a

CONTRACT

SHEET 1 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-62

E 839916.88  
N 816527.06

DATE from 26/1/96 to 29/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m)    | Legend | Grade | Description                                                                |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|--------------|--------|-------|----------------------------------------------------------------------------|
| 1                 | SX          |                                 | 100                   |                       |        |                |       | SX      | 4.24<br>4.04  | 0.20<br>0.40 |        |       | Concrete Slab.                                                             |
|                   |             |                                 |                       |                       |        |                |       |         |               |              |        |       | Brown, gravelly silty medium to coarse SAND. (FILL)                        |
|                   |             |                                 | 100                   |                       |        |                |       | SX      |               | 1.10         |        |       | Concrete with cobbles and gravels of moderately decomposed granite. (FILL) |
| 2                 | SX 2.10m    |                                 | 74                    |                       |        |                |       | SX      |               | 1.60         |        |       |                                                                            |
|                   | PX 2.51m    |                                 | 100                   |                       |        |                |       | PX      |               | 2.10         |        |       |                                                                            |
|                   | HX          |                                 | 95                    |                       |        |                |       | HX      |               | 2.51         |        |       |                                                                            |
| 3                 |             |                                 | 100                   |                       |        |                |       | T2-101  |               | 2.93         |        |       |                                                                            |
| 4                 |             |                                 |                       |                       |        |                |       |         | 0.76          | 3.68         |        |       | Wash boring. (No recovery)                                                 |
| 5                 |             |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                            |
| 6                 |             |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                            |
| 7                 |             |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                            |
| 8                 |             |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                            |
| 9                 |             |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                            |
| 10                |             |                                 |                       |                       |        |                |       |         |               |              |        |       |                                                                            |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 30/01/96

APPROVED C.LUN

DATE 31/01/96

## REMARKS

Hole termination depth at 28.09m.  
Inspection Pit from 0.00m to 0.40m.



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. C3a

CONTRACT

SHEET 2 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-62

E 839916.88  
N 816527.06

DATE from 26/1/96 to 29/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

| Drilling Progress | Casing size  | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description       |
|-------------------|--------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|-------------------|
| 11                |              |                                 |                       |                       |        |                |       |         |               |           |        |       | AS SHEET 1 OF 3.  |
| 12                |              |                                 |                       |                       |        |                |       |         |               |           |        |       |                   |
| 13                |              |                                 |                       |                       |        |                |       |         |               |           |        |       |                   |
| 14                |              |                                 |                       |                       |        |                |       |         |               |           |        |       |                   |
| 15                |              |                                 |                       |                       |        |                |       |         |               |           |        |       |                   |
| 16                |              |                                 |                       |                       |        |                |       |         |               |           |        |       |                   |
| 17                |              |                                 |                       |                       |        |                |       |         |               |           |        |       |                   |
| 18                |              |                                 |                       |                       |        |                |       |         |               |           |        |       |                   |
| 19                | HX<br>18.89m |                                 | 100                   | 95                    | 95     | 1.7            |       | T2 -101 | -14.45        | 18.89     | +      | II    | SEE SHEET 3 OF 3. |
| 20                |              |                                 | 100                   | 100                   | 91     |                |       | T2 -101 |               | 19.74     | +      |       |                   |

- SMALL DISTURBED SAMPLE
- ▬ LARGE DISTURBED SAMPLE
- ▬ SPT LINER SAMPLE
- ▬ U76 UNDISTURBED SAMPLE
- ▬ U100 UNDISTURBED SAMPLE
- ▬ MAZIER SAMPLE (70mm)
- ▬ PISTON SAMPLE
- ▲ WATER SAMPLE
- ▲ PIEZOMETER TIP
- ▬ STANDPIPE
- ▬ STANDARD PENETRATION TEST
- ▬ PERMEABILITY TEST
- ▬ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 30/01/96

APPROVED C.LUN

DATE 31/01/96

REMARKS



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

CONTRACT

HOLE NO. C3a

SHEET 3 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-62

E 839916.88  
N 816527.06

DATE from 26/1/96 to 29/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.44 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description                                                                                                                                                                                                                                                               |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21                |             |                                 | 100                   | 100                   | 91     | 1.7            |       | T2-101  |               | 21.17     | +      | II    | Strong, pinkish grey spotted black and white, slightly decomposed medium to coarse grained GRANITE with widely to medium spaced, extremely narrow, rough planar, manganese, limonite stained and clean joints, dipping 10°-20°, 40°-60° and occasionally vertical joints. |
| 22                |             |                                 | 100                   | 100                   | 86     | 4.5            |       | T2-101  |               | 21.26     | +      |       |                                                                                                                                                                                                                                                                           |
| 23                |             |                                 | 100                   | 100                   | 95     |                |       | T2-101  |               | 21.82     | +      |       |                                                                                                                                                                                                                                                                           |
| 24                |             |                                 | 100                   | 100                   | 100    | 2.1            |       | T2-101  |               | 22.37     | +      |       |                                                                                                                                                                                                                                                                           |
| 25                |             |                                 | 100                   | 100                   | 100    |                |       | T2-101  |               | 23.27     | +      |       |                                                                                                                                                                                                                                                                           |
| 26                |             |                                 | 100                   | 100                   | 100    |                |       | T2-101  |               | 23.27     | +      |       |                                                                                                                                                                                                                                                                           |
| 27                |             |                                 | 100                   | 100                   | 97     | 1.7            |       | T2-101  |               | 24.32     | +      |       |                                                                                                                                                                                                                                                                           |
| 28                |             |                                 | 100                   | 100                   | 100    |                |       | T2-101  |               | 25.39     | +      |       |                                                                                                                                                                                                                                                                           |
|                   |             |                                 |                       |                       |        |                |       | T2-101  |               | 25.73     | +      |       |                                                                                                                                                                                                                                                                           |
|                   |             |                                 |                       |                       |        |                |       | T2-101  |               | 26.81     | +      |       |                                                                                                                                                                                                                                                                           |
|                   |             |                                 |                       |                       |        |                |       | T2-101  |               | 26.81     | +      |       |                                                                                                                                                                                                                                                                           |
|                   |             |                                 |                       |                       |        |                |       |         | -23.65        | 28.09     | +      |       | End of hole at 28.09m.                                                                                                                                                                                                                                                    |
| 29                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                                                                                                                                                                           |
| 30                |             |                                 |                       |                       |        |                |       |         |               |           |        |       |                                                                                                                                                                                                                                                                           |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 30/01/96

APPROVED C.LUN

DATE 31/01/96

REMARKS