



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH48

CONTRACT

SHEET 1 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-62

E 839929.25

DATE from 19/1/96 to 20/1/96

N 816535.24

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.37 mPD

| Drilling Progress | Casing size       | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description                    |
|-------------------|-------------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|--------------------------------|
| 1                 | SX                |                                 |                       |                       |        |                |       |         | 4.17          | 0.20      | △ △    |       | Concrete Slab.<br>Wash boring. |
| 2                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                                |
| 3                 | SX<br>3.00m<br>PX |                                 |                       |                       |        |                |       |         |               |           |        |       |                                |
| 4                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                                |
| 5                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                                |
| 6                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                                |
| 7                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                                |
| 8                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                                |
| 9                 |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                                |
| 10                |                   |                                 |                       |                       |        |                |       |         |               |           |        |       |                                |

|                           |                             |
|---------------------------|-----------------------------|
| • SMALL DISTURBED SAMPLE  | △ WATER SAMPLE              |
| ▬ LARGE DISTURBED SAMPLE  | ▲ PIEZOMETER TIP            |
| ▨ SPT LINER SAMPLE        | ◻ STANDPIPE                 |
| ▩ U76 UNDISTURBED SAMPLE  | ┆ STANDARD PENETRATION TEST |
| ▩ U100 UNDISTURBED SAMPLE | ┆ PERMEABILITY TEST         |
| ▨ MAZIER SAMPLE (70mm)    | ∨ IN-SITU VANE SHEAR TEST   |
| ▩ PISTON SAMPLE           |                             |

LOGGED FRANK CHAN

DATE 22/01/96

APPROVED C.LUN

DATE 23/01/96

REMARKS  
Hole termination depth at 30.51m.



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH48

CONTRACT

SHEET 2 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-62

E 839929.25  
N 816535.24

DATE from 19/1/96 to 20/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.37 mPD

| Drilling Progress | Casing size     | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend | Grade | Description      |
|-------------------|-----------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|--------|-------|------------------|
| 11                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       | AS SHEET 1 OF 4. |
| 12                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 13                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 14                | PX 13.50m<br>HX |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 15                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 16                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 17                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 18                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 19                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |
| 20                |                 |                                 |                       |                       |        |                |       |         |               |           |        |       |                  |

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 22/01/96

APPROVED C.LUN

DATE 23/01/96

REMARKS



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH48

CONTRACT

SHEET 3 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-62

E 839929.25

DATE from 19/1/96 to 20/1/96

N 816535.24

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.37 mPD

| Drilling Progress | Casing size        | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples                              | Reduced Level           | Depth (m) | Legend | Grade               | Description                                                                                                                                                                                                                                                                                                                                 |
|-------------------|--------------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|--------------------------------------|-------------------------|-----------|--------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 21                |                    |                                 |                       |                       |        |                |       |                                      |                         |           |        |                     | AS SHEET 2 OF 4.                                                                                                                                                                                                                                                                                                                            |
| 22                |                    |                                 |                       |                       |        |                |       |                                      |                         |           |        |                     |                                                                                                                                                                                                                                                                                                                                             |
| 23                |                    |                                 |                       |                       |        |                |       |                                      |                         |           |        |                     |                                                                                                                                                                                                                                                                                                                                             |
| 24                |                    |                                 |                       |                       |        |                |       |                                      |                         |           |        |                     |                                                                                                                                                                                                                                                                                                                                             |
| 25                | HX<br>25.04m<br>NX |                                 | 88                    | 33                    | 0      | NI/NF          |       | T2-101<br>-20.67<br>-21.02<br>-21.07 | 25.04<br>25.39<br>25.44 |           |        | IV/III<br>IV<br>III | Moderately weak to moderately strong, brownish pink spotted black and white, moderately decomposed medium to coarse grained GRANITE with widely to medium spaced and occasionally closely spaced, very narrow to extremely narrow, rough planar, limonite, manganese kaolin and chlorite stained joints, dipping 10°-20°, 30°-40°, 65°-80°. |
| 26                | NX<br>26.02m       |                                 | 100                   | 100                   | 100    |                |       | T2-101<br>T-74                       | 26.02<br>26.86          |           |        |                     | 25.04m-25.39m: weak to moderately weak, brownish pink spotted black and white, highly to moderately decomposed medium to coarse grained GRANITE.                                                                                                                                                                                            |
| 27                |                    |                                 | 100                   | 100                   | 100    | 3.3            |       | T-74                                 | 27.86<br>27.96          |           |        |                     | 25.39m-25.44m: no recovery.                                                                                                                                                                                                                                                                                                                 |
| 28                |                    |                                 | 100                   | 100                   | 82     |                |       | T-74                                 | 28.81                   |           |        |                     |                                                                                                                                                                                                                                                                                                                                             |
| 29                |                    |                                 | 100                   | 100                   | 57     | 9.5            |       | T-74                                 | 29.44                   |           |        |                     |                                                                                                                                                                                                                                                                                                                                             |
| 30                |                    |                                 | 100                   | 100                   | 78     | 14.3<br>4.7    |       | T-74                                 |                         |           |        |                     |                                                                                                                                                                                                                                                                                                                                             |

|                           |                             |
|---------------------------|-----------------------------|
| • SMALL DISTURBED SAMPLE  | ▲ WATER SAMPLE              |
| ▬ LARGE DISTURBED SAMPLE  | ▲ PIEZOMETER TIP            |
| ▬ SPT LINER SAMPLE        | ▬ STANDPIPE                 |
| ▬ U76 UNDISTURBED SAMPLE  | ▬ STANDARD PENETRATION TEST |
| ▬ U100 UNDISTURBED SAMPLE | ▬ PERMEABILITY TEST         |
| ▬ MAZIER SAMPLE (70mm)    | ▬ IN-SITU VANE SHEAR TEST   |
| ▬ PISTON SAMPLE           |                             |

LOGGED FRANK CHAN

DATE 22/01/96

APPROVED C.LUN

DATE 23/01/96

REMARKS



BACHY SOLETANCHE GROUP  
SOIL & FOUNDATIONS SPECIALISTS

# DRILLHOLE RECORD

HOLE NO. DH48

CONTRACT

SHEET 4 of 4

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-62

E 839929.25

DATE from 19/1/96 to 20/1/96

N 816535.24

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.37 mPD

| Drilling Progress | Casing size | Water level (m) Shift start/end | Total core Recovery % | Solid core Recovery % | R.Q.D. | Fracture Index | Tests | Samples | Reduced Level | Depth (m) | Legend         | Grade | Description            |
|-------------------|-------------|---------------------------------|-----------------------|-----------------------|--------|----------------|-------|---------|---------------|-----------|----------------|-------|------------------------|
| 20/01             |             |                                 | 100                   | 100                   | 78     | 4.7            |       | 1-76    | -26.17        | 30.54     | ++<br>++<br>++ | III   | AS SHEET 3 OF 4.       |
| 31                |             |                                 |                       |                       |        |                |       |         |               |           |                |       | End of hole at 30.54m. |
| 32                |             |                                 |                       |                       |        |                |       |         |               |           |                |       |                        |
| 33                |             |                                 |                       |                       |        |                |       |         |               |           |                |       |                        |
| 34                |             |                                 |                       |                       |        |                |       |         |               |           |                |       |                        |
| 35                |             |                                 |                       |                       |        |                |       |         |               |           |                |       |                        |
| 36                |             |                                 |                       |                       |        |                |       |         |               |           |                |       |                        |
| 37                |             |                                 |                       |                       |        |                |       |         |               |           |                |       |                        |
| 38                |             |                                 |                       |                       |        |                |       |         |               |           |                |       |                        |
| 39                |             |                                 |                       |                       |        |                |       |         |               |           |                |       |                        |
| 40                |             |                                 |                       |                       |        |                |       |         |               |           |                |       |                        |

|                         |                           |
|-------------------------|---------------------------|
| SMALL DISTURBED SAMPLE  | WATER SAMPLE              |
| LARGE DISTURBED SAMPLE  | PIEZOMETER TIP            |
| SPT LINER SAMPLE        | STANDPIPE                 |
| U76 UNDISTURBED SAMPLE  | STANDARD PENETRATION TEST |
| U100 UNDISTURBED SAMPLE | PERMEABILITY TEST         |
| MAZIER SAMPLE (70mm)    | IN-SITU VANE SHEAR TEST   |
| PISTON SAMPLE           |                           |

LOGGED FRANK CHAN

DATE 22/01/96

APPROVED C.LUN

DATE 23/01/96

REMARKS