



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. DH57

CONTRACT

SHEET 1 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-49

E 839928.64
N 816511.71

DATE from 22/1/96 to 23/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.45 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
1	SX								4.25	0.20	△ △		Concrete Slab.
2													Wash boring. (No recovery)
3	SX 3.00m PX												
4													
5													
6													
7													
8													
9													
10													

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- ▨ SPT LINER SAMPLE
- ▨ U76 UNDISTURBED SAMPLE
- ▨ U100 UNDISTURBED SAMPLE
- ▨ MAZIER SAMPLE (70mm)
- ▨ PISTON SAMPLE
- △ WATER SAMPLE
- ▲ PIEZOMETER TIP
- △ STANDPIPE
- ⊥ STANDARD PENETRATION TEST
- ⊥ PERMEABILITY TEST
- ∨ IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 24/01/96

APPROVED C.LUN

DATE 25/01/96

REMARKS
Hole termination depth at 23.38m.



BACHY SOLETANCHE GROUP
SOIL & FOUNDATIONS SPECIALISTS

DRILLHOLE RECORD

HOLE NO. DH57

CONTRACT

SHEET 2 of 3

PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY

METHOD ROTARY

CO-ORDINATES

W.O. W-518

MACHINE & No. LY-49

E 839928.64
N 816511.71

DATE from 22/1/96 to 23/1/96

FLUSHING MEDIUM WATER

ORIENTATION Vertical

GROUND-LEVEL 4.45 mPD

Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description
11	PX 10.50m HX												AS SHEET 1 OF 3.
12													
13													
14			46	46	38	4.3		T2-101	-9.05	13.50	+	III	Moderately weak to moderately strong, brownish pink spotted black and white, moderately decomposed medium to coarse grained GRANITE. (CORESTONE) 13.96m-14.50m: no recovery. 14.50m-17.70m: wash boring. (no recovery)
22/01/96						NR			-9.51	13.96	+	IV	
15									-10.05	14.50	+	IV	
16													
17													
18	HX 17.70m		88	70	70	4.0		T2-101	-13.25	17.70	+	IV	Strong, pinkish grey spotted black and white, slightly decomposed medium to coarse grained GRANITE with widely spaced, extremely narrow, rough planar, limonite stained and clean joints, dipping 10°-20°, 80°-85°. 17.70m-17.75m: no recovery.
			100	100	100			T2-101	-13.30	17.75	+	IV/III	
									-13.55	18.00	+	II	
										18.10	+		
19			100	100	100	0.7		T2-101		18.60	+		
23/01/96										19.06	+		
20			100	100	100			T2-101		19.95	+		

- SMALL DISTURBED SAMPLE
- LARGE DISTURBED SAMPLE
- SPT LINER SAMPLE
- U76 UNDISTURBED SAMPLE
- U100 UNDISTURBED SAMPLE
- MAZIER SAMPLE (70mm)
- PISTON SAMPLE
- WATER SAMPLE
- PIEZOMETER TIP
- STANDPIPE
- STANDARD PENETRATION TEST
- PERMEABILITY TEST
- IN-SITU VANE SHEAR TEST

LOGGED FRANK CHAN

DATE 24/01/96

APPROVED C.LUN

DATE 25/01/96

REMARKS

						BACHY SOLETANCHE GROUP SOIL & FOUNDATIONS SPECIALISTS						DRILLHOLE RECORD CONTRACT						HOLE NO. DH57 SHEET 3 of 3					
PROJECT LINCOLN HOUSE DEVELOPMENT, QUARRY BAY																							
METHOD ROTARY										CO-ORDINATES								W.O. W-518					
MACHINE & No. LY-49										E 839928.64 N 816511.71								DATE from 22/1/96 to 23/1/96					
FLUSHING MEDIUM WATER										ORIENTATION Vertical								GROUND-LEVEL 4.45 mPD					
Drilling Progress	Casing size	Water level (m) Shift start/end	Total core Recovery %	Solid core Recovery %	R.Q.D.	Fracture Index	Tests	Samples	Reduced Level	Depth (m)	Legend	Grade	Description										
21			100	100	100	0.7		T2 -I01		20.69	+	II	17.75m-18.00m: weak to moderately weak, brownish pink spotted black and white, highly to moderately decomposed medium to coarse grained GRANITE.										
22			100	100	100		T2 -I01		21.03	+													
23			100	100	100	1.3	T2 -I01		21.67	+													
23			100	100	100		T2 -I01	-18.93	22.58	+													
24										23.38	+		End of hole at 23.38m.										
25																							
26																							
27																							
28																							
29																							
30																							

SMALL DISTURBED SAMPLE ▲ WATER SAMPLE
LARGE DISTURBED SAMPLE ▲ PIEZOMETER TIP
SPT LINER SAMPLE □ STANDPIPE
U76 UNDISTURBED SAMPLE ↓ STANDARD PENETRATION TEST
U100 UNDISTURBED SAMPLE ↓ PERMEABILITY TEST
MAZIER SAMPLE (70mm) √ IN-SITU VANE SHEAR TEST
PISTON SAMPLE

LOGGED FRANK CHAN

DATE 24/01/96

APPROVED C.LUN

DATE 25/01/96

REMARKS