EDD (COM VLAN)

Caderno: DATACOM

Criada em: 15/04/2019 20:26 Atualizado ... 15/04/2019 20:29

Autor: Alexandre de Andrade Gomes

URL: imap://alexandre%40itsbrasil%2Enet@imap.gmail.com:993/fetch%3EUID%3E/INBOX/SU...

no remote-devices enable hostname edd-carlos-aureliano-de-oliveira

clock timezone BRA-3 -3 interface vlan 1 name NAO_USAR exit

interface vlan 3500 name BRIDGE

interface vlan 4094 name VLAN-DEFAULT set-member untagged ethernet range 1/2 1/4 set-member untagged ethernet range 1/6 1/8

interface port-channel 1 description PO1-ITS set-member ethernet 1/1 load-balance src-dst-ip no spanning-tree 1 switchport native vlan 3500

interface port-channel 2 description PO2-CARLOS-AURELIANO-DE-OLIVEIRA set-member ethernet 1/5 load-balance src-dst-ip no spanning-tree 1 switchport native vlan 3500 interface vlan 3500 set-member untagged port-channel 1 set-member untagged port-channel 2 exit

interface vlan 4002 name GERENCIA-EDD-CARLOS-AURELIANO-DE-OLIVEIRA ip address <u>187.44.182.222/30</u> set-member tagged port-channel 1

exit ip default-gateway 187.44.182.221 LEMBRAR DE ALTERAR AS INFORMAÇÕES DA VLAN. (MESMA IMAGEM DA NOTA "EDD MIKROTIK (SEM VLAN)"). no remote-devices enable
hostname edd-manoel-fernandes-cab oip default-gateway 187.44.215.221

ip telnet server no ip http server no ip http secure-server no ip ssh server ip snmp-server ip snmp-server contact redes@itsbrasil.net ip snmp-server location EDD-CARLOS-AURELIANO-DE-**OLIVEIRA** ip snmp-server community routerinfo ro no ip snmp-server community public management http-client <u>187.44.146.0/23</u> management http-client 189.89.145.254/32 management http-client 189.89.151.246/32 management http-client 192.168.0.0/24 management snmp-client <u>187.44.146.0/23</u> management snmp-client 189.89.131.0/24 management snmp-client 192.168.0.0/24 management snmp-client <u>187.44.185.2/32</u> management ssh-client <u>187.44.146.0/23</u> management ssh-client 189.89.145.254/32 management ssh-client 189.89.151.246/32 management ssh-client 192.168.0.0/24 management telnet-client 187.44.146.0/23 management telnet-client <u>187.44.170.244/30</u> management telnet-client 187.44.185.2/32 management telnet-client 189.89.131.26/32 management telnet-client <u>189.89.145.254/32</u> management telnet-client 189.89.151.246/32 management telnet-client 192.168.0.0/24 management telnet-client <u>187.44.184.244/30</u> management telnet-client 189.89.128.0/23 logging host 189.89.131.100 authentication login local tacacs tacacs-server authe-type ascii tacacs-server host 1 address 189.89.131.37 tacacs-server host 1 key its2008cisco tacacs-server host 1 authentication tacacs-server host 1 authorization tacacs-server host 1 accounting tacacs-server host 1 authe-port 49 tacacs-server host 1 autho-port 49 tacacs-server host 1 acct-port 49 tacacs-server host 2 address 189.89.151.250 tacacs-server host 2 key its2008cisco tacacs-server host 2 authentication tacacs-server host 2 authorization tacacs-server host 2 accounting tacacs-server host 2 authe-port 49

interface vlan 1 no set-member exit

tacacs-server host 2 autho-port 49 tacacs-server host 2 acct-port 49

ip ssh host-key generate	
ip ssh server	
exit exit	
username admin access-level 15 username admin password 7 b80bb7deea814cc01c2fa82bc21f4eab6a8f658f username addmin access-level 0 username addmin password 7 b80bb7deea814cc01c2fa82bc21f4eab6a8f658f no username guest	