manual is loading...

quell

a dynamic resonance suppressor

vst3 · vst · au · standalone · macos



version 1.0 · 2026

what it does

start here

quell listens for **resonances**: narrow peaks in the spectrum that ring out, poke through or sound harsh. it pushes them down **only while they are there**, and only by as much as they stick out. when the peak goes away, so does the cut. you get a smoother, less tiring sound without having to set up dozens of eq bands that would be wrong half the time.


think of it as hundreds of tiny compressors, one for each sliver of the spectrum, each watching its own neighbourhood. the orange blocks in the window show what is being taken away, right now.

> ▶ the quickest start: put quell on a vocal or a bright instrument, leave everything at default, and raise **depth** until the harsh moments calm down. then switch on **delta** to hear only what is removed: it should sound like the harshness and nothing else.

installing


format	where it goes
vst3	~/Library/Audio/Plug-Ins/VST3/Quell.vst3
vst (2)	~/Library/Audio/Plug-Ins/VST/Quell.vst
audio unit	~/Library/Audio/Plug-Ins/Components/Quell.component
standalone app	~/Applications/Quell.app — plays your audio input through quell

quell runs on mono and stereo tracks and has an optional stereo **sidechain** input. it builds for apple silicon and intel macs.



the window with three bands. the grids on top hold presets, your stored configurations, band shapes and remove buttons. the white play area is the graph. underneath: the main controls, the band rings and the selected band.

every control explains itself: **hover** over anything and its description appears in the blue status pill under the grids. click **help** (bottom left, under the name) for the guided tour layer below. the background turns blue while it is on, just like the help screen of the old software this look is borrowed from. click **end help** to go back.



help mode: grey labels point at every area.


handling the controls

what it looks like	how to use it
grey bars with orange checks	drag left / right (or up / down). **shift** = fine. **alt-click** = back to default. **double-click** = type a value. the mouse wheel works too.
black-to-white strips with a red triangle	the same, in the side panel. the triangle shows the value.
timeline bars (mix, out)	drag the gradient tab.
orange checker blocks	switches and choices. lit (checkered) = on / chosen; grey = off.
squares with a dot	bypass (black dot), delta (red dot), band on.
gradient squares with triangles	quality, linear phase, low latency, window size. a solid black square means chosen.
grids of coloured squares	each bright cell does something (load a preset, store, pick a shape, remove a band). pale cells are empty.

soft / hard — the gold bar

click the gold bar to switch between the two ways quell finds resonances.

soft (adaptive)	compares each sliver of the spectrum to its surroundings. only what sticks out *relative to its neighbours* is reduced, so it does the same thing whether the input is loud or quiet. low distortion, keeps transients. the right choice for vocals, acoustic instruments, anything with a wide dynamic range.
hard (level)	also looks at how *loud* a peak is in absolute terms: louder input means more reduction, and depth sets the threshold. firmer, more like a compressor; good after gain staging. push depth high for obvious, creative effects.




soft, loud input **soft, input 12 db quieter** **hard, loud input** **hard, input 12 db quieter**

reduction across the spectrum for noise with tones at 440 hz, 1,25 khz, 3 khz and 5,1 khz (depth 8). soft: the curves for loud and quiet input are the same. hard: the quieter input gets less reduction.

depth, detail, attack, release

depth

how much is taken away. at low values quell only smooths; higher values cut deeper. the number is not in db: the actual cut depends on how far each resonance sticks out and on the depth curve. read the real amount off the graph. the range goes past what you usually need (0 to 20) so that the depth curve has room to boost.




depth 14 **depth 8** **depth 3**

the same signal at depth 3, 8 and 14.

detail

the width of the cuts. **low detail** makes broad, gentle dips that catch wide build-ups (a boxy room, a muddy low-mid). **high detail** makes narrow, deep notches for sharp ringing (cymbals, feedback-like tones, drum overheads). in soft mode very high detail also slows the detection slightly so that steep notches stay clean.




detail 1 **detail 5** **detail 9**

detail 1, 5 and 9 at depth 8: low detail spreads each cut out, high detail keeps it on the peak.


attack and release

attack: how quickly a cut appears when a resonance starts. higher = slower, which lets more of the initial transient through and keeps the sound forward. lower = faster, which tucks the source back. **release**: how quickly the cut goes away again. fast release follows the material closely but can sound breathy; slow release is steadier. both are frequency-dependent: high frequencies react faster than low ones, and the tilt controls in the side panel change that balance.



attack 1 **attack 5** **attack 9**

reduction at 3 khz when a tone starts at 0,3 s and stops at 1,0 s (release 5). the higher the attack, the slower the cut arrives.



release 1 **release 5** **release 9**

the same, attack 2, with release 1, 5 and 9: how long the cut hangs on after the tone stops.

the graph


the white play area

the graph runs from 20 hz on the left to 20 khz on the right.

you see	it means
orange blocks	what is being removed now, hanging down from the black line at the top. the scale on the left is in db (scroll on empty space to change the range from 6 to 48 db). in stereo, yellow blocks just behind are the second channel (r or s).
grey steps	the input spectrum, faintly, to help you find your way.
red dots	the **depth curve**: where quell works harder (above the dashed middle line, toward "more") or softer (below it, toward "less"). with no bands it is flat: everything is treated the same.
grey dots	the depth curve of the second channel, shown when band focus makes the two channels differ.
grey area	max cut: the reduction will not go below this line.
pink area	the region of the band you are listening to.

bands

up to **eight bands** shape the depth curve. boosting a band means "suppress more here"; cutting means "leave this alone more". cuts (low cut, high cut, band reject) stop processing outside or inside their range; band passes process *only* their regions, and several band passes work side by side.



the eight shapes at 1 khz (shelves, bell, band pass and tilt with +9 db). red dots = depth curve, dashed line = neutral.

do this	to
double-click empty space	adds a bell there (near 20 hz a low cut, near 20 khz a high cut, with **cmd** a band pass). if you picked a shape in the shape grid first, you get that shape.
right-click empty space	choose the shape from a menu, then it is added where you clicked.
drag a node	frequency left / right, depth up / down. **shift** = fine, **cmd** = q or slope, **alt** = listen while dragging.
scroll on a node	q or slope. **cmd**-scroll: the band's stereo focus.
double-click a node	switch the band on / off. a switched-off band (hollow node) no longer changes the curve, but its area is still processed.
click / shift-click / drag a box	select one, add to the selection, select everything in the box. dragged together, selected nodes move together.
right-click a node	shape, on, listen, reset focus, remove.
delete or backspace	removes the selected bands.

the band rings and the band rail


the eight rings under the graph are the band slots: a coloured tab means the slot is in use, the orange ring is the selected band, a white centre means it is on. click a ring to select its band, double-click to switch it on / off. the orange checker block on the left shows the selected band's shape (click for a menu); next to the rings are **on** and **listen**. listen plays only what this band's region removes (its delta). the rail below holds the band's **freq** (type *6k3*, *6.3k* or *6300*), **depth**, **q** or **slope** and **focus**.

side panel

stereo, tilt, scale

l/r or **m/s**	process left and right, or mid and side. every stereo control below follows this choice.
link	0%: each channel is analysed and processed alone (dual mono). 100%: both are analysed together and get the same cuts. in between: partly linked. for hard-panned material try l/r with low link; for full mixes, m/s with link at 100%. lowering link in m/s mode can narrow the stereo image.

focus	shifts the work toward l / m (left) or r / s (right).
detail low / high	scales detail below ~500 hz and above ~2 khz.
attack low / high	scales attack in those two regions. e.g. raise attack low to let kick and bass transients through.
release low / high	scales release in those two regions.
max cut	the most quell will ever take away (grey area on the graph). lets you push depth hard without notches getting too deep. "off" at 40 db.
wet trim	level of the processed signal before mix, so that mix percentages stay honest.



low tilt reach **high tilt reach**

how far the tilt controls reach: low tilt is strongest below ~300 hz and fades out by ~1 khz; high tilt starts around 1 khz and is full above ~4 khz.

footer and corners

control	what it does
bypass (square with black dot, right rail)	compare with the original. quell keeps running in the background, so switching is instant (and costs the same cpu).
delta (square with red dot)	hear only what is being removed. useful for setting up; can also be left on as an effect.
mix	wet / dry. 100% = only processed. the graph shows the reduction with mix applied.
out	output level, after mix.
normal / high / ultra	time resolution: how often quell re-analyses (every 256 / 128 / 64 samples at 48 khz). higher reacts more precisely to fast material and uses more cpu.
linear	linear-phase filtering instead of minimum phase. no phase shift, so parallel mixing and unlinked m/s stay clean; costs 50% more latency.
0 lat.	low-latency mode: zero latency, minimum phase, no lookahead, so cuts arrive a little later. use it while tracking or playing live.

size	cycles the window through s, m, l and xl. you can also drag the bottom-right corner.
crescent + number	the current latency in samples, reported to your host.
lilac bars on the left	how much is being removed right now (largest cut, per channel, 0 to 24 db).

latency

mode	44,1 / 48 khz	88,2 / 96 khz	176,4 / 192 khz
minimum phase (default)	2048	4096	8192
linear phase	3072	6144	12288
low latency (0 lat.)	0	0	0

the host compensates for this automatically. offline bounces use ultra quality automatically (switch this off in **settings**).

top row


presets


my presets


shapes


remove

presets (squares)	the factory presets. bright cells are presets; hover to read the name, click to load. the loaded one has a black frame.
my presets (slashes)	your stored configurations. the last bright cell is "... and store configurations here": click it, give a name. files live in ~/Library/Application Support/Quell/Presets (settings → show preset folder).
shapes (diamonds)	the eight band shapes. with bands selected, click a shape to change them. with nothing selected, it picks the shape for the next band you add.
remove (crosses)	one cell per band slot; bright = in use. click to remove that band.
status pill	shows what the control under the mouse does, or which preset is loaded.
undo / redo	also cmd-z and shift-cmd-z. a and b keep separate histories.
a / b / a > b	two complete settings to compare. a > b copies the one you are on to the other.
sc and **listen**	sc: the cuts follow the sidechain input instead of the track (route a signal to quell's sidechain in your host). listen: hear the sidechain. "(no input)" means nothing is routed to it.
settings	render on ultra when bouncing, frequency readout near the cursor, window size, reset to default, show preset folder.

starting points

the factory presets


preset	what it is for
default	neutral: depth 5, detail 5, attack 4, release 5.
gentle smoothing	low depth and slower times. a light polish for anything.
vocal harshness	low cut at 900 hz, a bell boost around 3,5 khz, a little less above 9 khz: aims at the harsh upper mids of a voice.
de-ess	a band pass around 7 khz, fast attack and release. only the sibilance region is processed.
boxy low mids	processing only between 120 hz and 1,2 khz, broad (low detail) and slow.
drum overheads	high detail for ringing cymbals and shells, m/s, low cut at 400 hz.
acoustic guitar	moderate, with extra attention around 2,5 khz.
bus glue	low depth, 70% mix, m/s. evens out a group or a mix.
sound design (hard)	hard mode with very high depth and detail: strips the tonal parts and leaves noise and grit.
sidechain ducking	hard mode keyed by the sidechain: the track makes room for the sidechain signal where they overlap in frequency.

tips

- **listen to delta first.** if delta sounds like the instrument itself rather than its harsh parts, depth is too high or detail too low.
- **shape before depth.** use a low cut to keep quell away from the body of a sound, then boost the depth curve where the trouble is.
- **m/s on mixes.** cuts on the mid and the side are independent with link below 100%, which can tame harsh reverb tails without touching the centre.
- **sidechain for space.** put quell on a pad with the vocal on the sidechain in hard mode: the pad gives way only at the vocal's own frequencies.

how it works

for the curious



the signal path, every analysis step (64 to 256 samples).

quell takes the last 2048 samples (at 44,1 / 48 khz), weights them with a hann window and measures them with a zero-padded 4096-point fft. for each frequency it computes the level in db, blends it with the other channel as far as **link** asks, and smooths it across neighbouring frequencies on a log scale to get the local envelope (detail sets the width). the **excess** above that envelope is a resonance. soft turns the excess into reduction with a soft knee and depth as the slope; hard compares the level with a threshold that falls as depth rises, weighted by how peaked the spot is.

the reduction is smoothed across frequency (detail again), then in time with separate attack and release per frequency, multiplied by the depth curve, limited by max cut and turned into a gain curve with mix and wet trim folded in. from that curve quell builds a filter: **minimum phase** (from the cepstrum) or **linear phase**, with its impulse response trimmed so that overlapping frames add up to an exact convolution. at depth 0 the output is a bit-exact delayed copy of the input. in **low latency** mode the same minimum-phase filter is shortened to 256 taps and run directly on the signal, so nothing waits.

specifications

channels	mono or stereo, plus mono or stereo sidechain
sample rates	any; analysis size 2048 / 4096 / 8192 up to 50 / 100 / 192 khz
bands	8 (low cut, low shelf, high shelf, high cut, bell, band pass, band reject, tilt)
cpu (m2 max, 48 khz stereo)	about 4% of a core in normal, 8 to 10% in high, 16 to 24% in ultra
formats	vst3, vst 2, audio unit, standalone; universal (apple silicon + intel)