

Apify Job Scraper Setup

LinkedIn + Naukri + NaukriGulf | Quick practical guide

Yes - Apify can collect job listings from Naukri. The Apify Store currently contains multiple community Actors for Naukri.com (India) and separate NaukriGulf Actors for UAE/GCC listings. Actor availability, pricing and input fields can change, so always review the Actor page before using it.

1. What you are building

Job source	Apify Actor	Dataset	Output
LinkedIn / Naukri / NaukriGulf	Runs the search and extraction	Structured rows: title, company, URL, date, skills	Excel / CSV / Python / n8n / Make

2. Before you start

1	Create an Apify account and open the Apify Store.
2	Decide your target source: LinkedIn, Naukri.com (India), or NaukriGulf (UAE/GCC).
3	Start with 10-20 jobs while testing; increase only after the output looks correct.
4	Do not share your Apify API token. Prefer Authorization: Bearer when using the API.

Source choice

For UAE/GCC jobs, use a NaukriGulf Actor rather than an India-focused Naukri.com Actor. NaukriGulf Actors commonly accept a role such as **DevOps Engineer** plus a location such as **Dubai, UAE, Riyadh** or **Qatar**.

LinkedIn: manual setup in Apify

This is the easiest way to validate the workflow before writing code.

1 Open a LinkedIn Jobs Actor

In Apify Store, search for **LinkedIn Jobs Scraper**. Pick a maintained Actor whose Input tab supports the filters you need. Example currently available: [dtrungtin/linkedin-jobs-scraper](#).

2 Enter the search criteria

Use keywords such as **DevOps Engineer**, **Cloud Engineer**, **AWS Engineer**, **Platform Engineer** or **SRE**. Set location, posting age and maximum jobs. Some Actors also accept a LinkedIn job-search URL.

3 Start with a small run

Set Maximum jobs to about **20**, then click **Start**. A successful run should produce one dataset row per job.

4 Inspect the Output / Dataset

Verify that the dataset includes the fields you care about: title, company, location, job URL, description, posting date, employment type, experience level and workplace type.

5 Export

Use **Export** to download CSV/Excel/JSON, or copy the Actor API example from the Actor page for automation.

Example LinkedIn input

```
{
  "keywords": ["DevOps Engineer", "Cloud Engineer", "AWS Engineer"],
  "location": "United Arab Emirates",
  "datePosted": "past24Hours",
  "maxJobs": 20
}
```

Important

Actor schemas are not standardized. If your chosen Actor uses **query**, **maxItems**, **timePostedRange** or other field names, follow the Input tab shown on that Actor page instead of copying this JSON literally.

LinkedIn terms

LinkedIn states that third-party scraping and automation tools are not permitted under its User Agreement. Treat Apify Store Actors as third-party tools, not as LinkedIn-authorized integrations. Avoid supplying personal LinkedIn credentials/cookies, bypassing access controls, or scraping member profile data without a lawful basis and authorization.

Naukri and NaukriGulf: setup

Apify Store currently has several community Actors for both platforms. For job hunting, choose an Actor that returns public job listing fields and supports your target geography.

Platform	Best fit	Example Actor available now
Naukri.com	India-focused job searches	scraper-engine/naukri-jobs-scraper
NaukriGulf	UAE, Saudi Arabia, Qatar and wider GCC	automation-lab/naukrigulf-jobs-scraper

1 Open the Actor

Search Apify Store for **Naukri Jobs Scraper** or **NaukriGulf Jobs Scraper**. Prefer an Actor updated recently and read its pricing and Input documentation.

2 Enter keyword and location

For Naukri.com, examples include **python developer** + **Bangalore**. For NaukriGulf, examples include **DevOps Engineer** + **Dubai** or **UAE**.

3 Set a low maximum first

Use 20-50 jobs for the first run. Enable full job details only if you need descriptions, skills, salary or education fields.

4 Run and verify the dataset

Check that each row has a stable job ID or URL, title, company, location, posting date and description/skills where available. Salary fields may be blank when the employer does not publish them.

5 Export or automate

Download CSV/Excel/JSON or call the Actor through the Apify API. De-duplicate by job ID or canonical job URL in your downstream workflow.

Example NaukriGulf input

```
{
  "queries": ["DevOps Engineer", "Cloud Engineer"],
  "location": "Dubai",
  "maxItems": 20,
  "includeDetails": true
}
```

The NaukriGulf example above matches a currently available Actor, but other Actors use different field names such as **keyword**, **searchQuery**, **location**, **maximumJobs** or **results_wanted**. Always follow the selected Actor schema.

Automate the daily job search

Once a manual run works, save the configuration as an Actor task or call the Actor from Python/n8n/Make. Apify also supports schedules.

Option A - no code

1	Run and test the Actor once.
2	Save the working input as a Task if the Actor offers that workflow.
3	Open Apify Console > Schedules > Create new.
4	Choose the Actor/Task and set a daily schedule.
5	Export the latest dataset or send it into your integration workflow.

Option B - Python API pattern

```
from apify_client import ApifyClient

client = ApifyClient("YOUR_APIFY_TOKEN")

run = client.actor("OWNER/ACTOR_NAME").call(run_input=run_input)
items = client.dataset(run["defaultDatasetId"]).list_items().items

for job in items:
    print(job.get("title"), job.get("company"), job.get("url"))
```

Recommended processing after scraping

1. De-duplicate job ID or canonical URL	2. Filter role, location, date, experience	3. Score match CV skills to description	4. Export Excel/Sheets with direct apply link
---	---	--	--

Practical safety and reliability checklist

- ☐ Collect only the job fields you actually need.
- ☐ Do not bypass authentication, CAPTCHAs, access controls or site limits.
- ☐ Review the current terms of the target site and the selected Actor before production use.
- ☐ Keep API tokens in environment variables/secrets - not inside source code repositories.
- ☐ Set result/cost limits and test with small batches.
- ☐ Expect third-party Actors to change or stop working; build your workflow so Actors can be swapped.

Sources checked - 29 September 2026

[Apify: Run Actors](#) - How Actors are configured, started and exported.

[Apify API v2](#) - Run Actor endpoint, datasets and token authentication.

[Apify Schedules](#) - Scheduling Actors/Tasks using Console or API.

[LinkedIn Jobs Scraper example](#) - Current community Actor example and input fields.

[Naukri Jobs Scraper example](#) - Current Naukri.com community Actor example.

[NaukriGulf Jobs Scraper example](#) - Current Gulf-focused community Actor example.

[LinkedIn prohibited software](#) - LinkedIn policy on third-party scraping and automation tools.

[LinkedIn User Agreement](#) - Current terms governing automated scraping and access.

Next build: a practical job-finder can run both LinkedIn and NaukriGulf sources, de-duplicate results, compare each posting with your CV, assign a match score, and export the ranked jobs to Excel.