TOAD FOR ORACLE FUNDAMENTAL

LABS 1


Team Coding
1. Click the Team Coding menu.
2. Click the Administer list item.
3. Click the OK button.
4. Click the Install Team Coding Server Side Objects drop-down list.
5. Click the Install Team Coding list item.
6. Click the Administrator Role: drop-down list.
7. Click the TC_ADMIN_ROLE list item.
8. Click the Tables: drop-down list.
9. Click the USERS list item.
10. Click the Indexes: drop-down list.
11. Click the USERS list item.
12. Click the Next button.
13. Click the Yes button.
14. Type "toad" in the Password: text box.

LABS 1


File Edit Search Editor Session Database Debug View Utilities Rerun Window Help
Automation Designer
Compare Files
Copy User Settings...
External Tools
FTP
Script Manager
Service Manager
Task Scheduler
Team Coding
TNSNames Editor...
Unix Job Scheduler
Wrap Utility
Team Coding
1. Click the Team Coding menu.
2. Click the Administer list item.
3. Click the OK button.
4. Click the Install Team Coding Server Side Objects drop-down list.
5. Click the Install Team Coding list item.
6. Click the Administrator Role: drop-down list.
7. Click the TC_ADMIN_ROLE list item.
8. Click the Tables: drop-down list.
9. Click the USERS list item.
10. Click the Indexes: drop-down list.
11. Click the USERS list item.
12. Click the Next button.
13. Click the Yes button.
14. Type "toad" in the Password: text box.

LABS 1


File Edit Search Editor Session Database Debug View Utilities Rerun Window Help
Automation Designer
Compare Files
Copy User Settings...
External Tools
FTP
Script Manager
Service Manager
Task Scheduler
Team Coding
TNSNames Editor...
Unix Job Scheduler
Wrap Utility
Team Coding
1. Click the Team Coding menu.
2. Click the Administer list item.
3. Click the OK button.
4. Click the Install Team Coding Server Side Objects drop-down list.
5. Click the Install Team Coding list item.
6. Click the Administrator Role: drop-down list.
7. Click the TC_ADMIN_ROLE list item.
8. Click the Tables: drop-down list.
9. Click the USERS list item.
10. Click the Indexes: drop-down list.
11. Click the USERS list item.
12. Click the Next button.
13. Click the Yes button.
14. Type "toad" in the Password: text box.

LABS 1


File Edit Search Editor Session Database Debug View Utilities Rerun Window Help
Automation Designer
Compare Files
Copy User Settings...
External Tools
FTP
Script Manager
Service Manager
Task Scheduler
Team Coding
TNSNames Editor
Unix Job Scheduler
Wrap Utility
Click the Team Coding menu
Navigator
Messages
Data Grid
Trace
DBMS Output (disabled)
Query Viewer
Errors
Output
General
Autocommit is OFF

LAB 2

Database Connections



Database Connections



Database Connections



Database Connections

Toad for Oracle - [QUEST_PROD@ORCL - Editor (New 1)]

File Edit Search Editor Session Database Debug View Utilities Rerun Window Help

<No Workspace selected>

Search Toad World

QUEST_PROD@ORCL

Editor

Project Manager

New 1

Navigator

Data Grid

Messages | Data Grid | Trace | DBMS

Toad for Oracle Database Login

Drag a column header here to group by that column

User	Database
QUEST_PROD	ORCL

User / Schema: TOAD

Password: ••••

TNS | Direct | LDAP

Database: ORCL

Connect as: Normal

Color: None

Installed Clients

Connect Using: OraDb11g_home1

Make this the TOAD default home

SQLNET Editor

TNSNames Editor

LDAP Editor

Save passwords

Show favorites only

Show selected home only

Connect

Close

Oracle Home: OraDb11g_home1 (version: 11.2.0.3)

QUEST_PROD

Object Palette

1: 1

QUEST_PROD@ORCL

AutoCommit is OFF

CAPS NUM INS

Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Database Connections

Toad for Oracle - [QUEST_PROD@ORCL - Editor (New 1)]

File Edit Search Editor Session Database Debug View Utilities Rerun Window Help

Add service

Net Service Name: Net_Service_Name.Untitled

Description 1

Address configuration

Address 1

Protocol: TCP/IP

Host name:

Port number: 1521

Advanced... Clone Add... Delete

Service information

Service name:

Connection type:

Use Oracle 8 and previous identification (SID)

Advanced...

Original Text:

Formatted Text:

```
Net_Service_Name.Untitled=
  (DESCRIPTION=
    (ADDRESS=
      (PROTOCOL=TCP)
      (HOST=)
      (PORT=1521)
    )
    (CONNECT_DATA=
    )
  )
```

Add... Delete OK Cancel

Oracle Home: OraDb11g_home1 (version: 11.2.0.3)

Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Database Connections



Lab 3 Automation Designer

Lab 3 Automation Designer



Lab 3 Automation Designer



Lab 3 Automation Designer



Lab 3 Automation Designer



Lab 3 Automation Designer



Lab 3 Automation Designer



Lab 3 Automation Designer



Lab 3 Automation Designer

Lab 3 Automation Designer

Lab 3 Automation Designer

Lab 4 Script Manager

Lab 4 Script Manager

Lab 4 Script Manager

Lab 4 Script Manager

Lab 4 Script Manager

Lab 4 Script Manager

Lab 4 Script Manager

Lab 4 Script Manager

Lab 4 Script Manager

Lab 4 Script Manager

Lab 4 Script Manager