

⋮ ⋮ ⋮



Tableau

Tableau Server on Windows Help

1. [Tableau Help](#)
2. [Tableau Server on Windows Help](#)
3. ...
4. [tabcmd](#)
5. [Install Switches and Properties for tabcmd \(Windows\)](#)

⋮ ⋮

[Contents]

- [Get Started with Tableau Server](#)
 - [What's New and Changed in Tableau Server](#)
 - [Plan](#)
 - [Comparing Functionality of tabadmin and TSM](#)
 - [Server Administrator Overview](#)
 - [Tableau Services Manager Overview](#)
 - [Infrastructure Planning](#)
 - [Before you install...](#)
 - [Disk Requirements](#)
 - [Recommended Baseline Configurations](#)
 - [Run As Service Account](#)
 - [Data Access with the Run As Service Account](#)
 - [Configure Data Source Connection Settings](#)
 - [Change the Run As Service Account](#)
 - [Troubleshoot Run As Service Account](#)
 - [Required Run As Service Account Settings](#)
 - [Verify Folder Permissions](#)
 - [Verify Registry Permissions](#)
 - [Verify the Local Security Policy](#)
 - [Verify Tableau Service Settings](#)
 - [Revoke Run As Service Account Permissions](#)
- [Identity Store](#)
- [User Management in Deployments with External Identity Stores](#)
- [Domain Trust Requirements](#)
- [Communicating with the Internet](#)
- [Configuring Proxies for Tableau Server](#)
- [Deploy](#)
 - [Install and Configure Tableau Server](#)
 - [Before you install...](#)
 - [Minimum Hardware Requirements and Recommendations](#)
 - [Install TSM](#)
 - [Activate Tableau](#)
 - [Offline Activation When Installing Tableau Server](#)
 - [Deactivate Tableau Offline](#)

- [Configure Product Key Operations with Forward Proxy.](#)
 - [Configure Initial Node Settings](#)
 - [Configuration File Example](#)
 - [Server Usage Data](#)
 - [Add an Administrator Account](#)
 - [Initial Node Installation Defaults](#)
 - [Jump-start Installation](#)
 - [Install Switches and Properties for Tableau Server](#)
- [Automated Installation](#)
 - [Install Tableau Server in a Disconnected \(Air-Gapped\) Environment](#)
 - [Install Tableau Server in the Cloud](#)
 - [Install Tableau Server on Amazon Web Services](#)
 - [Tableau Server on AWS deployment options](#)
 - [What you need before you begin](#)
 - [Best Practices](#)
 - [Tableau Server on AWS Topology](#)
 - [Selecting an AWS Instance Type and Size](#)
 - [Self-deploy a single Tableau Server on AWS](#)
 - [Self-deploy Tableau Server on AWS in a distributed environment](#)
 - [Securing Tableau Server on AWS](#)
 - [Optimizing Performance](#)
 - [Scaling Tableau Server on AWS](#)
 - [Troubleshooting Tableau Server on AWS](#)
 - [Install Tableau Server on the Google Cloud Platform](#)
 - [Tableau Server on the Google Cloud Platform deployment options](#)
 - [What You Need Before You Begin](#)
 - [Best Practices for Installing Tableau Server on the Google Cloud Platform](#)
 - [Tableau Server on the Google Cloud Platform Topology](#)
 - [Selecting a Google Compute Engine Virtual Machine Type and Size](#)
 - [Self-Deploy a Single Tableau Server on the Google Cloud Platform](#)
 - [Self-Deploy Tableau Server on the Google Cloud Platform in a Distributed Environment](#)
 - [Troubleshooting Tableau Server on the Google Cloud Platform](#)
 - [Install Tableau Server on Microsoft Azure](#)
 - [Tableau Server on Microsoft Azure deployment options](#)
 - [What You Need Before You Begin](#)
 - [Best Practices for Installing Tableau Server on Microsoft Azure](#)
 - [Tableau Server on Microsoft Azure Topology](#)
 - [Selecting a Microsoft Azure Virtual Machine Type and Size](#)
 - [Self-Deploy a Single Tableau Server on Microsoft Azure](#)
 - [Self-Deploy Tableau Server on Microsoft Azure in a Distributed Environment](#)
 - [Troubleshooting Tableau Server on Microsoft Azure](#)
 - [Install Tableau Server in the Alibaba Cloud](#)
 - [Tableau Server on the Alibaba Cloud deployment options](#)
 - [What You Need Before You Begin](#)
 - [Best Practices for Installing Tableau Server in the Alibaba Cloud](#)

- [Tableau Server on the Alibaba Cloud Topology](#)
 - [Selecting an Alibaba ECS Instance Type and Size](#)
 - [Self-Deploy a Single Tableau Server on the Alibaba Cloud](#)
 - [Self-Deploy Tableau Server on the Alibaba Cloud in a Distributed Environment](#)
 - [Troubleshooting Tableau Server on the Alibaba Cloud](#)
- [{"menu-tree_list_icon .icon--sm .icon--chevron-right"}] [Post Installation Tasks](#)
 - [Security Hardening Checklist](#)
 - [Configure SMTP Setup](#)
 - [Configure Server Event Notification](#)
 - [Configure Data Cache](#)
 - [Database Drivers](#)
 - [Tableau Server Pre-Flight Check](#)
 - [{"menu-tree_list_icon .icon--sm .icon--chevron-right"}] [Server Crash Reporter](#)
 - [Configure Server Crash Reporter](#)
 - [Navigate the Admin Areas of the Web UI](#)
 - [Move Tableau Server to Another Drive](#)
- [{"menu-tree_list_icon .icon--sm .icon--chevron-right"}] [Distributed and Highly Available Installations](#)
 - [Distributed Requirements](#)
 - [Distributed Installation Recommendations](#)
 - [Install and Configure Additional Nodes](#)
 - [Database Drivers](#)
 - [Example: Install and Configure a Three-Node HA Cluster](#)
 - [Add a Load Balancer](#)
 - [Deploy Coordination Service Ensemble](#)
 - [Configure Client File Service](#)
 - [Repository Failover](#)
 - [Recover from an Initial Node Failure](#)
 - [Recover from a Node Failure](#)
 - [Configure Nodes](#)
 - [Workload Management through Node Roles](#)
 - [Install Server on a Two-Node Cluster](#)
 - [{"menu-tree_list_icon .icon--sm .icon--chevron-right"}] [Maintain a Distributed Environment](#)
 - [Move the Repository Process](#)
 - [Move the File Store Process](#)
 - [Move the Messaging Service Process](#)
 - [Remove a Node](#)
 - [Configure Coordination Service-Only Nodes](#)
 - [Add a Load Balancer](#)
- [{"menu-tree_list_icon .icon--sm .icon--chevron-right"}] [Migrate](#)
 - [Changing the Identity Store](#)
 - [Migrate to New Hardware](#)
 - [Migrate Tableau Server from an On-Premises Computer to a VM in the Cloud](#)
- [{"menu-tree_list_icon .icon--sm .icon--chevron-right"}] [Upgrade](#)
 - [{"menu-tree_list_icon .icon--sm .icon--chevron-right"}] [Preparing for Upgrade](#)
 - [Server Upgrade - Minimum Hardware Recommendations](#)
 - [Server Upgrade - Review What's Changed](#)
 - [Server Upgrade - Gather Configuration Details](#)
 - [Server Upgrade - Verify Licensing Status](#)

- [Server Upgrade - Verify Accounts](#)
 - [Server Upgrade - Back Up Tableau Server](#)
 - [Server Upgrade - Download Setup](#)
 - [How Tableau Server Upgrade Works](#)
 - [What's Changed - Things to Know Before You Upgrade](#)
- [Upgrading from 2018.2 and Later \(Windows\)](#)
 - [Server Upgrade - Disable Scheduled Tasks](#)
 - [Single-Server Upgrade -- Run Setup](#)
 - [Multi-node Upgrade -- Run Setup](#)
 - [Multi-node Upgrade -- Run Setup on Each Node](#)
 - [Multi-node Upgrade -- Run Upgrade Script](#)
 - [Verify Tableau Server Upgrade](#)
 - [Post Upgrade Cleanup](#)
 - [Perform the Upgrade from 2018.1 or Earlier \(Windows\)](#)
 - [Prepare for the Upgrade - Pre-tsm \(Windows\)](#)
 - [Upgrade from Tableau Server 2018.1.x or Earlier \(Windows\)](#)
 - [Upgrade from Tableau Server 2018.1.x or Earlier in a Non-Default Location \(Windows\)](#)
 - [Test the Upgrade](#)
 - [Test Workbook Performance](#)
 - [Troubleshoot Install and Upgrade](#)
- [Uninstall Tableau Server](#)
 - [Remove Tableau Server](#)
 - [Help Output for tableau-server-obliterate Script](#)
- [Manage Sites](#)
 - [What is a Site?](#)
 - [Planning a Site](#)
 - [Manage Users and Groups](#)
 - [Add Users to a Site](#)
 - [Set Users' Site Roles](#)
 - [View, Manage, or Remove Users](#)
 - [Set the User Authentication Type](#)
 - [Import Users](#)
 - [CSV Import File Guidelines](#)
 - [Manage User Visibility](#)
 - [Enable Guest Access](#)
 - [Work with Groups](#)
 - [Add Users to a Group](#)
 - [Create a Local Group](#)
 - [Create Groups via Active Directory](#)
 - [Synchronize Active Directory Groups on a Site](#)
 - [Synchronize All Active Directory Groups on the Server](#)
 - [Quick Start: Synchronize All Active Directory Groups on a Schedule](#)
 - [Grant Role on Sign In \(Grant License on Sign In\)](#)
 - [Delete Groups](#)
 - [Custom Portals for Self-Service Environments](#)
 - [Manage Projects and Content Access](#)

- [Set Web Authoring Access for a Site](#)
- [Set Web Edit, Save, Download Access on Content](#)
- [Configure Projects for Managed Self-Service](#)
- [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Use Projects to Manage Content Access](#)
 - [Add Projects and Move Content Into Them](#)
 - [Add a Project Image](#)
- [Let Users Request Access to Content and Projects](#)
- [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Set Permissions and Ownership](#)
 - [Quick Start: Set Up Permissions](#)
 - [Manage Content Ownership](#)
 - [Manage Permissions for External Assets](#)
- [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Manage Data](#)
 - [Tableau Server Data Sources](#)
 - [Extract Upgrade to .hyper Format](#)
 - [Set the Site Time Zone for Extracts](#)
 - [Create Extracts on the Web](#)
 - [View Data Source Attributes](#)
 - [Use Certification to Help Users Find Trusted Data](#)
 - [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Keep Data Fresh](#)
 - [Manage Refresh Tasks](#)
 - [Add a Workbook or Data Source to an Extract Schedule](#)
 - [Quick Start: Refresh Extracts on a Schedule](#)
 - [Automate Refresh Tasks](#)
 - [Handle Extract Refresh Alerts](#)
 - [Automatically Suspend Extract Refreshes for Inactive Workbooks](#)
 - [Edit Connections on Tableau Server](#)
 - [Cube Data Sources](#)
 - [Web Data Connectors](#)
 - [Vetting Web Data Connectors](#)
 - [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Enable Tableau Catalog](#)
 - [Get Initial Ingestion Status](#)
 - [Get Eventing Status](#)
 - [Use Lineage for Impact Analysis](#)
 - [Set a Data Quality Warning](#)
 - [Manage Dashboard Extensions in Tableau Server](#)
 - [Creators: Connect to Data on the Web](#)
 - [Run Initial SQL](#)
- [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Create and Interact with Views on the Web](#)
 - [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Use Relationships for Multi-table Data Analysis](#)
 - [Logical and Physical Layers in Tableau's Data Model](#)
 - [How Relationships Differ From Joins](#)
 - [Optimize Relationships Using Performance Options](#)
 - [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Automatically Build Views with Ask Data](#)
 - [Enable Ask Data for Sites and Data Sources](#)
 - [Optimize Data for Ask Data](#)
 - [Explain Data: Status Information](#)
 - [Use Dashboard Extensions](#)

- [Format Animations](#)
- [Create a Subscription to a View or Workbook](#)
- [Create and Troubleshoot Metrics](#)
- []{.menu-tree__list__icon .icon--sm .icon--chevron-down} [Manage Server](#){selected}
 - []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [Security](#)
 - []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [Authentication](#)
 - [Local Authentication](#)
 - []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [SAML](#)
 - [SAML Requirements](#)
 - [Configure Server-Wide SAML](#)
 - [Configure SAML for Tableau Viz Lightning Web Component](#)
 - [Configure SAML with Azure AD IdP on Tableau Server](#)
 - [Configure SAML with AD FS on Tableau Server](#)
 - [Use SAML SSO with Kerberos Database Delegation](#)
 - [Configure Site-Specific SAML](#)
 - [Troubleshoot SAML](#)
 - []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [Kerberos](#)
 - [Kerberos Requirements](#)
 - [Understanding Keytab Requirements](#)
 - [Configure Kerberos](#)
 - [Browser Support for Kerberos SSO](#)
 - [Troubleshoot Kerberos](#)
 - []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [Mutual SSL](#)
 - [Mapping a Client Certificate to a User During Mutual Authentication](#)
 - []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [OpenID Connect](#)
 - [Requirements for Using OpenID Connect](#)
 - [Configure the Identity Provider \(IdP\)](#)
 - [Configure Tableau Server](#)
 - [Sign In to Tableau Server using OpenID](#)
 - [Authentication Request Parameters](#)
 - [Changing IdPs in Tableau Server for OpenID Connect](#)
 - [Troubleshoot OpenID Connect](#)
 - []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [Trusted Authentication](#)
 - [Add Trusted IP Addresses to Tableau Server](#)
 - [Get a Ticket from Tableau Server](#)
 - [Display the View with the Ticket](#)
 - [Optional: Configure Client IP Matching](#)
 - [Testing Trusted Authentication](#)
 - []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [Troubleshooting Trusted Authentication](#)
 - [Ticket Value of -1 Returned from Tableau Server](#)
 - [HTTP 401 - Not Authorized](#)
 - [HTTP 404 - File Not Found](#)
 - [Invalid User \(SharePoint or C#\)](#)
 - [Attempting to Retrieve the Ticket from the Wrong IP Address](#)
 - [Cookie Restriction Error](#)
 - [An error occurred communicating with the server \(403\)](#)
 - [Personal Access Tokens](#)
 - []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [Data Connection Authentication](#)

- [Enable Kerberos Delegation](#)
 - [Enable Kerberos Delegation for JDBC Connectors](#)
 - [Enable Run As Service Account to Act as the Operating System](#)
 - [Enable Kerberos Run As Authentication for JDBC Connectors](#)
 - [OAuth Data Connections](#)
 - [Change Google OAuth to Saved Credentials](#)
 - [Change Salesforce.com OAuth to Saved Credentials](#)
 - [Set up OAuth for QuickBooks Online](#)
 - [Allow Saved Access Tokens](#)
 - [Troubleshoot OAuth Connections](#)
 - [Configure SAP HANA SSO](#)
 - [Enable Single Sign-On for SAP BW](#)
 - [SQL Server Impersonation](#)
 - [Impersonation Requirements](#)
 - [How Impersonation Works](#)
 - [Impersonate with a Run As User Account](#)
 - [Impersonate with Embedded SQL Credentials](#)
- [Authorization](#)
- [Data Security](#)
 - [Best Practices for Row Level Security](#)
 - [Row Level Security in the Data Source](#)
 - [Manage Server Secrets](#)
 - [Extension Security - Best Practices for Deployment](#)
 - [Extract Encryption at Rest](#)
 - [Network Security](#)
 - [Clickjack Protection in Tableau Server](#)
 - [HTTP Response Headers](#)
 - [Content Security Policy](#)
 - [SSL](#)
 - [Configure External SSL](#)
 - [Example: Generate a Key and CSR](#)
 - [Enable SSL for Internal Postgres Communication](#)
 - [Configure SSL for Direct Connections](#)
 - [Configure Mutual SSL Authentication](#)
 - [Mapping a Client Certificate to a User During Mutual Authentication](#)
 - [How Mutual SSL Authentication Works](#)
 - [Security Hardening Checklist](#)
- [Manage Licenses](#)
 - [Licensing Overview](#)
 - [Understanding License Models and Product Keys](#)
 - [View Server Licenses](#)
 - [Refresh Expiration Date for the Product Key](#)
 - [Add Capacity](#)
 - [Activate Tableau Server Offline - Adding a License](#)
 - [Deactivate Product Key](#)
 - [Automate Licensing Tasks](#)

- [Handle an Unlicensed Server](#)
- [Migrate from Core-Based to Role-Based Licensing](#)
- [Login-based License Management](#)
- [Add Users to the Server](#)
- [{.menu-tree_list_icon .icon--sm .icon--chevron-right}] [Sign in to Tableau Server Admin Pages](#)
 - [Navigate the Admin Areas of the Web UI](#)
- [Sign in to Tableau Services Manager Web UI](#)
- [{.menu-tree_list_icon .icon--sm .icon--chevron-right}] [Customize Your Server](#)
 - [Language and Locale](#)
 - [Use Custom Fonts in Tableau Server](#)
- [{.menu-tree_list_icon .icon--sm .icon--chevron-right}] [Manage Sites](#)
 - [Sites Overview](#)
 - [Add or Edit Sites](#)
 - [Export or Import a Site](#)
 - [Delete Sites](#)
 - [Site Availability](#)
 - [Manage Site Role Limits](#)
 - [Enable Users to Save Revision History](#)
- [{.menu-tree_list_icon .icon--sm .icon--chevron-right}] [Extract Refreshes, Subscriptions, Data-Driven Alerts, and Metrics](#)
 - [Enable Extract Refresh Scheduling and Failure Notification](#)
 - [Create or Modify a Schedule](#)
 - [Enable Custom Schedules for Subscriptions](#)
 - [How Scheduled Tasks are Prioritized](#)
 - [Configure Workbook Performance after a Scheduled Refresh](#)
 - [Ensure Access to Subscriptions and Data-Driven Alerts](#)
 - [Set Up a Site for Subscriptions](#)
 - [Set Up a Server for Data-Driven Alerts](#)
 - [Set Up for Metrics](#)
- [Manage Backgrounder Jobs](#)
- [{.menu-tree_list_icon .icon--sm .icon--chevron-right}] [Manage TSM Jobs](#)
 - [Cancel TSM Jobs](#)
- [{.menu-tree_list_icon .icon--sm .icon--chevron-right}] [Administrative Views](#)
 - [{.menu-tree_list_icon .icon--sm .icon--chevron-right}] [Pre-built Administrative Views](#)
 - [Performance of Views](#)
 - [Performance of Flow Runs](#)
 - [Traffic to Views](#)
 - [Traffic to Data Sources](#)
 - [Actions by All Users](#)
 - [Actions by Specific User](#)
 - [Actions by Recent Users](#)
 - [Background Tasks for Extracts](#)
 - [{.menu-tree_list_icon .icon--sm .icon--chevron-right}] [Background Tasks for Non Extracts](#)
 - [Upgrade Thumbnails Job](#)
 - [Background Task Delay](#)
 - [Stats for Load Times](#)
 - [Stats for Space Usage](#)
 - [Server Disk Space](#)
 - [Login-based License Usage](#)

- [Desktop License Usage](#)
 - [Desktop License Expiration](#)
 - [Backgrounder Dashboard](#)
 - [Stale Content](#)
- [Create Custom Administrative Views](#)
- []{.menu-tree_list_icon .icon--sm .icon--chevron-right} [Performance](#)
 - [Performance Overview](#)
 - [General Performance Guidelines](#)
 - [Notifications](#)
 - []{.menu-tree_list_icon .icon--sm .icon--chevron-right} [Monitoring](#)
 - [Collect Data with Windows Performance Monitor](#)
 - []{.menu-tree_list_icon .icon--sm .icon--chevron-right} [Collect Data with the Tableau Server Repository](#)
 - [About the Tableau Server Data Dictionary \(Workgroup Database\)](#)
 - [Analyze Data with the Sample Performance Workbook](#)
 - []{.menu-tree_list_icon .icon--sm .icon--chevron-right} [Tuning](#)
 - []{.menu-tree_list_icon .icon--sm .icon--chevron-right} [Optimize for User Traffic](#)
 - [Configure Client-Side Rendering](#)
 - [Optimize for Extracts](#)
 - [Optimize for Query Heavy Environments](#)
 - [When to Add Workers and Reconfigure](#)
 - [Performance Tuning Examples](#)
 - []{.menu-tree_list_icon .icon--sm .icon--chevron-right} [Performance Recording](#)
 - [Create a Performance Recording](#)
 - [Interpret a Performance Recording](#)
 - [Performance Resources](#)
 - [Configure Client-Side Rendering](#)
 - [Data Acceleration](#)
 - [Extract Query Load Balancing](#)
- []{.menu-tree_list_icon .icon--sm .icon--chevron-right} [Monitor Server Health](#)
 - [Configure SMTP Setup](#)
 - [Configure Alerts and Subscriptions](#)
- []{.menu-tree_list_icon .icon--sm .icon--chevron-right} [Maintenance](#)
 - []{.menu-tree_list_icon .icon--sm .icon--chevron-right} [Backup and Restore](#)
 - [Perform a Full Backup and Restore of Tableau Server](#)
 - [Back up Tableau Server Data](#)
 - [Restore from a Backup](#)
 - []{.menu-tree_list_icon .icon--sm .icon--chevron-right} [Server Maintenance](#)
 - []{.menu-tree_list_icon .icon--sm .icon--chevron-right} [Server Process Status](#)
 - [Access Status Remotely](#)
 - [Get Process Status as XML](#)
 - [Troubleshoot Server Processes](#)
 - [Clear Saved Data Connection Passwords](#)
 - [Synchronize All Active Directory Groups on the Server](#)
 - [Set the Default Start Page for All Users](#)
 - [Disable Automatic Client Authentication](#)
 - [Remove Unneeded Files](#)
 - [Server Settings \(General\)](#)
 - [Stop or Restart the Tableau Server Computer](#)

- [{.menu-tree_list_icon .icon--sm .icon--chevron-right}] [TSM - Command Line Interface](#)
 - [tsm authentication](#)
 - [tsm configuration](#)
 - [tsm configuration set Options](#)
 - [tsm customize](#)
 - [tsm data-access](#)
 - [tsm email](#)
 - [tsm initialize](#)
 - [tsm jobs](#)
 - [tsm licenses](#)
 - [tsm login](#)
 - [tsm logout](#)
 - [tsm maintenance](#)
 - [tsm pending-changes](#)
 - [tsm register](#)
 - [tsm reset](#)
 - [tsm restart](#)
 - [tsm security](#)
 - [tsm settings](#)
 - [tsm sites](#)
 - [tsm start](#)
 - [tsm status](#)
 - [tsm stop](#)
 - [tsm topology](#)
 - [tsm user-identity-store](#)
 - [tsm version](#)
 - [tsm File Paths](#)
 - [Migrate from Tabadmin to the TSM CLI](#)
- [{.menu-tree_list_icon .icon--sm .icon--chevron-right}] [Entity Definitions and Templates](#)
 - [Configuration File Example](#)
 - [gatewaySettings Entity](#)
 - [identityStore Entity](#)
 - [kerberosSettings Entity](#)
 - [mutualSSLSettings Entity](#)
 - [openIDSettings Entity](#)
 - [samlSettings Entity](#)
 - [sapHanaSettings Entity](#)
 - [shareProductUsageDataSettings Entity](#)
 - [trustedAuthenticationSettings Entity](#)
 - [web-data-connector-settings Entity](#)
- [{.menu-tree_list_icon .icon--sm .icon--chevron-down}] [tabcmd](#){.selected}
 - [tabcmd Commands](#)
 - [Install Switches and Properties for tabcmd \(Windows\)](#){.selected}
- [{.menu-tree_list_icon .icon--sm .icon--chevron-right}] [Troubleshooting](#)
 - [{.menu-tree_list_icon .icon--sm .icon--chevron-right}] [Work with Log Files](#)
 - [Tableau Server Logs and Log File Locations](#)
 - [Archive Logs](#)
 - [Change Logging Levels](#)
 - [Troubleshoot Install and Upgrade](#)
 - [Troubleshoot Server Sign in Problems](#)
 - [Troubleshoot Licensing](#)

- [Handle an Unlicensed Server Process](#)
- [TSM Command Timeout](#)
- [Troubleshooting Tableau Services Manager \(TSM\) Backup](#)
- [Cookie Restriction Error](#)
- [Troubleshoot Data Sources](#)
- [Troubleshoot Subscriptions](#)
- [Troubleshoot SAML](#)
- [Troubleshooting Mutual SSL Authentication](#)
- [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [Troubleshooting Trusted Authentication](#)
 - [Ticket Value of -1 Returned from Tableau Server](#)
 - [HTTP 401 - Not Authorized](#)
 - [HTTP 404 - File Not Found](#)
 - [Invalid User \(SharePoint or C#\)](#)
 - [Attempting to Retrieve the Ticket from the Wrong IP Address](#)
 - [Cookie Restriction Error](#)
 - [An error occurred communicating with the server \(403\).](#)
- [Handle Extract Refresh Alerts](#)
- [Troubleshoot Server Processes](#)
- [Troubleshoot Inconsistent Process Status](#)
- [Troubleshoot Desktop License Reporting](#)
- [Troubleshoot Disk Space Usage](#)
- [Troubleshoot Performance of Workbooks with Calculations](#)
- [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [Troubleshoot Run As Service Account](#)
 - [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [Required Run As Service Account Settings](#)
 - [Verify Folder Permissions](#)
 - [Verify Registry Permissions](#)
 - [Verify the Local Security Policy.](#)
 - [Verify Tableau Service Settings](#)
 - [Revoke Run As Service Account Permissions](#)
- [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [Reference](#)
 - [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [The Tableau Server Processes](#)
 - [Tableau Server Administration Agent](#)
 - [Tableau Server Application Server](#)
 - [Tableau Server Backgrounder Process](#)
 - [Tableau Server Cache Server](#)
 - [Tableau Server Client File Service](#)
 - [Tableau Server Coordination Service](#)
 - [Tableau Server Data Engine](#)
 - [Tableau Server Data Server](#)
 - [Tableau Server Data Source Properties Service](#)
 - [Tableau Server File Store](#)
 - [Tableau Server Gateway Process](#)
 - [Tableau Server Internal Data Source Properties Service](#)
 - [Tableau Server Messaging Service](#)
 - [Tableau Server Metrics Service](#)
 - [Tableau Server Microservice Containers](#)
 - [Tableau Server Repository](#)
 - [Tableau Server SAML Service](#)

- [Tableau Server Search and Browse](#)
- [Tableau Server Service Manager](#)
- [Tableau Server Administration Controller Process](#)
- [Tableau Server TSM Maintenance Services](#)
- [Tableau Server VizQL Server](#)
- [Tableau Prep Conductor](#)
- [Tableau Server Dynamic Topology Changes](#)
- [Server Process Limits](#)
- [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [Tableau Server Ports](#)
 - [Enable the JMX Ports](#)
- [tabadmin](#)
- [Windows Accounts and Permissions](#)
- [Changes to Command Line Install Options for Tableau Server Setup](#)
- [View Server Version](#)
- [Configure Connection with Analytics Extensions](#)
- [Changing the Identity Store](#)
- [External Identity Store Configuration Reference](#)
- [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [Server Management Add-on](#)
 - [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [Resource Monitoring Tool](#)
 - [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [Getting Started with Resource Monitoring Tool](#)
 - [Concepts](#)
 - [Preinstallation Checklist](#)
 - [Hardware Recommendations](#)
 - [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [Install](#)
 - [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [Install the Prerequisites](#)
 - [Tableau Resource Monitoring Tool Prerequisites - Licenses](#)
 - [Install the Master Server](#)
 - [Install the Agent](#)
 - [Upgrade](#)
 - [Uninstall](#)
 - [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [Manage and Configure](#)
 - [Configuration UI](#)
 - [Master Configuration File](#)
 - [Server Roles](#)
 - [{.menu-tree__list__icon .icon--sm .icon--chevron-right}] [Configure Incidents](#)
 - [Environment Down](#)
 - [Agent Incidents](#)
 - [Extract Failures](#)
 - [Hardware](#)
 - [Slow Queries](#)
 - [Slow View](#)
 - [Encrypted Data Collection](#)
 - [rmtadmin Command Line Utility](#)
 - [Hardware Changes to Master Server](#)
 - [Tableau Server Topology Changes](#)
 - [Resource Monitoring Tool Log Files](#)
 - [Tableau Log Files](#)

- [Tableau Server Upgrades](#)
- [{"menu-tree_list_icon": "icon--sm", "icon--chevron-right"}] [Monitor Tableau Server Performance](#)
 - [Charts](#)
 - [WMI Classes](#)
 - [Explore Monitoring Data Using Tableau Data Source Files](#)
 - [Chargeback Reports](#)
- [{"menu-tree_list_icon": "icon--sm", "icon--chevron-right"}] [Troubleshoot](#)
 - [Troubleshoot Missing Hardware Performance Data](#)
 - [Troubleshoot Unknown Status of Tableau Server Processes](#)
 - [Troubleshoot WMI Query Issues](#)
 - [Troubleshoot SSL Certificate Errors](#)
 - [Troubleshoot Web Interface Timeouts](#)
- [{"menu-tree_list_icon": "icon--sm", "icon--chevron-right"}] [Legacy Product Notes \(Power Tools for Tableau Server\)](#)
 - [1.9](#)
 - [1.8.8](#)
 - [1.8.7](#)
 - [1.8.6](#)
 - [1.8.5](#)
 - [1.8](#)
 - [1.7.4](#)
 - [1.7](#)
 - [1.6.8](#)
 - [1.6.7](#)
 - [1.6.6](#)
 - [1.6.5](#)
 - [1.6.4](#)
 - [Power Tools: Server 1.6](#)
 - [1.5.9](#)
 - [1.5.8](#)
 - [1.5.7](#)
 - [1.5.6](#)
 - [Power Tools: Server 1.5.5](#)
 - [1.5.4](#)
 - [1.5](#)
 - [1.4.11](#)
 - [1.4.10](#)
 - [1.4.9](#)
 - [1.4.8](#)
 - [1.4.7](#)
 - [1.4.6](#)
 - [1.4](#)
 - [1.3.12](#)
 - [1.3.11](#)
 - [1.3.10](#)
 - [1.3.9](#)
 - [1.3.8](#)
 - [1.3.7](#)
 - [Power Tools: Server 1.3.6](#)
 - [1.3.5](#)

- [1.3.4](#)
- [1.3.3](#)
- [1.3](#)
- [1.2.7](#)
- [1.2.6](#)
- [1.2](#)
- [1.1.10](#)
- [1.1.9](#)
- [1.1.8](#)
- [1.1.7](#)
- [1.1.6](#)
- [1.1](#)
- [1.0.16](#)
- [1.0.15](#)
- [1.0.14](#)
- [1.0.13](#)
- [1.0.12](#)
- [1.0](#)
- [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Upgrade Power Tools for Server to Tableau Resource Monitoring Tool](#)
 - [Tableau Resource Monitoring Tool Legacy License Key Activation](#)
 - [Legacy Compatibility Notes \(Power Tools: Server\)](#)
- [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Content Migration Tool](#)
 - [Getting Started with Tableau Content Migration Tool](#)
 - [Install Tableau Content Migration Tool](#)
 - [Upgrade Tableau Content Migration Tool](#)
 - [Using Tableau Content Migration Tool](#)
 - [Tableau Content Migration Tool Use Cases](#)
 - [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Migration Plan Overview](#)
 - [Migration Limitations](#)
 - [Migration Plans: Servers](#)
 - [Migration Plans: Source Projects](#)
 - [Migration Plans: Workbooks](#)
 - [Migration Plans: Published Data Sources](#)
 - [Migration Plans: User Permissions Mapping](#)
 - [Migration Plans: Migration Scripts](#)
 - [Migration Plans: Plan Options](#)
 - [Migrating Workbooks and Data Sources that use Extracts](#)
 - [Consolidate Sites](#)
 - [Migration Rollback](#)
 - [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Using the Tableau Content Migration Tool Console Runner](#)
 - [Example: Scripting Migration Plans](#)
 - [Using the Content Migration Tool Command Line Interface](#)
 - [Tableau Content Migration Tool Settings](#)
 - [Tableau Content Migration Tool Log Files](#)
 - [{"menu-tree__list__icon .icon--sm .icon--chevron-right"}] [Legacy Product Notes \(Power Tools: Deployment\)](#)
 - [Legacy Compatibility Notes \(Power Tools: Deployment\)](#)

- [Upgrade from Legacy Power Tools: Deployment to Tableau Content Migration Tool](#)
 - [Tableau Content Migration Tool Legacy License Key Activation](#)
- [Key Management System](#)
- []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [Tableau Server External File Store](#)
 - [Install Tableau Server with External File Store](#)
 - [Reconfigure File Store](#)
 - [Backup and Restore with External File Store](#)
 - [Performance Considerations for External File Store](#)
- []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [Tableau Server External Repository](#)
 - [Create a PostgreSQL DB Instance on AWS Relational Database Service \(RDS\)](#)
 - [Install Tableau Server with External PostgreSQL Repository](#)
 - [Re-Configure Tableau Server Repository](#)
 - [Upgrading your RDS Instance](#)
- [Workload Management through Node Roles](#)
- []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [Data Management Add-on](#)
 - [License the Data Management Add-on](#)
 - []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [Tableau Prep Conductor](#)
 - []{.menu-tree__list__icon .icon--sm .icon--chevron-right} [Enable and Configure Tableau Prep Conductor on Tableau Server](#)
 - [Step 1 \(New Install\): Install Tableau Server with Tableau Prep Conductor](#)
 - [Step 1 \(Existing Install\): Enable Tableau Prep Conductor](#)
 - [Step 2: Configure Flow Settings for your Tableau Server](#)
 - [Step 3: Create Schedules for Flow Tasks](#)
 - [Step 4: Safe list Input and Output locations](#)
 - [Step 5: Optional Server Configurations](#)
- [Tableau Catalog](#) :::

:::

Install Switches and Properties for tabcmd (Windows)

You can use the following switches when installing the Tableau Server Command Line Utility (tabcmd) version 2019.4.0 or later from the command line on Windows.

Note: There are no equivalent switches for the Linux version of the tabcmd installer.

```
+-----+-----+ | Switch | D | C | | e | o | | s | m | | c | m | | r | e | | i | n | | p | t | | t | s | | i | | | o | | | n
| | +-----+-----+ | /install | | R | D | | /repair | | u | e | | /uninstall | | n | f | | /layout | S | a
| | | e | u | | <directory> | | t | | | u | t | | p | i | | t | s | | o | t | | e | o | | i | i | | t | n | | h | s | | e | t | | r | a | |
i | | | n | | | s | , | | t | d | | a | i | | | s | | | p | | , | | | r | a | | e | y | | p | i | | a | n | | i | g | | r | U | | , | | | o
| | | r | a | | u | n | | n | d | | i | a | | n | | | s | | | t | p | | a | r | | | o | | | m | | | t | p | | a | t | | b | s | | c | . | |
m | | | d | f | | , | n | | | o | o | | r | d | | w | i | | i | r | | | t | e | | h | c | | | t | | | / | o | | | l | r | | |
a | y | | | y | i | | | o | s | | | u | s | | | t | p | | | e | | , | c | | | c | i | | r | f | | e | i | | |
a | e | | t | d | | e | o | | a | n | | c | a | | o | f | | m | r | | p | e | | | s | | e | h | | t | i | | e | n | | | s | | o | t | | c | a
| | a | | | | | | | c | , | | o | | | | p | | c | | | y | : | | | o | \ | | | f | P | | | t | r | | |
h | o | | | e | g | | | i | r | | | n | a | | | s | m | | | t | | | a | F | | | l | i
| | | l | l | | | a | e | | | t | s | | | i | \ | | | o | T | | | n | a | | | b | b | |
| u | l | | | n | e | | | d | a | | | l | u | | | e | \ | | | i | T | | | n | a | | | t
```

| b | | | h | l | | | e | e | | | d | a | | | i | u | | | r | | | e | S | | | c | e |
| | t | r | | | o | v | | | r | e | | | y | r | | | s | \ | | | p | 2 | | | e | 0 | | |
c | 1 | | | i | 9 | | | f | . | | | i | 4 | | | e | \ | | | d | e | | | . | x | | | t |
| | | r | | | a | | | s | | | \ | | | C | | | o | | | m | | | m | | | |
a | | | n | | | d | | | | | | L | | | i | | | n | | | e | | | | | | U |
		t			i			l			i			t			y					i			s			a			s																				
	s			u			m			e			d			.	+-----+---+---+	/passive	R			u			n			S			e			t																	
	u			p			w			i			t			h			m			i			n			i			m			a					U					a			n			d	
	n			o			p			r			o			m			p			t			s			.	+-----+---+---+	/quiet		R	*																		
/silent	u	*		n	N			S	o			e	t			t	e			u	:		p	*		i	*		n	U			u	s			n	e			a	e			t	i					
t	t		e	h			n	e			d	r			e			d	/			,	s			f	i			u	l			l	e																
		l	n			y	t			s			i	o			r			e			n	/			t	q			m	u																			
	o	i			d	e			e	t			.			N	,		o	n			U	o			t		o	b		r	o		p	t															
	r	h			o	.		m			p			t			s			a			r			e			d			i			s			p					a			y			e		
	.		+-----+---+---+	/norestart	R	*		u	*		n	N			S	o			e	t			t	e			u	:		p	*																				
w	*		i			t			h	n			o	c			u	e			t	r			r	t			e	a			s	i			t	n			a	r			r	a			t	r	
n	c			g	a			W	s			i	e			n	s			d	,		o	a			w	r			s	e		,	s			e	t		v	a			e	r			n	t	
	f	a			a	n			r	n			e	o			s	t			t	b			a	e			r	s			t	u			i	p			s	p			n	r			e	e	
s			s	e			s	d			a	,		r	e			y	v		.	e			n			w			h			e			n			t			h			i			s		
	p			t			i			o			n			i			s			u			s			e			d			.			T			h			i			s			i		
		o			s			t						i			k			e						y			w			h			e			n			a			n			e			a	
		i			e			r			s			y			s			t			e			m			r			e			s			t			a			r			t			w	
	s			s			k			i			p			p			e			d			,		f			o			r			e			x			a			m			p			
e			,		d			u			r			i			n			g			i			n			s			t			a							a			t			i			o
	n			o			f			o			t			h			e			r			s			o			f			t			w			a			r			e			.	+-----	
-----+---+---+	/lo	L		I			g "<log-file>"	o	f			g	n			i	o			n	f			f	i			o			r	e																			
m			a	o			t	c			i	a			o	t			n	i			t	o			o	n			t	i			h	s			e	s			s	p			p	e			e
	i	f			f	i			i	e			e	d			d	,		f	t			i	h				e			e			a	o			n	g			d	f			p	i			a
h			.	s			w			B	r			y	i			d	t			e	t			f	e			a	n			u	t			o			t	t			h			o	e		
f	s			i	e				r			e	\		s	'		a	s			r	T			e	E			c	M			r	P			e	f			a	o			t			e	d	
	i	r			n	(t				h	C			e	:			u	\			s	U			e	s			r	e																		
		\	r			'	s			s	\				<		%	u		T	s		E	e		M	r		P	n		%	a																		
m			f	e			o	>			l	\			d	A			e	p			r	p			w	D																							
	i	a			t	t			h	a			a	\			n	L			a	o			m	c																									
i	a			n	l			g	\			c	T			o	e			n	m			v	p			e																							
	n)			t	.			i	C			o	h			n	e			o	c			f	k			t			T	h			a	i			b	s										
	l	l			e	o			a	g			u	f			_	i			S	l			e	e																									
r	f			v	o			e	r			r	e			_	r			C	r			o	o			m																							
r			m	s			a	a			n	f			d	t			_	e			L	r			i	i																							
	n	n			e	s			_	t			u	a			t	l			i	l			l	a																									
i	t			t	i			y	o			_	n			<	.			v				e	E			r	x																						
		s	a			i	m			o	p			n	l			_	e			c	:			o			d	<																					
	e	S			>	e		.	t			u			o	p			g				f			.	i				l				e				>												
				/			s			i			l				e			n			t																												
/			l			o			g			=			"			C			:			\																											
	T			a			b			l			e			a			u			\			L																										
	o			g			s			\			t			a			b			c			m																										
		d			-			I			n			s			t			a			l																												
l | | | " | | | | | | A | | | C | | | C | | | E | | | P | | | T | | | |
E | | | U | | | L | | | A | | | = | | | l | | | | | | | | +-----+---+---+
+

{width="1" height="1"}