

ID	Application	Type	Operation Name	Description	stateful
1	gitlab	mutation	workItemUpdate	Internal server error due to the provided object id not existing.	✓
2	gitlab	mutation	workItemsHierarchyReorder	Internal server error due to invalid parentId or adjacentWorkItemId.	✓
3	gitlab	mutation	timelineEventTagCreate	Internal server error when name is invalid Unicode.	✓
4	gitlab	mutation	timelineEventCreate	Internal server error when timelineEventTagNames is invalid Unicode.	✓
5	gitlab	mutation	updateNamespacePackageSettings	Internal server error due to missing required 'keep latest artifact' field.	✓
6	gitlab	mutation	updateNamespacePackageSettings	Internal server error when namespacePath is invalid Unicode.	X
7	gitlab	mutation	updateDependencyProxySettings	Internal server error due to missing required enabled field and incorrect schema.	✓
8	gitlab	mutation	updateDependencyProxySettings	Internal server error when groupPath is invalid Unicode.	X
9	gitlab	mutation	issueUnlinkAlert	Internal server error due to an invalid or non-existent alertId.	✓
10	gitlab	mutation	issueMove	Internal server error due to an invalid or existing targetProjectPath	✓
11	gitlab	mutation	groupUpdate	Internal server error due to an invalid sharedRunnersSetting value	✓
12	gitlab	mutation	environmentStop	Internal server error caused by stopping an already 'stopped' environment.	✓
13	gitlab	mutation	releaseDelete	Internal server error when tagName is invalid Unicode.	✓
14	gitlab	mutation	designManagementDelete	Internal server error when filenames is invalid Unicode.	✓
15	gitlab	mutation	workItemBulkUpdate	Internal server error due to an invalid parentId value; the requested resource does not exist.	X
16	gitlab	mutation	userSetNamespaceCommitEmail	Internal server error due to emailId parameter not correctly provided.	X
17	gitlab	mutation	updateDependencyProxyImageTtlGroupPolicy	Internal server error when groupPath is invalid Unicode.	X
18	gitlab	mutation	updateContainerExpirationPolicy	Internal server error due to passing integer values to string-type fields nameRegex.	X
19	gitlab	mutation	todosMarkAllDone	Internal server error due to targetId cannot exist.	X
20	gitlab	mutation	todoCreate	Internal server error due to an invalid targetId, the target object does not exist.	X
21	gitlab	query	syntheticNote	Internal server error due to an invalid noteableId.	X
22	gitlab	mutation	savedReplyCreate	Internal server error when name is invalid Unicode.	X
23	gitlab	query	runnerSetup	Internal server error due to an invalid platform value.	X
24	gitlab	mutation	runnerCreate	Internal server error due to missing or invalid 'groupId' in runner creation.	✓
25	gitlab	mutation	runnerCacheClear	Internal server error due to failure in handling the clientMutationId field properly.	X
26	gitlab	mutation	releaseCreate	Internal server error when tagname is invalid Unicode.	✓
27	gitlab	mutation	releaseAssetLinkCreate	Internal server error when name or url is invalid Unicode.	✓
28	gitlab	mutation	projectCiCdSettingsUpdate	Internal server error due to missing required maven_duplicate_exception_regex field and incorrect schema.	✓
29	gitlab	query	project	Internal server error when fullPath is invalid Unicode.	X
30	gitlab	mutation	pipelineTriggerCreate	Internal server error when name, description, or path is invalid Unicode.	✓
31	gitlab	mutation	pipelineScheduleUpdate	Internal server error due to an invalid id value; the requested resource does not exist.	X
32	gitlab	mutation	pipelineScheduleTakeOwnership	Internal server error due to an invalid id value; the requested resource does not exist.	X
33	gitlab	mutation	pipelineSchedulePlay	Internal server error due to an invalid id value; the requested resource does not exist.	X
34	gitlab	mutation	pipelineScheduleDelete	Internal server error due to an invalid id value; the requested resource does not exist.	X
35	gitlab	mutation	pipelineScheduleCreate	Internal server error due to invalid or undefined destroy attribute in input parameters.	✓
36	gitlab	mutation	pipelineScheduleCreate	Internal server error due to the provided id not existing.	✓
37	gitlab	mutation	pipelineRetry	Internal server error due to an invalid id value; the requested resource does not exist.	X
38	gitlab	mutation	pipelineDestroy	Internal server error due to an invalid id value; the requested resource does not exist.	X
39	gitlab	mutation	pipelineCancel	Internal server error due to an invalid id value; the requested resource does not exist.	X
40	gitlab	query	package	Internal server error due to an invalid or non-existent Package ID.	X
41	gitlab	mutation	organizationUpdate	Internal server error when description is invalid Unicode.	X
42	gitlab	query	namespace	Internal server error when fullPath is invalid Unicode.	X
43	gitlab	mutation	mlModelEdit	Internal server error due to missing required parameters model_id and description.	X
44	gitlab	mutation	mlModelCreate	Internal server error due to a missing model_version_id parameter.	✓
45	gitlab	mutation	mergeRequestCreate	Internal server error when labels is invalid Unicode.	✓
46	gitlab	mutation	jobUnschedule	Internal server error due to an invalid id value; the requested resource does not exist.	X
47	gitlab	mutation	jobRetry	Internal server error due to an invalid id value; the requested resource does not exist.	X
48	gitlab	mutation	jobPlay	Internal server error due to an invalid id value; the requested resource does not exist.	X
49	gitlab	mutation	jobCancel	Internal server error due to an invalid id value; the requested resource does not exist.	X
50	gitlab	mutation	jobArtifactsDestroy	Internal server error due to an invalid id value; the requested resource does not exist.	X
51	gitlab	mutation	jiraImportStart	Internal server error due to missing required parameter users_mapping.	X

52	gitlab	mutation	groupUpdate	Internal server error when name is invalid Unicode.	X
53	gitlab	query	group	Internal server error when fullPath is invalid Unicode.	X
54	gitlab	query	frecentProjects	Internal server error due to missing the required model_version_id keyword.	X
55	gitlab	query	featureFlagEnabled	Internal server error when name is invalid Unicode.	X
56	gitlab	mutation	environmentCreate	Internal server error when fullPath is invalid Unicode.	✓
57	gitlab	mutation	designManagementUpdate	Internal server error due to missing required parameter description.	X
58	gitlab	mutation	designManagementMove	Internal server error due to the provided id not existing.	X
59	gitlab	mutation	customerRelationsOrganizationUpdate	Internal server error due to invalid parameter 'active' in update request.	✓
60	gitlab	mutation	customerRelationsContactUpdate	Internal server error due to attempting to use an invalid 'active' parameter value (null).	✓
61	gitlab	mutation	customerRelationsContactCreate	Internal server error when phone is invalid Unicode.	✓
62	gitlab	mutation	createSnippet	Internal server error due to missing or invalid project path or uploaded files.	✓
63	gitlab	mutation	createNote	Internal server error due to an invalid noteableId provided.	X
64	gitlab	mutation	createImageDiffNote	Internal server error due to an invalid noteableId provided.	X
65	gitlab	mutation	createDiscussion	Internal server error due to an invalid noteableId provided.	X
66	gitlab	mutation	createDiffNote	Internal server error due to an invalid noteableId provided.	X
67	gitlab	mutation	createCustomEmoji	Internal server error when name, url, or groupPath is invalid Unicode.	X
68	gitlab	mutation	createClusterAgent	Internal server error when name is invalid Unicode.	✓
69	gitlab	query	ciPipelineStage	Internal server error due to attempting to access a non-existent stage.	X
70	gitlab	mutation	catalogResourcesDestroy	Internal server error due to attempting to destroy a catalog resource that does not exist.	✓
71	gitlab	mutation	catalogResourcesCreate	Internal server error due to duplicate catalog creation.	✓
72	gitlab	mutation	bulkDestroyJobArtifacts	Internal server error due to an invalid projectId in the request or the project does not exist.	✓
73	gitlab	mutation	branchRuleUpdate	Internal server error due to an invalid or non-existent BranchRule ID.	X
74	gitlab	mutation	branchRuleDelete	Internal server error due to an invalid or non-existent BranchRule ID.	X
75	gitlab	mutation	branchRuleCreate	Internal server error due to an invalid or non-existent projectPath provided.	X
76	gitlab	mutation	branchRuleCreate	Internal server error when projectPath is invalid Unicode.	X
77	gitlab	mutation	awardEmojiToggle	Internal server error due to an invalid or missing awardableId resource.	X
78	gitlab	mutation	awardEmojiRemove	Internal server error due to an invalid or missing awardableId resource.	X
79	gitlab	mutation	awardEmojiAdd	Internal server error due to an invalid or missing awardableId resource.	X
80	gitlab	mutation	artifactDestroy	Internal server error due to an invalid id value; the artifact to be destroyed does not exist.	X
81	WPGraphQL	query	categories	Internal server error when cacheDomain, childOf, childless is invalid unicode	X
82	WPGraphQL	query	category	Internal server error when id is invalid unicode	X
83	WPGraphQL	query	comment	Internal server error when id is invalid unicode	X
84	WPGraphQL	query	comments	Internal server error when authorEmail, authorIn, authorNotIn is invalid unicode	X
85	WPGraphQL	query	contentNode	Internal server error when id is invalid unicode	X
86	WPGraphQL	query	contentNodes	Internal server error when contentTypes, hasPassword, id is invalid unicode	X
87	WPGraphQL	query	contentType	Internal server error when id is invalid unicode	X
88	WPGraphQL	mutation	createCategory	Internal server error when aliasOf, clientMutationId, description is invalid unicode	X
89	WPGraphQL	mutation	createComment	Internal server error when approved, author, authorEmail is invalid unicode	X
90	WPGraphQL	mutation	createMediaItem	Internal server error when altText, authorId, caption is invalid unicode	X
91	WPGraphQL	mutation	createPage	Internal server error when authorId, clientMutationId, commentStatus is invalid unicode	X
92	WPGraphQL	mutation	createPost	Internal server error when authorId, clientMutationId, commentStatus is invalid unicode	X
93	WPGraphQL	mutation	createPostFormat	Internal server error when aliasOf, clientMutationId, description is invalid unicode	X
94	WPGraphQL	mutation	createTag	Internal server error when aliasOf, clientMutationId, description is invalid unicode	X
95	WPGraphQL	mutation	createUser	Internal server error when aim, clientMutationId, description is invalid unicode	X
96	WPGraphQL	mutation	deleteCategory	Internal server error when clientMutationId, id is invalid unicode	X
97	WPGraphQL	mutation	deleteComment	Internal server error when clientMutationId, forceDelete, id is invalid unicode	X
98	WPGraphQL	mutation	deleteMediaItem	Internal server error when clientMutationId, forceDelete, id is invalid unicode	X
99	WPGraphQL	mutation	deletePage	Internal server error when clientMutationId, forceDelete, id is invalid unicode	X
100	WPGraphQL	mutation	deletePost	Internal server error when clientMutationId, forceDelete, id is invalid unicode	X
101	WPGraphQL	mutation	deletePostFormat	Internal server error when clientMutationId, id is invalid unicode	X
102	WPGraphQL	mutation	deleteTag	Internal server error when clientMutationId, id is invalid unicode	X
103	WPGraphQL	mutation	deleteUser	Internal server error when clientMutationId, id, reassignId is invalid unicode	X

104	WPGraphQL	mutation	increaseCount	Internal server error when count is invalid unicode	X
105	WPGraphQL	query	mediaItem	Internal server error when id is invalid unicode	X
106	WPGraphQL	query	mediaItemBy	Internal server error when id, mediaItemId, slug is invalid unicode	X
107	WPGraphQL	query	mediaItems	Internal server error when author, authorIn, authorName is invalid unicode	X
108	WPGraphQL	query	menu	Internal server error when id is invalid unicode	X
109	WPGraphQL	query	menuItem	Internal server error when id is invalid unicode	X
110	WPGraphQL	query	menuItems	Internal server error when id, location, parentDatabaseId is invalid unicode	X
111	WPGraphQL	query	menus	Internal server error when id, location, slug is invalid unicode	X
112	WPGraphQL	query	node	Internal server error when id is invalid unicode	X
113	WPGraphQL	query	nodeByUri	Internal server error when uri is invalid unicode	X
114	WPGraphQL	query	page	Internal server error when id is invalid unicode	X
115	WPGraphQL	query	pageBy	Internal server error when id, pageId, uri is invalid unicode	X
116	WPGraphQL	query	pages	Internal server error when author, authorIn, authorName is invalid unicode	X
117	WPGraphQL	query	plugin	Internal server error when id is invalid unicode	X
118	WPGraphQL	query	plugins	Internal server error when search, stati, status is invalid unicode	X
119	WPGraphQL	query	post	Internal server error when id is invalid unicode	X
120	WPGraphQL	query	postBy	Internal server error when id, postId, slug is invalid unicode	X
121	WPGraphQL	query	postFormat	Internal server error when id is invalid unicode	X
122	WPGraphQL	query	postFormats	Internal server error when cacheDomain, childOf, childless is invalid unicode	X
123	WPGraphQL	query	posts	Internal server error when author, authorIn, authorName is invalid unicode	X
124	WPGraphQL	mutation	registerUser	Internal server error when aim, clientMutationId, description is invalid unicode	X
125	WPGraphQL	mutation	resetUserPassword	Internal server error when clientMutationId, login, password is invalid unicode	X
126	WPGraphQL	mutation	restoreComment	Internal server error when clientMutationId, id is invalid unicode	X
127	WPGraphQL	query	revisions	Internal server error when contentTypes, hasPassword, id is invalid unicode	X
128	WPGraphQL	mutation	sendPasswordResetEmail	Internal server error when clientMutationId, username is invalid unicode	X
129	WPGraphQL	query	tag	Internal server error when id is invalid unicode	X
130	WPGraphQL	query	tags	Internal server error when cacheDomain, childOf, childless is invalid unicode	X
131	WPGraphQL	query	taxonomy	Internal server error when id is invalid unicode	X
132	WPGraphQL	query	termNode	Internal server error when id is invalid unicode	X
133	WPGraphQL	query	terms	Internal server error when cacheDomain, childOf, childless is invalid unicode	X
134	WPGraphQL	query	theme	Internal server error when id is invalid unicode	X
135	WPGraphQL	mutation	updateCategory	Internal server error when aliasOf, clientMutationId, description is invalid unicode	X
136	WPGraphQL	mutation	updateComment	Internal server error when approved, author, authorEmail is invalid unicode	X
137	WPGraphQL	mutation	updateMediaItem	Internal server error when altText, authorId, caption is invalid unicode	X
138	WPGraphQL	mutation	updatePage	Internal server error when authorId, clientMutationId, commentStatus is invalid unicode	X
139	WPGraphQL	mutation	updatePost	Internal server error when authorId, clientMutationId, commentStatus is invalid unicode	X
140	WPGraphQL	mutation	updatePostFormat	Internal server error when aliasOf, clientMutationId, description is invalid unicode	X
141	WPGraphQL	mutation	updateSettings	Internal server error when clientMutationId, discussionSettingsDefaultPingStatus is invalid unicode	X
142	WPGraphQL	mutation	updateTag	Internal server error when aliasOf, clientMutationId, description is invalid unicode	X
143	WPGraphQL	mutation	updateUser	Internal server error when aim, clientMutationId, description is invalid unicode	X
144	WPGraphQL	query	user	Internal server error when id is invalid unicode	X
145	WPGraphQL	query	userRole	Internal server error when id is invalid unicode	X
146	WPGraphQL	query	users	Internal server error when exclude, hasPublishedPosts, include is invalid unicode	X
147	magento	query	addBundleProductsToCart	Internal server error when cart_id is invalid unicode	X
148	magento	mutation	addDownloadableProductsToCart	Internal server error when cart_id is invalid unicode	X
149	magento	mutation	addProductsToCart	Internal server error when cartId is invalid unicode	X
150	magento	mutation	addProductsToCompareList	Internal server error when products, uid is invalid unicode	X
151	magento	mutation	addProductsToWishlist	Internal server error when wishlistId is invalid unicode	X
152	magento	mutation	addSimpleProductsToCart	Internal server error when cart_id is invalid unicode	X
153	magento	mutation	addVirtualProductsToCart	Internal server error when cart_id is invalid unicode	X
154	magento	mutation	addWishlistItemsToCart	Internal server error when wishlistId is invalid unicode	X
155	magento	mutation	applyCouponToCart	Internal server error when cart_id, coupon_code is invalid unicode	X

156	magento	mutation	assignCompareListToCustomer	Internal server error when uid is invalid unicode	X
157	magento	mutation	assignCustomerToGuestCart	Internal server error when cart_id is invalid unicode	X
158	magento	query	attributesForm	Internal server error when formCode is invalid unicode	X
159	magento	query	attributesList	Internal server error occurs when entityType, is_comparable, or is_filterable contain invalid Unicode.	X
160	magento	query	availableStores	Internal server error when useCurrentGroup is invalid unicode	X
161	magento	mutation	cancelOrder	Internal server error occurs when order_id or reason contains invalid Unicode.	X
162	magento	query	cart	Internal server error when cart_id is invalid unicode	X
163	magento	mutation	categories	Internal server error when currentPage, pageSize is invalid unicode	X
164	magento	query	category	Internal server error when id is invalid unicode	X
165	magento	query	categoryList	Internal server error when currentPage, pageSize is invalid unicode	X
166	magento	mutation	changeCustomerPassword	Internal server error when currentPassword, newPassword is invalid unicode	X
167	magento	query	compareList	Internal server error when uid is invalid unicode	X
168	magento	mutation	confirmEmail	Internal server error when confirmation_key, email is invalid unicode	X
169	magento	mutation	contactUs	Internal server error occurs when comment, email, or telephone contains invalid Unicode.	X
170	magento	mutation	createBraintreePayPalVaultClientToken	Internal server error when device_data, public_hash is invalid unicode	X
171	magento	mutation	createCompareList	Internal server error when products is invalid unicode	X
172	magento	mutation	createCustomer	Internal server error occurs when date_of_birth, dob, or firstname contains invalid Unicode,	X
173	magento	mutation	createCustomerAddress	Internal server error occurs when city, company, or fax contains invalid Unicode	X
174	magento	mutation	createCustomerV2	Internal server error when allow_remote_shopping_assistance, is_subscribed is invalid unicode;	X
175	magento	mutation	createEmptyCart	Internal server error when cart_id is invalid unicode	X
176	magento	mutation	createGuestCart	Internal server error when cart_uid is invalid unicode	X
177	magento	mutation	createPayflowProToken	Internal server error when cart_id is invalid unicode	X
178	magento	mutation	createPaymentOrder	Internal server error when cartId, methodCode or paymentSource is invalid unicode	X
179	magento	mutation	createPaypalExpressToken	Internal server error when cart_id, code is invalid unicode	X
180	magento	mutation	createProductReview	Internal server error when nickname, sku, summary is invalid unicode	X
181	magento	query	customAttributeMetadata	Internal server error when attribute_code is invalid unicode	X
182	magento	query	customAttributeMetadataV2	Internal server error when is_attribute_code invalid unicode	X
183	magento	mutation	deleteCompareList	Internal server error when uid is invalid unicode	X
184	magento	mutation	deleteCustomerAddress	Internal server error when id is invalid unicode	X
185	magento	mutation	deletePaymentToken	Internal server error when public_hash is invalid unicode	X
186	magento	mutation	estimateShippingMethods	Internal server error when cart_id is invalid unicode	X
187	magento	mutation	estimateTotals	Internal server error when cart_id is invalid unicode	X
188	magento	mutation	generateCustomerToken	Internal server error when email, password is invalid unicode	X
189	magento	mutation	generateCustomerTokenAsAdmin	Internal server error when customer_email is invalid unicode	X
190	magento	query	getHostedProUrl	Internal server error when cart_id is invalid unicode	X
191	magento	query	getPayflowLinkToken	Internal server error when cart_id is invalid unicode	X
192	magento	query	getPaymentConfig	Internal server error when location is invalid unicode	X
193	magento	query	getPaymentOrder	Internal server error when cartId, id is invalid unicode	X
194	magento	query	getPaymentOrder	Internal server error when cartId, id is invalid	X
195	magento	query	getPaymentsSDK	Internal server error when location is invalid unicode	X
196	magento	query	guestOrder	Internal server error when email, number, postcode is invalid unicode	X
197	magento	query	guestOrderByToken	Internal server error when token is invalid unicode	X
198	magento	mutation	handlePayflowProResponse	Internal server error when cart_id, paypal_payload is invalid unicode	X
199	magento	query	isEmailAvailable	Internal server error when email is invalid unicode	X
200	magento	mutation	mergeCarts	Internal server error when destination_cart_id is invalid unicode	X
201	magento	mutation	pickupLocations	Internal server error when city, contact_name, country_id is invalid unicode.	X
202	magento	mutation	placeOrder	Internal server error when cart_id is invalid unicode	X
203	magento	query	products	Internal server error when currentPage, pageSize is invalid unicode.	X
204	magento	mutation	removeCouponFromCart	Internal server error when cart_id is invalid unicode	X
205	magento	mutation	removeItemFromCart	Internal server error when cart_id is invalid unicode.	X
206	magento	mutation	removeProductsFromCompareList	Internal server error when products, uid is invalid unicode	X
207	magento	mutation	removeProductsFromWishlist	Internal server error when wishlistId is invalid unicode	X

208	magento	mutation	reorderItems	Internal server error when orderNumber is invalid unicode	X
209	magento	mutation	requestPasswordResetEmail	Internal server error when email is invalid unicode	X
210	magento	mutation	resetPassword	Internal server error when email, newPassword or resetPasswordToken is invalid unicode	X
211	magento	query	route	Internal server error when url is invalid unicode	X
212	magento	mutation	sendEmailToFriend	Internal server error when product_id is invalid unicode	X
213	magento	mutation	setBillingAddressOnCart	Internal server error when cart_id is invalid unicode	X
214	magento	mutation	setGuestEmailOnCart	Internal server error when cart_id, email is invalid unicode	X
215	magento	mutation	setPaymentMethodAndPlaceOrder	Internal server error when cart_id is invalid unicode	X
216	magento	mutation	setPaymentMethodOnCart	Internal server error when cart_id is invalid unicode	X
217	magento	mutation	setShippingAddressesOnCart	Internal server error when cart_id is invalid unicode	X
218	magento	mutation	setShippingMethodsOnCart	Internal server error when cart_id is invalid unicode	X
219	magento	mutation	subscribeEmailToNewsletter	Internal server error when email is invalid unicode	X
220	magento	mutation	syncPaymentOrder	Internal server error when cartId, id is invalid unicode	X
221	magento	mutation	updateCartItems	Internal server error when cart_id is invalid unicode	X
222	magento	mutation	updateCustomer	Internal server error when date_of_birth, dob or email is invalid unicode.	X
223	magento	mutation	updateCustomerAddress	Internal server error when city, company or fax is invalid unicode.	X
224	magento	mutation	updateCustomerEmail	Internal server error when email, password is invalid unicode	X
225	magento	mutation	updateCustomerV2	Internal server error when allow_remote_shopping_assistance, is_subscribed is invalid unicode.	X
226	magento	mutation	updateProductsInWishlist	Internal server error when wishlistId is invalid unicode.	X
227	magento	query	urlResolver	Internal server error when url is invalid unicode.	X