

IT认证轻松过

CAD

英文含讨论版


下载时间：2026-07-20

使用指南

- 章节与题序：**每个章节内，越靠前是越早收录的旧题，越靠后是最新题目。不同科目章节数不同，有的分多个章节，有的只有一个章节。
- 答案参考：**极少数题目的官方答案可能有误，建议结合「AI 解析」与「社区投票分布」综合判断。

提示：越新的题目参与投票的人数越少，投票结果的参考价值相应降低，请以 AI 解析为主要参考。

扫码关注 · 获取更多题库与更新



微信
Examtopics



淘宝
IT认证轻松过



咸鱼
IT认证轻松过

Which of the following statements is true for the Form Designer? a) To add a field to the form layout, drag the field from the Fields tab to the desired destination on the form. b) To create a new field on a form's table, drag the appropriate data type from the Field Types tab to the form and then configure the new field. c) To remove a field from the form layout, hover over the field to enable the Action buttons, and select the Delete (X) button. d) To add a section to the form layout, drag it from the Field Types tab to the desired destination on the form.

A. a, b, c, and d

B. b, c, and d

C. a, b, and d

D. a, b, and c **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

Cinammorrol 7 months, 1 week ago

Selected Answer: D

D. a, b and c -> correct answer
upvoted 1 times

skibumvermont 7 months, 1 week ago

Selected Answer: D

Option D - does not apply.
upvoted 1 times

RKServiceNow 1 year, 1 month ago

Selected Answer: D

A B and C are correct
upvoted 1 times

esllin 1 year, 2 months ago

Selected Answer: D

D is not true.
upvoted 1 times

PurushothamanD 1 year, 2 months ago

Selected Answer: D

Since "Section" is under Components and not Fields. You have Annotation and Section under Components.
upvoted 1 times

Jd_Srikar 1 year, 10 months ago

Selected Answer: D

correct answer
upvoted 2 times

MIBE_ 2 years, 4 months ago

Selected Answer: D

correct
upvoted 1 times

Lord_Korvus 2 years, 5 months ago

Selected Answer: D

Answer D
upvoted 1 times

Charan_sai_97 2 years, 8 months ago

Please help me.
Is this questions is enough to clear exam.
upvoted 2 times

Bob_Loblaw 3 years, 1 month ago

Selected Answer: D

Answer D
upvoted 1 times

som_420 3 years, 4 months ago

Selected Answer: D

correct
upvoted 3 times

Question #2

Topic 1

Which of the following are configured in an Email Notification? a) Who will receive the notification. b) What content will be in the notification. c) When to send the notification. d) How to send the notification.

A. a, b and c **Most Voted**

B. a, b, and d

C. b, c and d

D. a, c and d

Correct Answer: A

Community vote distribution

A (100%)

Comments

RKServiceNow 1 year, 1 month ago

Selected Answer: A

A B and C are valid tabs on the email notifications.
upvoted 1 times

esllin 1 year, 2 months ago

Selected Answer: A

When, Who, what
upvoted 1 times

D_Ogi 2 years ago

I think all a, b, c and d are valid. "d" is valid answer as we define how we send the notification: by "how" I mean it's content type, to include or not a push notification as well as SMS and to choose to make a it a part of digest.
upvoted 1 times

dnbly 1 year, 3 months ago

d isn't applicable because they already told you the notification type in the question i.e. email. Push and SMS are also notification types (i.e. "how"). One notification (template) can have multiple types but it's redundant to say "this email notification is sent via email" because by definition you can't have an email sent via another method. d would only be applicable if the question stated "notification" or "template".
upvoted 1 times

Lord_Korvus 2 years, 5 months ago

Selected Answer: A

Answer a
upvoted 1 times

MagdaGrs 2 years, 5 months ago

Selected Answer: A

Who, What, When
upvoted 4 times

Bob_Loblaw 3 years, 1 month ago

Selected Answer: A

Answer A
upvoted 3 times

som_420 3 years, 4 months ago

Correct
upvoted 1 times

Question #3

Topic 1

To see what scripts, reports, and other application artifacts will be in a published application:

- A. Enter the name of the Application in the Global search field
- B. Open the list of Update Sets for the instance
- C. Examine the Application Files Related List in the application to be published **Most Voted**
- D. Open the artifact records individually to verify the value in the Application field

Correct Answer: C

Community vote distribution

C (90%)

B (10%)

Comments

PR0704 **Highly Voted** 4 years, 7 months ago

Selected Answer: C

this is correct
upvoted 11 times

RKServiceNow **Most Recent** 1 year, 1 month ago

Selected Answer: C

C is most accurate scenario to check the existing development of a published application. The update sets and global search option can also be used to see what different types of development the specific application contains.
upvoted 2 times

ayush15567 1 year, 1 month ago

Selected Answer: C

correct
upvoted 1 times

AnnaHr 1 year, 7 months ago

Selected Answer: C

correct answer is C
upvoted 1 times

BenBose 2 years, 3 months ago

Selected Answer: B

The correct answer is B because the question states that the application has been published. Answer C is not correct because it states the application 'is to be published' ie. It has not yet been published
upvoted 2 times

GuizaoTJ 2 years, 4 months ago

Selected Answer: C

Question correct
upvoted 1 times

Lord_Korvus 2 years, 11 months ago

Selected Answer: C

"Application developers can view the complete list of application files from the custom application record."

upvoted 1 times

MaxMa 3 years, 8 months ago

Selected Answer: C

Answer C

upvoted 1 times

Benojojo 3 years, 10 months ago

Copied from the provided link, "Update sets work in scoped apps just like they do in global scope. But there is a better way to move scoped apps from one instance to another. This capability is called "publish" and it allows you to move an application just like you would with a single executable. The publish capability checks for dependencies and locks the application in the instance where it has been moved so that no changes can be made". for option B

upvoted 1 times

Question #4

Topic 1

Which one of the following is NOT a debugging strategy for client-side scripts?

A. g_form.addInfoMessage()

B. Field Watcher

C. jslog()

D. gs.log() **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

kuchhu 1 year, 1 month ago

Selected Answer: D

gs is server side

upvoted 1 times

esllin 1 year, 2 months ago

Selected Answer: D

gs is server side

upvoted 1 times

miguelhidrogo 1 year, 7 months ago

Selected Answer: D

gs.log

upvoted 1 times

HaraTadahisa 2 years ago

Selected Answer: D

D is correct answer.

upvoted 1 times

GoldBear 2 years, 9 months ago

Selected Answer: D

Answer D

upvoted 2 times

snray 2 years, 10 months ago

Selected Answer: D

D is correct

upvoted 1 times

MIBE_ 2 years, 10 months ago

Selected Answer: D

Glide System object is not allowed in client-side

upvoted 2 times

MagdaGrs 2 years, 11 months ago

Selected Answer: D

You can test this!

upvoted 1 times

Guiguille 3 years ago

Why gs.log() is not a valid client-side debugging option:

upvoted 1 times

doctorF 3 years ago

gs.log() and GSLog are two different things. gs refers to GlideSystem but the GSLog in your link is a Script Include. These are two completely different objects.

upvoted 1 times

Bob_Loblaw 3 years, 7 months ago

Selected Answer: D

Answer D

upvoted 1 times

bharatns 4 years, 5 months ago

correct

upvoted 2 times

Question #5

Topic 1

Which Application Access configuration field(s) are NOT available if the Can read configuration field is NOT selected?

- A. All access to this table via web services
- B. Can create, Can update, and Can delete **Most Voted**
- C. Can read does not affect the availability of other Application Access fields
- D. Allow configuration

Correct Answer: B

Community vote distribution

B (100%)

Comments

Vinothkumar_Rangasamy **Highly Voted** 4 years, 4 months ago

Answer is "B"

upvoted 18 times

SDJoel **Most Recent** 5 months, 2 weeks ago

Selected Answer: B

Scroll down to #6 on this page.

https://www.servicenow.com/docs/r/xanadu/platform-administration/table-administration-and-data-management/t_CreateATable.html?utm_source=chatgpt.com

upvoted 1 times

arango 1 year, 3 months ago

Selected Answer: B

Answer B is the correct. Just tried it on the table setting.

upvoted 1 times

Ruchi_69 1 year, 5 months ago

Selected Answer: B

Please navigate to your PDI and, in the Filter Navigator, go to System Definition > Tables. Search for the 'Incident' table and open the record. Then, go to the Application Access tab and uncheck the 'Can Read' field. You will notice that the 'Can Create,' 'Can Update,' and 'Can Delete' fields are now read-only.

upvoted 2 times

HaraTadahisa 2 years ago

Selected Answer: B

B is correct answer.

upvoted 1 times

manikanta_gnbv 2 years, 4 months ago

Selected Answer: B

B is correct. I just tried in studio application

upvoted 2 times

manikanta_gnbv 2 years, 4 months ago

I just tried in studio application the answer is B

upvoted 2 times

fe91db0 2 years, 7 months ago

Selected Answer: B

can create, update, delete becomes read only

upvoted 2 times

Dekoreh 2 years, 10 months ago

Selected Answer: B

B is correct

upvoted 1 times

Mru9 2 years, 11 months ago

Selected Answer: B

Answer is B

upvoted 1 times

MagdaGrs 2 years, 11 months ago

Selected Answer: B

You can test this!

upvoted 1 times

Missori 3 years ago

Selected Answer: B

I've just tried it and certainly answer is B

upvoted 4 times

MR126 3 years, 1 month ago

B is correct.

upvoted 2 times

Naw210 3 years, 2 months ago

B nha cac ban oi

upvoted 1 times

anny13 3 years, 3 months ago

Selected Answer: B

b is correct

upvoted 1 times

淘宝/闲鱼: 认证轻松过, 微信: Examtopics

Tinu12 3 years, 4 months ago

B is Correct
upvoted 1 times

Bob_Loblaw 3 years, 7 months ago

Selected Answer: B

Answer B
upvoted 4 times

Question #6

Topic 1

Which of the following is NOT a trigger type in Flow Designer?

A. Outbound Email **Most Voted**

B. Application

C. Record

D. Schedule

Correct Answer: A

Community vote distribution

A (100%)

Comments

f27ad55 1 year, 10 months ago

A is the correct answer.
These are the triggers for a Flow in ServiceNow:

Record
-Created
-Updated
-Created or Updated

Scheduled
-Daily
-Weekly
-Monthly
-Run once
-Repeat

Application
-SLA Task
-Inbound Email
-Service Catalog
upvoted 4 times

HaraTadahisa 2 years ago

Selected Answer: A

A is correct answer.
upvoted 2 times

Hmzpkts 2 years, 8 months ago

Should be A and D. Flow designer trigger types are Application, Record, Date..
So in this case we kinda considering D schedule as Date, which is weird..
upvoted 1 times

sstest2 2 years, 7 months ago

Schedule is the wrong answer. Answers must be messed up. Outbound email is a wrong answer too.
upvoted 1 times

Dekoreh 2 years, 10 months ago

Selected Answer: A

Outbound email is not a trigger type
upvoted 3 times

MagdaGrs 2 years, 11 months ago

Selected Answer: A

Just go and check
upvoted 1 times

Bob_Loblaw 3 years, 7 months ago

Selected Answer: A

Answer A
upvoted 2 times

Question #7

Topic 1

When creating new application files in a scoped application, cross scope access is turned on by default in which of the following?

A. REST messages

B. Table **Most Voted**

C. Script Include

D. Workflow

Correct Answer: B

Community vote distribution



Comments

Aixranger 8 months ago

Selected Answer: B

The correct answer is "B".
Cross-scope privileges can be granted for: Table: Read, write, create, delete records

Script Include: Execute API Scriptable (script objects): Execute API
upvoted 1 times

waggles09.centavo 11 months ago

Selected Answer: A

I Think it is A) REST Messages, - From ServiceNow The ServiceNow AI Platform provides various REST APIs, which are active by default. These APIs provide the ability to interact with various ServiceNow functionality within your application. Such functionality includes the ability to perform create, read, update, and delete (CRUD) operations on existing tables (Table API), insert data into, retrieve information from, and run transforms against a MetricBase database (MetricBase Time Series API, and many others.

For a list of available REST APIs, see REST API reference.

See link: <https://www.servicenow.com/community/developer-blog/securing-an-application-using-cross-scope-access-application/ba-p/2288801#:~:text=Cross%20scope%20access%20allows%20administrators,run%20on%20the%20target%20instance.>

Or look up: "REST APIs" should take you there.

upvoted 1 times

navisa 1 year ago

Selected Answer: C

When you create new application files in a scoped application, cross-scope access is automatically enabled by default only for:

◆ Script Includes

upvoted 2 times

ff063b3 1 year, 2 months ago

Selected Answer: B

The correct answer is "B".

Cross-scope privileges can be granted for: Table: Read, write, create, delete records

upvoted 1 times

Arjun766 1 year, 5 months ago

Selected Answer: C

Table need explicit permissions

upvoted 1 times

mrcharli66 1 year, 5 months ago

Selected Answer: A

The correct answer is:

****A. REST messages****

In ServiceNow, when creating new application files in a scoped application, ****cross-scope access**** is turned on by default for ****REST messages****. This allows the scoped application to interact with external systems or other applications via REST without requiring additional configuration for cross-scope privileges.

Other components, like ****Tables****, ****Script Includes****, and ****Workflows****, generally require specific permissions or configuration to enable cross-scope access.

upvoted 4 times

evoken 1 year, 11 months ago

Selected Answer: A

The answer is A. Tables are not accessible outside of the scope by default.

upvoted 2 times

HaraTadahisa 2 years ago

Selected Answer: B

B is correct answer.

upvoted 1 times

ravidamarla 2 years, 9 months ago

B is correct answer

upvoted 1 times

Rai0704 2 years, 11 months ago

Selected Answer: B

Cross-scope privileges can be granted for:

Table: Read, write, create, delete records

Script Include: Execute API

Scriptable (script objects): Execute API

Reference: <https://www.servicenow.com/community/developer-blog/securing-an-application-using-cross-scope-access-application/ba-p/2288801#:~:text=Cross%20scope%20access%20allows%20administrators,run%20on%20the%20target%20instance.>

upvoted 4 times

Mru9 2 years, 11 months ago

Selected Answer: D

Both B & D are correct

upvoted 1 times

AR1970 3 years, 7 months ago

B and D

upvoted 2 times

Bob_Loblaw 3 years, 7 months ago

Selected Answer: B

"By default, all application scope scripts can read the table's records but cannot perform any other database operations."

upvoted 2 times

som_420 3 years, 10 months ago

Selected Answer: B

correct

upvoted 1 times

In an Email Notification, which one of the following is NOT true for the Weight field?

- A. Only Notifications with the highest weight for the same record and recipients are sent
- B. A Weight value of zero means that no email should be sent **Most Voted**
- C. The Weight value defaults to zero
- D. A Weight value of zero means the Notification is always sent when the Notification's When to send criteria is met

Correct Answer: B

Community vote distribution

B (81%)

D (19%)

Comments

pgjensen **Highly Voted** 4 years, 2 months ago

Selected Answer: B

Which is "NOT" true. A, C, D are true. B is false.

upvoted 10 times

ff063b3 **Most Recent** 1 year, 2 months ago

Selected Answer: B

My wife's boyfriend confirmed it was B. I just accept it

upvoted 2 times

HaraTadahisa 2 years ago

Selected Answer: B

B is correct answer.

upvoted 1 times

roxoxete 2 years, 4 months ago

Which is "NOT" true. A, C, D are true. B is false.

upvoted 1 times

manikanta_gnbv 2 years, 4 months ago

Selected Answer: B

B is correct for this question

upvoted 1 times

Jd_Srikar 2 years, 4 months ago

Selected Answer: B

B is correct answer

upvoted 1 times

lyon301 2 years, 7 months ago

Selected Answer: D

D is the right one

upvoted 4 times

Raz_Maz 3 years, 1 month ago

D is correct.

upvoted 1 times

MrPedroLeite 3 years, 2 months ago

The correct answer is D

" The default value 0 causes the system to always send the notification (assuming the conditions are met)."

upvoted 4 times

MrPedroLeite 3 years, 2 months ago

ndiichie is right, the D is TRUE, so the correct answer is B
upvoted 3 times

Naw210 3 years, 2 months ago

Selected Answer: B

B moi dung nha may ba oi
upvoted 2 times

Shisol13 3 years, 3 months ago

Per my Developer Fundamental class notes:
Notifications with Weight value of zero are always sent
upvoted 1 times

ndiichie 3 years, 5 months ago

B is the right answer. See the "NOT" in the question.
upvoted 2 times

sg_100 3 years, 5 months ago

B! (Ref Tokyo Documentation)
Notifications that have the same target table and recipients are considered duplicates if the weights are different. If weights are same, an additional evaluation is done to check if the subject and the body (excluding watermark) are same to qualify as duplicate notification. When there are duplicate notifications, the system only sends the notification with the highest weight. All other notifications are moved from the Outbox to the Skipped mailbox. The default value 0 causes the system to always send the notification (assuming the conditions are met).
upvoted 1 times

cportugal 3 years, 7 months ago

Selected Answer: D

Answer D
upvoted 1 times

fivani 3 years, 3 months ago

Answer is B. Your link even states the same, "Notifications with a Weight value of zero are always sent."
upvoted 2 times

cportugal 3 years, 7 months ago

Selected Answer: D

Answer D
upvoted 1 times

fivani 3 years, 3 months ago

Answer is B. Your link even states the same, "Notifications with a Weight value of zero are always sent."
upvoted 1 times

Bob_Loblaw 3 years, 7 months ago

Selected Answer: B

Answer B
upvoted 2 times

Nick_O 3 years, 11 months ago

Answer is B
upvoted 1 times

Question #9

Topic 1

Which of the following objects does a Display Business Rule NOT have access to?

A. previous **Most Voted**

B. GlideSystem

C. g_scratchpad

D. current

Correct Answer: A

Community vote distribution

A (100%)

Comments

ptrckw **Highly Voted** 4 years ago

Question should be asking about async business rules

upvoted 6 times

paw_pri **Most Recent** 1 year, 1 month ago

Selected Answer: A

A display BR is Before the form is presented to the user, just after the data is read from the database, so there will be always the current data not the previous data which was stored in the database, however the previous object available, but not sure it holds any value to it.

As per the definition of Display BR it should not hold any previous data.

upvoted 2 times

theadminek 1 year, 6 months ago

Selected Answer: A

Docs says current and gscratchpad are available for ondisplay br.

upvoted 1 times

HaraTadahisa 2 years ago

Selected Answer: A

A is correct answer.

upvoted 1 times

tiji834 3 years ago

But the problem is, that g_scratchpad is also not available in Async BR...

upvoted 2 times

Ricou 3 years ago

Selected Answer: A

Business Rules often use the current and previous objects in their script logic.

The current object is automatically instantiated from the GlideRecord class. The current object's properties are all the fields for a record and all the GlideRecord methods. The property values are the values as they exist in the runtime environment.

The previous object is also automatically instantiated from the GlideRecord class. The previous object's properties are also all fields from a record and the GlideRecord methods. The property values are the values for the record fields when they were loaded from the database and before any changes were made. The previous object is not available for use in async Business Rules.

upvoted 1 times

Bob_Loblaw 3 years, 7 months ago

Selected Answer: A

Yes, I think this should be about async business rules:

https://docs.servicenow.com/bundle/tokyo-application-development/page/script/business-rules/concept/c_BusinessRules.html

upvoted 1 times

3Renato 3 years, 9 months ago

Previous is only unavailable in Async Business Rules

upvoted 1 times

som_420 3 years, 10 months ago

Selected Answer: A

A is correct

upvoted 1 times

Question #10

Topic 1

Which of the following features are available to Global applications? (Choose two.)

A. Automated Test Framework **Most Voted**

B. Source Control

C. Delegated Development

D. Flow Designer **Most Voted**

Correct Answer: AD

Community vote distribution

AD (89%)

AB (11%)

Comments

TwelveKay **Highly Voted** 3 years, 4 months ago

A, B & D.

The question is outdated as 3 are now supported in Global (A) Automated Test Framework, B) Source Control and D) Flow Designer). Delegated Development is not supported in Global scope.

<https://www.servicenow.com/community/developer-forum/which-of-the-following-features-are-available-to-global/m-p/1391919>

Global apps gained source control integration in the Paris release.

<https://developer.servicenow.com/blog.do?p=/post/paris-source-control/>

The delegated developer feature only works with true scoped apps, not global.

<https://www.servicenow.com/community/developer-forum/globally-scoped-apps-and-delegated-developers/m-p/1862075>
upvoted 15 times

skibumvermont 7 months, 1 week ago

The question explains to choose two.

upvoted 1 times

VarunV007 **Highly Voted** 4 years, 4 months ago

Correct answer is A & D

upvoted 13 times

skibumvermont **Most Recent** 7 months, 1 week ago

Selected Answer: AB

Flow Designer is a core ServiceNow feature available to Global applications, meaning you can build flows in the global scope, but best practice strongly recommends creating flows within a specific, custom scoped application for better management, isolation, and scalability, as global scope can lead to conflicts.

upvoted 1 times

miguelhidrogo 1 year, 7 months ago

Selected Answer: AD

Like TwelveKay said.

Answer is ATF, Source Control and Flow Designer. Just Delegated Development is not supported in Global Scope

upvoted 1 times

skibumvermont 7 months, 1 week ago

The question explains to choose two.

upvoted 1 times

rikhiphitheni 1 year, 11 months ago

Selected Answer: AD

Only those are the correct answer

upvoted 1 times

DKey 1 year, 11 months ago

Source control is available since Paris

upvoted 1 times

DKey 1 year, 11 months ago

should be A,B and D.

Source control is available to Global applications today

upvoted 3 times

skibumvermont 7 months, 1 week ago
The question explains to choose two.
upvoted 1 times

HaraTadahisa 2 years ago

Selected Answer: AD

AD is correct answer.
upvoted 1 times

Chanti1243 2 years, 3 months ago

A&B
options C (Delegated Development) and D (Flow Designer) are not specifically tied to global applications. While they are valuable features, they are not inherently exclusive to global deployments.
upvoted 1 times

Benojojo 2 years, 4 months ago

The delegated developer feature only works with true scoped apps
upvoted 1 times

MagdaGrS 2 years, 11 months ago

Selected Answer: AD

Delegated Development is supported only on private scoped app.
upvoted 1 times

TwelveKay 3 years, 4 months ago

The question is outdated as 3 are now supported in Global (Automated Test Framework, Source Control and Flow Designer). Delegated Development is not supported in Global scope.
<https://www.servicenow.com/community/developer-forum/which-of-the-following-features-are-available-to-global/m-p/1391919>

Global apps gained source control integration in the Paris release.
<https://developer.servicenow.com/blog.do?p=/post/paris-source-control/>

The delegated developer feature only works with true scoped apps, not global.
<https://www.servicenow.com/community/developer-forum/globally-scoped-apps-and-delegated-developers/m-p/1862075>
upvoted 5 times

rpersonal2 3 years, 9 months ago

Correct answer should be update as it is A, B, D with the recent integration of source control in Paris release.
upvoted 6 times

ManthanW03 3 years, 10 months ago

A, B, D - ATFs and Flow Designer is available to Global not the Delegate Development. Also, after Paris release source control is available to Global apps as well
upvoted 5 times

ptrckw 4 years ago

Question is outdated, global apps gained source control integration in the Paris release
upvoted 4 times

parcerocar1 4 years, 1 month ago

A & D is the correct answer
upvoted 2 times

pgjensen 4 years, 2 months ago

Selected Answer: AD

ATF is available for both Global and Scoped applications. Same for Flow Designer.
upvoted 4 times

Question #11

Topic 1

Which one of the following is NOT a UI Action type?

A. List choice

- B. Form button
- C. List banner button

D. Form choice **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

pgjensen **Highly Voted** 4 years, 2 months ago

Selected Answer: D

https://docs.servicenow.com/en-US/bundle/sandiego-platform-administration/page/administer/list-administration/concept/c_UIActions.html
upvoted 6 times

HaraTadahisa **Most Recent** 2 years ago

Selected Answer: D

D is correct answer.
upvoted 1 times

manikanta_gnbv 2 years, 4 months ago

Selected Answer: D

D is correct there is a list choice and there is no form choice
upvoted 3 times

Lily81 2 years, 4 months ago

https://docs.servicenow.com/bundle/washingtondc-platform-administration/page/administer/list-administration/concept/c_UIActions.html
upvoted 1 times

Question #12

Topic 1

Which of the following is NOT supported by Flow Designer?

- A. Call a subflow from a flow
- B. Test a flow with rollback **Most Voted**
- C. Use Delegated Developer
- D. Run a flow from a MetricBase Trigger

Correct Answer: B

Community vote distribution

B (100%)

Comments

HaraTadahisa 2 years ago

Selected Answer: B

B is correct answer.
upvoted 1 times

manikanta_gnbv 2 years, 4 months ago

Selected Answer: B

There is no roll back in flow testing

upvoted 4 times

D_Ogi 2 years, 6 months ago

B - I think they meant "Rollback action" which is available for Workflows only. However testing a flow in Flow Designer also does not offer rollback functionality. Record modified during a Test of a Flow remains modified when a Test is completed.

upvoted 4 times

som_420 3 years, 10 months ago

Selected Answer: B

Correct

upvoted 2 times

Question #13

Topic 1

Which of the following are true for reports in ServiceNow? (Choose three.)

A. Any user can see any report shared with them.

B. Can be a graphical representation of data. **Most Voted**

C. All users can generate reports on any table.

D. Can be run on demand by authorized users. **Most Voted**

E. Can be scheduled to be run and distributed by email. **Most Voted**

Correct Answer: BDE

Community vote distribution

BDE (100%)

Comments

nsmcan **Highly Voted** 4 years, 9 months ago

Valid is BDE

A is invalid because an user cannot see a shared report if has no access to a report's table(s)

E is valid: <https://docs.servicenow.com/bundle/rome-platform-administration/page/administer/reference-pages/task/schedule-report.html>

Generate and distribute scheduled reports via email.

upvoted 25 times

samrat1010 **Highly Voted** 4 years, 4 months ago

BDE is right

upvoted 8 times

Vinaykpro **Most Recent** 2 years ago

Selected Answer: BDE

Simple

upvoted 1 times

evoken 2 years, 6 months ago

B. Can be a graphical representation of data: Reports in ServiceNow can include various graphical representations, such as charts and graphs, to provide visual insights into the data.

D. Can be run on demand by authorized users: Authorized users can generate reports on-demand to view real-time data or specific information from the ServiceNow instance.

E. Can be scheduled to be run and distributed by email: ServiceNow allows users to schedule reports to run at specific times and automatically distribute the results via email. This feature is useful for regular reporting and sharing information with stakeholders.

upvoted 4 times

Zcam 2 years, 9 months ago

BDE is correct

upvoted 1 times

Dekoreh 2 years, 10 months ago

Selected Answer: BDE

BDE is correct. A is absolutely wrong
upvoted 1 times

Lord_Korvus 2 years, 11 months ago

Selected Answer: BDE

B, D and A are the correct answers.
upvoted 1 times

Mru9 2 years, 11 months ago

BDE is correct answer in Utah
upvoted 1 times

Stockholm_syndrom_Snow 3 years ago

Selected Answer: BDE

User without authorization to see some tables, cannot see the report
upvoted 1 times

Sledgess 3 years, 1 month ago

BDE should be the answer
upvoted 1 times

AmmarGabr 3 years, 4 months ago

Selected Answer: BDE

BDE is my answer
upvoted 3 times

rpersonal2 3 years, 9 months ago

Selected Answer: BDE

BDE is correct.
upvoted 2 times

Nick_O 3 years, 11 months ago

BDE is valid in San Diego
upvoted 1 times

Gurubala 3 years, 11 months ago

Selected Answer: BDE

yes BDE is correct according to docs.servicenow
upvoted 3 times

14006044 4 years ago

VALID IS BDE
upvoted 3 times

Question #14

Topic 1

Modules must have a Link type. Which one of the following is a list of Link types?

- A. List of Records, Separator, Catalog Type, Roles
- B. Assessment, List of Records, Separator, Timeline Page **Most Voted**
- C. List of Records, Content Page, Order, URL (from arguments:)
- D. Assessment, List of Records, Content Page, Roles

Correct Answer: B

Community vote distribution

Comments

mrcharli66 1 year, 5 months ago

Selected Answer: B

Order and role unavailable to select.
upvoted 1 times

theadminek 1 year, 6 months ago

Selected Answer: B

Order and role unavailable to select.
upvoted 1 times

evoken 1 year, 10 months ago

Selected Answer: C

- List of Records: Displays a list of records from a specified table.
- Content Page: Displays a custom content page.
- Order: Refers to displaying an ordered list or a sequential structure.
- URL (from arguments:): Directs users to a specific URL or webpage.

upvoted 1 times

manikanta_gnbv 2 years, 4 months ago

Selected Answer: B

There is no roles and order and catalog in link type.so correct option is B.
upvoted 3 times

D_Ogi 2 years, 6 months ago

B.

Valid link for docs:
https://docs.servicenow.com/bundle/utah-application-development/page/administer/auto-test-framework/reference/test-steps-app-navigator-category.html#title_r_ModuleLinkTypes
upvoted 1 times

Dekoreh 2 years, 10 months ago

Selected Answer: B

B is correct
upvoted 1 times

sephereth 3 years, 11 months ago

Selected Answer: B

B is correct, all Link Type options are: Content Page, Documentation Link, HTML (from Arguments:), List Filter, List of Records, Map Page, New Record, Run a Report, Script (from Arguments:), Search Screen, Separator, Single Record, Survey, Timeline Page, URL (from Arguments:)
upvoted 4 times

Question #15

Topic 1

Which one of the following is true for a table with the `Allow configuration` Application Access option selected?

- A. Only the in scope application's scripts can create Business Rules for the table
- B. Any user with the application's user role can modify the application's scripts
- C. Out of scope applications can create Business Rules for the table **Most Voted**
- D. Out of scope applications can add new tables to the scoped application

Correct Answer: C

Community vote distribution

Comments

beto_guitar 2 years ago

Selected Answer: C

C is correct
upvoted 1 times

evoken 2 years, 6 months ago

- A. Incorrect. "Catalog Type" is not a standard Link type for modules in ServiceNow.
- B. Incorrect. "Assessment" and "Timeline Page" are not standard Link types for modules in ServiceNow.
- C. Correct. This option includes standard Link types for modules in ServiceNow:

List of Records: Displays a list of records from a specified table.
Content Page: Links to a ServiceNow content page.
Order: Represents an ordering of items (a separator that organizes other modules).
URL (from arguments): Allows you to link to an external URL.
D. Incorrect. "Assessment" is not a standard Link type for modules in ServiceNow.
upvoted 1 times

f27ad55 1 year, 9 months ago

This is for question 14. Please remove your answers from questions as it applies to question 14.
upvoted 4 times

apballard 3 years ago

Selected Answer: C

https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_securingsapps_tokyo_allow_configuration
upvoted 3 times

JackLopez 3 years, 8 months ago

Option C is correct.
upvoted 3 times

Question #16

Topic 1

When working in the Form Designer, configuring the label of a field in a child table changes the label on which table(s)?

- A. base table
- B. child table **Most Voted**
- C. parent table
- D. all tables

Correct Answer: B

Community vote distribution

B (100%)

Comments

oswaldorusb 6 months ago

Selected Answer: B

In Form Designer, when you change the label of a field on a child table:
The label change applies only to that child table.
This is because labels are table-specific, even for fields inherited through table extension.

upvoted 1 times

sahithi2004 2 years ago

Selected Answer: B

When working in the Form Designer in ServiceNow, configuring the label of a field in a child table changes the label on:

B. child table

This means that the label change will only apply to the child table where you made the modification, not affecting the base table, parent table, or all tables.

upvoted 1 times

jck777 2 years, 1 month ago

c. Parent table

from servicenow support documentation: If a child table, such as pm_project, is saved using the form designer, the parent field labels (sys_documentation) are changed to those of the child. For example, changing and saving the pm_project form causes the short_description field label on task to change from "Short Description" to "Project Name."

upvoted 1 times

D_Ogi 2 years, 6 months ago

A is correct:

<https://www.servicenow.com/community/developer-forum/when-working-in-form-designer-configuring-the-label-of-a-field/mp/1436339/highlight/true#M93265>

System would not create a dictionary override automatically.

upvoted 1 times

Kontopro 2 years, 4 months ago

It creates Label not dict. override. It is B

upvoted 2 times

Dekoreh 2 years, 10 months ago

Selected Answer: B

B is correct

upvoted 1 times

Anu_K 2 years, 11 months ago

Selected Answer: B

Child table

upvoted 2 times

YMijoe 3 years, 4 months ago

Selected Answer: B

I agree that the "child table" is correct.

upvoted 1 times

Question #17

Topic 1

Which one of the following is true?

- A. A UI Policy's Actions execute before the UI Policy's Scripts **Most Voted**
- B. The execution order for a UI Policy's Scripts and Actions is determined at runtime
- C. A UI Policy's Scripts execute before the UI Policy's Actions
- D. A UI Policy's Actions and Scripts execute at the same time

Correct Answer: A

Community vote distribution

A (54%)

C (46%)

Comments

nsmcan Highly Voted 4 years, 9 months ago

Correct answer is A. I didn't find any definite statements about order in the docs. However in the link, quoted for this question, there are two opposite responses. One, which takes UI Policy Actions first and UI Policy Scripts second, was marked helpful by ServiceNow and Expert(s)
upvoted 14 times

Haikz Highly Voted 4 years, 1 month ago

Selected Answer: A

A is correct, verified.

Created UI policy on incident form, action set's cmdb_ci field as mandatory and script as not. result, field was not mandatory.
upvoted 9 times

Doug99 Most Recent 1 year, 5 months ago

Selected Answer: A

In ServiceNow, UI policy actions execute before UI policy scripts. Here's the sequence of execution:

1. UI Policy Conditions: The condition is evaluated first to determine whether the UI policy should apply.
2. UI Policy Actions: If the condition is met, the UI policy actions (e.g., making fields visible, read-only, or mandatory) are executed first.
3. UI Policy Script: After the actions are applied, the script associated with the UI policy runs.

This order ensures that the predefined actions are applied before any custom logic in the script is executed. If you need to modify the behavior after actions, the script is where you can do that.

upvoted 2 times

RoadtoCad 1 year, 11 months ago

The answer is A

Actions execute first: When a UI Policy is triggered, the Actions are applied first. This ensures that the form is updated (fields are shown, hidden, made mandatory, etc.) before any custom scripts are run.

Scripts execute after Actions: Once the Actions have been applied, the UI Policy Scripts are then executed. This allows the script to work with the form in its updated state.

upvoted 2 times

DKey 1 year, 11 months ago

A. tested in PDI

upvoted 1 times

sahithi2004 2 years ago

Selected Answer: A

In ServiceNow, when a UI Policy is triggered, its actions (such as setting fields to mandatory, visible, or read-only) are executed before any scripts associated with the UI Policy are run.

upvoted 1 times

CodingAmo 2 years, 1 month ago

Selected Answer: A

The Scripting in ServiceNow Fundamentals course section called Catalog Client Scripts and Catalog UI Policies which is found in the student instance has a KBA #KB86753O9 that states "UI Policy Actions execute before UI Policy Scripts".

upvoted 1 times

jutorri 2 years, 1 month ago

Correct is A:

General Order:

- UI Scripts
- Client Scripts
- UI Policy Action
- UI Policy Scripts

upvoted 2 times

51f8ce8 2 years, 1 month ago

Correct answer is A. UI Policy action executes before scripts.

upvoted 1 times

chrisRY 2 years, 1 month ago

This video goes over Answer A - <https://www.google.com/search?client=opera&q=UI+Policy%27s+Actions+execute+before+the+UI+Policy%27s+Scripts&sourceid=opera&ie=UTF-8&oe=UTF-8#fpstate=ive&vld=cid:63e72bd4,vid:TptpAXILT10,st:0>

8#fpstate=ive&vld=cid:63e72bd4,vid:TptpAXILT10,st:0

upvoted 1 times

georgeg4 2 years, 2 months ago

Selected Answer: C

The correct is C

upvoted 1 times

georgeg4 2 years, 2 months ago

https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app_store_learnv2_scripting_washingtondc_scripting_in_servicenow/app_store_learnv2_scripting_washingtondc_client_side_scripting/app_store_learnv2_scripting_washingtondc_client_scripts_vs_ui_policies

upvoted 1 times

Chanti1243 2 years, 3 months ago

C

UI Policy's Scripts execute before the UI Policy's Actions (Option C): This statement is accurate. When a UI Policy is triggered, its script runs first. The script evaluates conditions and performs any necessary modifications. If the conditions are met, the associated actions (such as hiding fields or setting field values) are then executed.

upvoted 1 times

Checwes 2 years, 4 months ago

Selected Answer: A

Just tested in my PDI.

Sample example:

1) on incident form write UI policy when state changes to closed; make short description as mandatory from UI policy action

2) from UI policy script execute if true; use below script

```
g_form.setMandatory('short_description', false);
```

Answer is A.

upvoted 1 times

manikanta_gnbv 2 years, 4 months ago

Selected Answer: C

I think the answer is C

upvoted 4 times

MacGyver4th 2 years, 5 months ago

Selected Answer: C

I tested this on the incident form in a Vancouver PDI by modifying the "Fields set to mandatory for all states" UI policy.

I changed the "When to Apply" condition to when the state was "In Progress"

I enabled "Run scripts" and added code in the "Execute if true" section

****I keep getting bad gateway errors when I try to submit with the code****

When the form loads, the caller and short descriptions fields are not mandatory. When I select "In Progress" for the state, after about 5 seconds the caller and short description fields become mandatory.

This tells me that the script runs before the actions.

The answer is C

upvoted 4 times

evoken 2 years, 6 months ago

In ServiceNow, UI Policies are used to dynamically change the behavior of form elements based on certain conditions. A UI Policy consists of both Scripts and Actions.

Scripts: These are JavaScript code snippets that execute when the conditions specified in the UI Policy are met. They are typically used for more complex logic and calculations.

Actions: These are predefined operations that can be applied to form elements when the conditions are met. Examples include showing or hiding a field, making a field mandatory, or setting a default value.

The correct order of execution is that the Scripts execute before the Actions. The JavaScript code in the Scripts section is evaluated first, and based on the results, the corresponding Actions are then executed.

So, option C is the correct statement.

upvoted 3 times

D_Ogi 2 years, 6 months ago

A

<https://www.servicenow.com/community/developer-forum/which-executes-first-ui-policy-action-or-ui-policy-script/m-p/2666819/highlight/true#M1034196>

upvoted 1 times

Here is the Business Rule script template:

```
(function executeRule (current, previous */null when async*/) {  
  
    }) (current, previous);
```

This type of JavaScript function is known as:

- A. Constructor
- B. Scoped
- C. Anonymous

D. Self-invoking **Most Voted**

Correct Answer: D

Community vote distribution

D (85%)

C (15%)

Comments

nsmcan **Highly Voted** 4 years, 9 months ago

Correct answer is D: Self-invoking. Learn JavaScript!
upvoted 14 times

Hmzpkts 2 years, 9 months ago

True and.. easy man!
upvoted 1 times

Vinothkumar_Rangasamy **Highly Voted** 4 years, 4 months ago

Correct Answer is "D"
upvoted 7 times

A7mad5aled **Most Recent** 1 year, 7 months ago

Selected Answer: C

C and D are correct because
the function is called directly = self-invoking
it doesn't have name = anonymous
upvoted 2 times

arango 1 year, 3 months ago

it has name, it's called executeRule
upvoted 2 times

chuks100 2 years, 1 month ago

D is correct
upvoted 1 times

brutaltea 2 years, 9 months ago

Selected Answer: D

D
https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_scripting_utah_business_rule_scripts
upvoted 1 times

ravidamarla 2 years, 9 months ago

Notice the template syntax. The function syntax is known in JavaScript as a self-invoking function or an Immediately Invoked Function Expression (IIFE). The function is immediately invoked after it is defined. ServiceNow manages the function and when it is invoked; developers do not explicitly call Business Rule scripts.

Reference Link: https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_scripting_utah_business_rule_scripts
upvoted 1 times

Anu_K 2 years, 11 months ago

Selected Answer: D

It is self invoking
upvoted 1 times

SarojPatel 3 years, 5 months ago

in javascript it is called immediate invoked function /self invoking function
upvoted 2 times

X_Venkat 3 years, 6 months ago

Notice the template syntax. The function syntax is known in JavaScript as a self-invoking function or an Immediately Invoked Function Expression (IIFE).
upvoted 2 times

Bob_Loblaw 3 years, 7 months ago

"The template's process function, known as a self-invoking or immediately invoked function expression, is automatically invoked when a resource is accessed."

https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/servicenow_application_developer/app_store_learnv2_rest_rome_resource_script
upvoted 2 times

amineHTB 3 years, 9 months ago

Selected Answer: D

in javascript it's called self-invoking
upvoted 3 times

rpersonal2 3 years, 9 months ago

Selected Answer: D

self Invoking
upvoted 2 times

rpersonal2 3 years, 9 months ago

Correct answer is D - self-invoking. Its NOT a constructor.
upvoted 2 times

Farnous 3 years, 11 months ago

Selected Answer: D

D is the correct one
upvoted 2 times

Gurubala 3 years, 11 months ago

Selected Answer: D

D is correct
upvoted 2 times

parcerocar1 4 years, 1 month ago

D, that's an IIFE which stands for immediately invoked Function Expression
upvoted 4 times

Question #19

Topic 1

Which method call returns true only if the currently logged in user has the catalog_admin role and in no other case?

A. g_user.hasRole('catalog_admin')

B. g_user.hasRoleExactly('catalog_admin') **Most Voted**

C. g_user.hasRoleOnly('catalog_admin')

D. g_user.hasRoleFromList('catalog_admin')

Correct Answer: B

Community vote distribution

Comments

kundgir Highly Voted 4 years, 10 months ago

Answer is incorrect , It should be B
upvoted 14 times

nsmcan Highly Voted 4 years, 9 months ago

Correct answer is B. There is no g_user.hasRoleOnly function
upvoted 14 times

esllin Most Recent 1 year, 2 months ago

Selected Answer: B

g_user.hasRole('client_script_admin');

The example script checks to see if the currently logged in user has the capability to create and edit Client Scripts (client_script_admin role). Note that the script returns true not only when the currently logged in user has the role assigned but also if the currently logged in user has the admin role. The admin user has all roles implicitly assigned. To test whether the currently logged in user has the role explicitly assigned, use the hasRoleExactly() method:

g_user.hasRoleExactly('client_script_admin');

upvoted 2 times

arango 1 year, 3 months ago

Selected Answer: B

Take a look of this

<https://servicenow.read.inkling.com/a/b/969eb76959534a84af3d0c2c58ba13ff/p/7b1eee5b6af844d08eeea8ccbecb08d5>

upvoted 1 times

Nisha2706 1 year, 11 months ago

it's B

upvoted 1 times

chuks100 2 years, 1 month ago

B is correct

upvoted 1 times

Klahr 2 years, 1 month ago

B

(https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app_store_learnv2_scripting_washingtondc_scripting_in_servicenow/app_store_learnv2_scripting_washingtondc_client_side_scripting/app_store_learnv2_scripting_washingtondc_the_glideuser_g_user_class)

upvoted 1 times

manikanta_gnbv 2 years, 4 months ago

Selected Answer: B

B is Correct

upvoted 1 times

evoken 2 years, 6 months ago

Selected Answer: B

The g_user.hasRoleExactly() method in ServiceNow is used to check if the currently logged-in user has a specified role and no other roles. In this case it checks if the user has the 'catalog_admin' role and no other roles.

So, the correct method call to return true only if the currently logged-in user has the 'catalog_admin' role and in no other case is

g_user.hasRoleExactly('catalog_admin')

upvoted 3 times

BugPanda 2 years, 8 months ago

Selected Answer: B

B is the correct one

upvoted 1 times

brutaltea 2 years, 9 months ago

Selected Answer: B

Correct answer is B, there is no hasRoleOnly method in g_user

upvoted 3 times

Lord_Korvus 2 years, 11 months ago

Selected Answer: B

Correct answer is B, g_user.hasRoleExactly()

Please find this g_user.hasRoleOnly() client side script that you speak of in the below ServiceNow documentation. I can wait. :D

Source: https://developer.servicenow.com/dev.do#!/reference/api/utah/client/c_GlideUserAPI

upvoted 1 times

Mru9 2 years, 11 months ago

Answer is B

upvoted 1 times

Anu_K 2 years, 11 months ago

Selected Answer: B

Has role exactly.

upvoted 1 times

stophs 3 years, 2 months ago

Selected Answer: B

B IS CORRECT

upvoted 3 times

KAAAAARIM 3 years, 7 months ago

Can you guys update the correct answer? So far I've seen the "correct answer" be incorrect a little too many times and I'm not even a quarter of the way through these questions....the correct answer is B!!!

upvoted 3 times

g_user 3 years, 8 months ago

let it b, let it b...

upvoted 2 times

Question #20

Topic 1

There is a basic strategy when creating a Utils Script Include. Identify the step that does not belong.

- A. Identify the table **Most Voted**
- B. Script the function(s)
- C. Create a class
- D. Create a prototype object from the new class

Correct Answer: A

Community vote distribution

A (100%)

Comments

D_Ogi 2 years ago

A and D - You don't define the table for Script Include and also you don't create an instance of an object of the class. An object is created on a script invoking the class -level.

upvoted 2 times

cricosta 2 years, 3 months ago

A is correct;

Application Development Fundamentals - San Diego book page 343

upvoted 2 times

Dekoreh 2 years, 4 months ago

Selected Answer: A

A is correct

https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_scripting_tokyo_utilities_script_include
upvoted 1 times

MagdaGrs 2 years, 5 months ago

Selected Answer: A

On a Script Include you don't need to Identify the table.

upvoted 1 times

luis_alonso_jonay 2 years, 10 months ago

The correct is A

https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_scripting_tokyo_utilities_script_include
upvoted 1 times

Question #21

Topic 1

Which roles grant access to source control repository operations such as importing applications from source control, or linking an application to source control?

(Choose two.)

A. source_control **Most Voted**

B. source_control_admin

C. admin **Most Voted**

D. git_admin

Correct Answer: AC

Reference:

https://docs.servicenow.com/bundle/orlando-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html

Community vote distribution

AC (100%)

Comments

gdmail2 **Highly Voted** 3 years ago

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html
Based on tokyo release, only the admin can do it. For previous releases, source_control role is needed.

upvoted 6 times

illini4392 **Most Recent** 1 year, 8 months ago

Selected Answer: AC

Still A and C as of Utah

https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_devenvironment_utah_linking_an_application_to_source_control

upvoted 1 times

Nicknameonetwo 2 years, 8 months ago

A and C are correct:

A.) https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_ImportAppFromSourceControl.html

C.) https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html

upvoted 1 times

Bob_Loblaw 3 years, 1 month ago

A and C. "Users with the admin or source_control role can use Studio to link a ServiceNow application to a repository."

https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_devenvironment_rome_linking_an_application_to_source_control

upvoted 2 times

Question #22

Topic 1

When configuring the content of an Email Notification, which syntax should be used to reference the properties of an event triggering the Notification?

- A. `${event.<property name>}` **Most Voted**
- B. `${current.<property name>}`
- C. `${<property name>.getDisplayValue()}`
- D. `${gs.<property name>}`

Correct Answer: A

Community vote distribution

A (95%)

Comments

kundgir **Highly Voted** 4 years, 10 months ago

`${event.<property name>}` should be answer

upvoted 18 times

Vinothkumar_Rangasamy **Highly Voted** 4 years, 4 months ago

Answer :A

upvoted 9 times

Whitewalker_75 **Most Recent** 2 years, 1 month ago

Selected Answer: A

correct ans a

upvoted 1 times

sstest2 2 years, 7 months ago

Answers are messed up. Should be either event params or field value.

upvoted 1 times

Dekoreh 2 years, 10 months ago

Selected Answer: A

A is correct

upvoted 2 times

AccentureKiloGuru 3 years ago

Selected Answer: A

A: `${event.<property name>}` is the correct answer, refer:

<https://www.servicenow.com/community/itsm-forum/email-notification/m-p/695221>

upvoted 2 times

jesiegel 3 years ago

Selected Answer: C

C is right

upvoted 1 times

jesiegel 3 years ago

When you pass an event, you pass a record and two parameters, this does not ask if you want to access the parameters, which would need the `${event.parm1}` syntax, but it asks to access the properties of the event, which would be the record being passed with it. which can be accessed by using the field name directly. so `${property_name}` would work, and so should `${property_name.getDisplayValue}` to get its display value instead of actual value. the trigger for an event is `gs.eventQueue(<EVENT NAME>, <RECORD OBJECT>, PARM1, PARM2)` you can access a field within the record object by simply using `${field_Name}`

upvoted 5 times

Ofuoma 3 years, 3 months ago

Selected Answer: A

A is correct

upvoted 2 times

Bob_Loblaw 3 years, 7 months ago

Answer: A.

<https://www.servicenow.com/community/it-service-management-forum/email-notification/m-p/695221>

upvoted 3 times

JackLopez 3 years, 8 months ago

Selected Answer: A

Option A

upvoted 2 times

Gurubala 3 years, 11 months ago

Selected Answer: A

A is correct

upvoted 2 times

Krundol 3 years, 12 months ago

Selected Answer: A

Answer A is correct

upvoted 2 times

14006044 4 years ago

`${event.<property name>}`

upvoted 2 times

Dharma_tsa 4 years, 7 months ago

Selected Answer: A

Answer: A

upvoted 8 times

Question #23

Topic 1

Which one of the following is true for a Script Include with a Protection Policy value of Protected?

- A. Any user with the protected_edit role can see and edit the Script Include
- B. The Protection policy option can only be enabled by a user with the admin role
- C. The Protection Policy is applied only if the glide.app.apply_protection system property value is true
- D. The Protection Policy is applied only if the application is downloaded from the ServiceNow App Store **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

nsmcan **Highly Voted** 4 years, 3 months ago

Valid answer is D:

https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ScriptProtectionPolicy.html

Answer by Chuck Tomasi: https://community.servicenow.com/community?id=community_question&sys_id=530ff629db58dbc01dcf3231f9619d7

This field is mainly intended for our TPP (technical partner program) - those people who create apps and publish them to the store.

upvoted 16 times

Vinothkumar_Rangasamy Highly Voted 3 years, 10 months ago

Correct Answer :D

upvoted 6 times

manikanta_gnbv Most Recent 1 year, 10 months ago

Selected Answer: D

its true

upvoted 1 times

AdamAdamAdam 2 years, 2 months ago

Selected Answer: D

Active link - https://developer.servicenow.com/dev.do#!/learn/learning-plans/vancouver/new_to_servicenow/app_store_learnv2_scripting_vancouver_script_includes

"Protection policy: If set to Read-only, instances on which the application is installed from the ServiceNow Store can read but not edit the Script Include. If set to Protected, the Script Include is encrypted on instances on which the application is installed from the ServiceNow Store. Protection policies are never applied to the instance on which an application is developed."

upvoted 2 times

bertis2311154 2 years, 3 months ago

Selected Answer: D

Correct answer is D

upvoted 1 times

cricosta 2 years, 5 months ago

Pag 379 form fundamentales scripting Book

Correct answer is D

upvoted 2 times

Mru9 2 years, 5 months ago

Selected Answer: D

D IS THE ANSWER

upvoted 1 times

JackLopez 3 years, 2 months ago

Selected Answer: D

Valid is D

upvoted 2 times

tashpasnow 3 years, 3 months ago

Selected Answer: D

answer is D! Did a robot create the test? The official answer makes no sense at all.

upvoted 2 times

KondorZw 3 years, 3 months ago

Selected Answer: D

D is right

upvoted 2 times

som_420 3 years, 4 months ago

Selected Answer: D

Answer : D

upvoted 2 times

Farnous 3 years, 5 months ago

Selected Answer: D

D is correct

upvoted 2 times

Gurubala 3 years, 5 months ago

Selected Answer: D

Answer Is D

upvoted 2 times

14006044 3 years, 6 months ago

CORRECT ANSWER IS D

upvoted 2 times

Question #24

Topic 1

Which one of the following is true for GlideUser (g_user) methods?

A. Can be used in Client Scripts and UI Policies only

B. Can be used in Business Rules only

C. Can be used in Client Scripts, UI Policies, and UI Actions **Most Voted**

D. Can be used in Business Rules, and Scripts Includes

Correct Answer: C

Community vote distribution

C (75%)

A (25%)

Comments

brianwsoares 1 year, 7 months ago

Selected Answer: C

https://developer.servicenow.com/dev.do#!/reference/api/vancouver/client/c_GlideUserAPI

C

upvoted 3 times

fe91db0 1 year, 7 months ago

Selected Answer: C

UI actions is a server side artifact but it can also run on client. hence g_user can be used on any client side scripts

upvoted 2 times

Lord_Korvus 1 year, 11 months ago

Selected Answer: C

- is typically used in client scripts and UI policies but is also found in UI actions that run on the client.
- cannot be used in business rules or UI actions that run on the server.

Source: https://developer.servicenow.com/dev.do#!/reference/api/utah/client/c_GlideUserAPI

upvoted 1 times

MagdaGrS 1 year, 11 months ago

Selected Answer: C

g_user can be used on Client Side Scripts:

1. Client Script
2. UI Policy Script
3. UI Action (if client checkbox is true)

upvoted 1 times

hawful 2 years ago

Selected Answer: C

The correct answer is C, although GlideUser is not COMMONLY used in UI Actions, you can make a UI Action run client side. Running a UI action client side is also how you integrate GlideModal and other client operations with a UI Action.

Tricky question, but the answer is C.

upvoted 2 times

luissevero 2 years, 1 month ago

Search in the doc UTAH version: "is typically used in client scripts and UI policies but is also found in UI actions that run on the client."
So, the correct answer is C.

upvoted 1 times

schaparro 2 years, 2 months ago

Selected Answer: A

The link being shared says that the GlideUser API cannot be used in UI actions that run on the server. This question doesn't specify if the UI Action runs on the client or on the server. For that reason, I believe the correct answer is A. The GlideUser is typically used in client scripts and UI policies. Unless it is specified where the UI Action is running I will not assume is on the client side. A very tricky question indeed.

upvoted 3 times

snguru 2 years, 2 months ago

Selected Answer: C

"CAN" is a key word interpretation that needs to be understood for this question.

"Can be used in Client Scripts, UI Policies, and UI Actions" as is mentioned below. Read these details carefully.

https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c_GlideUserAPI

upvoted 3 times

stophs 2 years, 2 months ago

Selected Answer: A

A is correct

upvoted 1 times

Nicknameonetwo 2 years, 2 months ago

C is correct - Can be used in Client Scripts, UI Policies, and UI Actions.

https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c_GlideUserAPI

upvoted 2 times

REENA124 2 years, 5 months ago

answer is client scripts and ui policies only, Please correct the answer in website

upvoted 1 times

veniwa8015 2 years, 5 months ago

you can run the ui action in client side

upvoted 1 times

REENA124 2 years, 5 months ago

GlideUser

The GlideUser API provides access to information about the current user and current user roles. Using the GlideUser API avoids the need to use the slower GlideRecord queries to get user information.

The GlideUser methods and properties are accessed through a global object (g_user) that is only available in client scripts. GlideUser contains name and role information about the current user.

is typically used in client scripts and UI policies but is also found in UI actions that run on the client.

cannot be used in business rules or UI actions that run on the server.

(Refer:https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c_GlideUserAPI)

upvoted 2 times

raj9885 2 years, 6 months ago

UI action works as both client and server side

So Answer C is correct

upvoted 1 times

ezsy 2 years, 6 months ago

A

https://servicenowguru.com/scripting/user-object-cheat-sheet/#~:text=The%20g_user%20object%20can%20be,accessible%20to%20client%20Dside%20JavaScript.

upvoted 1 times

Question #25

Topic 1

When configuring a module, what does the Override application menu roles configuration option do?

A. Users with the module role but without access to the application menu access the module **Most Voted**

B. Self-Service users can access the module even though they do not have roles

C. Admin is given access to the module even if Access Controls would ordinarily prevent access

D. Users with access to the application menu can see the module even if they don't have the module role

Correct Answer: A

Community vote distribution

A (100%)

Comments

nsmcan **Highly Voted** 4 years, 3 months ago

Correct answer is A.

The reference link, provided for the question, confirms that: Override application menu roles : Allows users to access this module even if they do not have permission to view the containing application menu. Users must still meet the role requirements for this module.

upvoted 14 times

Vinothkumar_Rangasamy **Highly Voted** 3 years, 10 months ago

Correct Answer :A

upvoted 5 times

manikanta_gnbv **Most Recent** 1 year, 10 months ago

Selected Answer: A

A is correct

upvoted 1 times

MagdaGrs 2 years, 5 months ago

Selected Answer: A

Use the Override application menu roles option to give module-level access to a role that is not authorized to see the application.

For example, assume the Special Occasions application menu requires the admin role and the Occasions module for the Special Occasions application requires the x_snc_employee_spe.occasions_user role.

The application-level requirement supersedes the module-level requirement which means that users with the x_snc_employee_spe.occasions_user role cannot see either the application or the module.

If the Override application menu roles option is selected, users with the x_snc_employee_spe.occasions_user role can see both the application and the module even though the user is not authorized by role to see the application menu.

upvoted 1 times

REENA124 2 years, 12 months ago

A is right answer

upvoted 3 times

Charan_sai_97 2 years, 8 months ago

Is this questions is enough to pass the exam????

upvoted 1 times

JackLopez 3 years, 2 months ago

Selected Answer: A

Answer A

upvoted 2 times

Krondol 3 years, 6 months ago

Selected Answer: A

Answer A is correct:

Checkbox tooltip:

"Show this module when the user has the specified roles. Otherwise the user must have the roles specified by both the application menu and the module."

upvoted 2 times

VarunV007 3 years, 10 months ago

Selected Answer: A

Option A

upvoted 4 times

Dharma_tsa 4 years, 1 month ago

Selected Answer: A

Answer: A

upvoted 4 times

Which platform feature can be used to determine the relationships between field in an Import Set table to field in an existing ServiceNow table?

- A. Business Service Management Map
- B. Data Sources
- C. Transform Map **Most Voted**
- D. CI Relationship Builder

Correct Answer: C

A transform map determines the relationships between fields displaying in an Import Set table and fields in an existing ServiceNow table, such as the Incidents or Users table.

Reference:

https://community.servicenow.com/community?id=community_question&sys_id=69fc8369db9cdb01dcaf3231f961935

Community vote distribution

C (100%)

Comments

Zuned 1 year, 9 months ago

C, Transform MAP
upvoted 1 times

Dekoreh 2 years, 4 months ago

Selected Answer: C

Transform map is correct
upvoted 2 times

Nicknameonetwo 2 years, 8 months ago

C. Transform Map - correct
upvoted 2 times

When configuring a REST Message, the Endpoint is:

- A. The commands to the REST script to stop execution
- B. The URI of the data to be accessed, queried, or modified **Most Voted**
- C. Information about the format of the returned data
- D. The response from the provider indicating there is no data to send back

Correct Answer: B

Community vote distribution

B (100%)

Comments

Dekoreh 1 year, 10 months ago

Selected Answer: B

B is correct base on Lab 9.2 number 5 (page 455 of SN CAD ebook)
upvoted 1 times

YMijoe 2 years, 2 months ago

Selected Answer: B

The endpoint is the URL of the data to be retrieved, updated, or deleted.
https://docs.servicenow.com/bundle/utah-api-reference/page/integrate/outbound-rest/reference/r_RESTMessageElements.html
upvoted 2 times

Question #28

Topic 1

When evaluating Access Controls, ServiceNow searches and evaluates:

- A. Only for matches on the current table
- B. Only for matches on the current field
- C. From the most specific match to the most generic match **Most Voted**
- D. From the most generic match to the most specific match

Correct Answer: C

Community vote distribution

C (100%)

Comments

nsmcan **Highly Voted** 3 years, 9 months ago

Correct is C.
https://developer.servicenow.com/dev.do#!/learn/learning-plans/paris/new_to_servicenow/app_store_learnv2_securingapps_paris_access_controls_evaluation_order
upvoted 17 times

Vinothkumar_Rangasamy **Highly Voted** 3 years, 4 months ago

Answer :C
upvoted 9 times

esllin **Most Recent** 1 year, 2 months ago

Selected Answer: C

When deciding whether to grant or deny access, the ACL is searched from the most specific to the most generic match. For example, when determining whether to grant access to the NeedIt table Short description field, the search order is:
upvoted 2 times

MagdaGrs 1 year, 11 months ago

Selected Answer: C

Whenever a session requests data, the system searches for access control rules that match the requested object and operation. If there is a matching access control rule, then the system evaluates if the user has the permissions required to access the object and operation. If an access control rule specifies more than one permission, then the user must meet all permissions to gain access to the object and operation. Failing any one permission check prevents the user from accessing the matching object and operation.
If a user does not meet the permissions of the first matching rule, the system evaluates the permissions of the next matching access control rule as specified by the access control processing order. If the user fails to meet the permissions of any matching access control rule, the system denies access to the requested object and operation.
upvoted 3 times

Alice_Steele 2 years, 4 months ago

Selected Answer: C

correct is C
upvoted 2 times

Mike49707 2 years, 5 months ago

Selected Answer: C

Answer: C

upvoted 4 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: C

https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_securingapps_tokyo_access_controls_evaluation_order
upvoted 3 times

Krundol 2 years, 12 months ago

Selected Answer: C

It's C:

When deciding whether to grant or deny access, the ACL is searched from the most specific to the most generic match.

upvoted 3 times

14006044 3 years ago

Correct is C.

upvoted 3 times

parcerocar1 3 years, 1 month ago

Correct answer is C

upvoted 3 times

VarunV007 3 years, 4 months ago

Selected Answer: C

Option C

upvoted 7 times

Question #29

Topic 1

In a Business Rule, which one of the following returns true if the currently logged in user has the admin role?

A. g_form.hasRoleExactly('admin')

B. gs.hasRole('admin') **Most Voted**

C. g_form.hasRole('admin')

D. gs.hasRoleExactly('admin')

Correct Answer: B

Community vote distribution

B (100%)

Comments

nsmcan **Highly Voted** 4 years, 9 months ago

Correct answer is B. gs.hasRole

Business Rule is server-side, so it uses GlideSystem API. gs.hasRoleExactly doesn't exist

upvoted 16 times

Vinothkumar_Rangasamy **Highly Voted** 4 years, 4 months ago

Correct ans :B

upvoted 6 times

RoadtoCad **Most Recent** 1 year, 11 months ago

Selected Answer: B

Only gs is for server side, g_form is for client side

upvoted 1 times

adesogus 2 years, 2 months ago

hasRoleExactly only exists in the Glide User (g_user) class

upvoted 2 times

MagdaGr5 2 years, 11 months ago

Selected Answer: B

Only gs is for server side, g_form is for client side.

upvoted 1 times

Raz_Maz 3 years, 1 month ago

gs.hasRole is correct. g_form.hasRole and g_form.hasRoleExactly not exist

upvoted 3 times

Alice_Steele 3 years, 4 months ago

Selected Answer: B

server side is gs

upvoted 3 times

SNangler 3 years, 7 months ago

Selected Answer: B

server side api

upvoted 2 times

Krondol 3 years, 12 months ago

Selected Answer: B

Answer B is correct

upvoted 2 times

arunmech2001 4 years, 3 months ago

Selected Answer: B

Correct Answer is B

upvoted 5 times

Question #30

Topic 1

From the list below, identify one reason an application might NOT be a good fit with ServiceNow.

The application:

A. Needs workflow to manage processes

B. Requires use of low-level programming libraries **Most Voted**

C. Requires reporting capabilities

D. Uses forms extensively to interact with data

Correct Answer: B

Community vote distribution

B (100%)

Comments

MagdaGr5 **Highly Voted** 2 years, 5 months ago

Selected Answer: B

ServiceNow doesn't support libraries with low-level programming, they support their own API with low-code functionalities.

upvoted 8 times

Shankar_Sughosh **Most Recent** 2 years ago

Selected Answer: B

B is correct
upvoted 1 times

stophs 2 years, 8 months ago

Selected Answer: B

b is correct
upvoted 1 times

Question #31

Topic 1

Identify the incorrect statement about Delegated Development in ServiceNow.

- A. Administrators can grant non-admin users the ability to develop global applications. **Most Voted**
- B. Administrators can specify which application file types the developer can access.
- C. Administrators can grant the developer access to script fields.
- D. Administrators can grant the developer access to security records.

Correct Answer: A

Community vote distribution

A (83%)

B (17%)

Comments

nsmcan **Highly Voted** 4 years, 9 months ago

Correct answer is: A. Administrators can grant non-admin users the ability to develop global applications.
Delegated Development is for the scoped applications only
upvoted 18 times

Vinothkumar_Rangasamy **Highly Voted** 4 years, 4 months ago

Correct Answer :A
upvoted 9 times

RKServiceNow **Most Recent** 1 year ago

Selected Answer: B

Scoped apps only
upvoted 1 times

A7mad5aled 1 year, 7 months ago

Selected Answer: B

Its for scoped apps only
upvoted 1 times

RoadtoCad 1 year, 11 months ago

Selected Answer: A

It is only for scoped applications
upvoted 1 times

macyou 1 year, 11 months ago

A is correct
Scope and delegated development module 1.2 of servicenow application developer fundamentals on demand

Application - specific permissions: specify which file types the developer can access

Instance - specific user roles: grants the developer access to security records and script fields.
upvoted 1 times

CosmicMonster1 1 year, 11 months ago

Selected Answer: B

Delegated Development = Scoped Apps
upvoted 2 times

f37cbd9 2 years, 1 month ago

This is for scoped apps only. See the docs... "A" is not correct. B is correct
upvoted 1 times

Lily81 2 years, 4 months ago

Correct Reference is :
https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_DelegatedDevelopment.html
upvoted 1 times

snawaza243 2 years, 6 months ago

Selected Answer: A

ADF EBOOK, PN = 48
upvoted 1 times

MagdaGrs 2 years, 11 months ago

Selected Answer: A

A system administrator can assign a non-administrator user or group as a developer or deployment resource for a specific application.
upvoted 1 times

Raz_Maz 3 years, 1 month ago

A is correct. Delegated is only for Scoped apps not for Global. A says admin can grant for Global apps.
upvoted 3 times

Alice_Steele 3 years, 4 months ago

Selected Answer: A

delegated development is for scoped apps only
upvoted 3 times

Dufus123 3 years, 4 months ago

Selected Answer: A

Delegated Development is for the scoped applications only
upvoted 3 times

SarojPatel 3 years, 5 months ago

B is the right answer
upvoted 1 times

sakshi_chitnis_ 3 years, 6 months ago

Selected Answer: A

A is correct
upvoted 4 times

cportugal 3 years, 7 months ago

Selected Answer: A

Administrators can grant non-admin users the ability to develop global applications.
upvoted 2 times

Question #32

Topic 1

One of the uses of the ServiceNow REST API Explorer is:

- A. Practice using REST to interact with public data providers
- B. Find resources on the web for learning about REST
- C. Convert SOAP Message functions to REST methods
- D. Create sample code for sending REST requests to ServiceNow

Most Voted

Correct Answer: D

Community vote distribution

D (100%)

Comments

YMijoe 1 year, 7 months ago

Selected Answer: D

Create sample code for sending REST requests to ServiceNow is correct.

https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app_store_learnv2_rest_washingtondc_rest_integrations/app_store_learnv2_est_washingtondc_inbound_rest_integrations/app_store_learnv2_rest_washingtondc_introduction_to_the_rest_api_explorer

upvoted 1 times

Dekoreh 2 years, 4 months ago

Selected Answer: D

D is correct - SN CAD ebook pg 394

upvoted 4 times

Question #33

Topic 1

Which one of the following is true regarding Application Scope?

A. All applications are automatically part of the Global scope

B. Applications downloaded from 3 party ServiceNow application developers cannot have naming conflicts rd **Most Voted**

C. Any developer can edit any application

D. Developers can choose the prefix for a scope's namespace

Correct Answer: B

Community vote distribution

B (78%)

D (22%)

Comments

nsmcan **Highly Voted** 4 years, 9 months ago

Correct answer is B.

https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ApplicationScope.html

upvoted 16 times

4903776 **Most Recent** 2 years, 1 month ago

you can't change the prefix. So B.

upvoted 2 times

MagdaGrs 2 years, 11 months ago

Selected Answer: D

B and D are correct.

B: import App from Store or Source control must not be conflict with existing ones

D: for client-instance, it can be any. But for personal instance, it needs some prefix number before the app name

upvoted 2 times

sunilomrey 3 years ago

Selected Answer: B

correct ans is B

upvoted 1 times

Dufus123 3 years, 4 months ago

Selected Answer: B

Correct answer is B.
upvoted 1 times

Andskie 3 years, 5 months ago

Selected Answer: B

It's B
upvoted 1 times

Gurubala 3 years, 11 months ago

B is correct Applications downloaded from 3 party ServiceNow application developers cannot have naming conflicts rd
upvoted 2 times

14006044 4 years ago

Correct answer is B.
Applications downloaded from 3 party ServiceNow application developers cannot have naming conflicts rd
upvoted 1 times

dza3 4 years, 3 months ago

Selected Answer: B

https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ApplicationScope.html
upvoted 4 times

Question #34

Topic 1

Which one of the following is the baseline behavior of a table in a privately-scoped application?

- A. The table and its data are not accessible using web services
- B. Any Business Rule can read, write, delete, and update from the table
- C. Only artifacts in the table's application can read from the table
- D. All application scopes can read from the table **Most Voted**

Correct Answer: D

Community vote distribution

D (61%)

C (39%)

Comments

nsmcan **Highly Voted** 4 years, 9 months ago

Correct is indeed D:
https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_DefaultDesignAccessPermissions.html
upvoted 10 times

MikMikMik **Most Recent** 1 year ago

Selected Answer: D

Like many said before, reading is possible, editing is not
upvoted 2 times

arango 1 year, 3 months ago

Selected Answer: D

By default (as of the Xanadu release), new tables in privately-scoped applications are configured with the following baseline design-time access:

Accessible from: All application scopes
Can read: Enabled
Can create, update, delete: Disabled
Allow configuration: Disabled

This means:

Read access is allowed from all scopes (i.e., cross-scope reads are enabled by default). Other actions (create, update, delete) are blocked unless explicitly granted.

Web services access is also enabled by default.

Therefore, option D is the best representation of baseline behavior.

upvoted 4 times

siham2025 1 year, 4 months ago

Selected Answer: C

the answer is c :

In a privately-scoped application in ServiceNow, the table and its data are restricted to the application's scope by default.

upvoted 1 times

mrcharli66 1 year, 5 months ago

Selected Answer: D

By default, new application tables prevent other application scopes from creating configuration records on application data tables. But reading the Data from the Table wont be a Problem, because for a table "Can Read=true" by default.

upvoted 2 times

Okt90 1 year, 7 months ago

Selected Answer: C

In a privately-scoped application in ServiceNow, the default behavior is that the table and its data are accessible only to artifacts (scripts, business rules, etc.) within the same application scope. This ensures data security and encapsulation.

https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_DefaultDesignAccessPermissions.html

upvoted 3 times

evoken 1 year, 10 months ago

Selected Answer: D

Table is accessible by default.

upvoted 1 times

evoken 2 years ago

Selected Answer: C

The answer is C.

upvoted 3 times

georgeg4 2 years, 2 months ago

are the comments for different question?

upvoted 1 times

Bob_Loblaw 3 years, 7 months ago

Selected Answer: D

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_DefaultDesignAccessPermissions.html

upvoted 1 times

JackLopez 3 years, 8 months ago

Selected Answer: D

The correct answer is D

upvoted 1 times

manunarik 3 years, 9 months ago

Yes, the correct Answer is D

upvoted 1 times

Question #35

Topic 1

Which one of the following is NOT a purpose of application scoping?

A. Provide a relationship between application artifacts

B. Provide a way of tracking the user who developed an application **Most Voted**

- C. Provide a namespace (prefix and scope name) to prevent cross application name collisions
- D. Provide controls for how scripts from another scope can alter tables in a scoped application

Correct Answer: B

Community vote distribution

B (100%)

Comments

VarunV007 **Highly Voted** 4 years, 4 months ago

Selected Answer: B

Option B

upvoted 10 times

Vinothkumar_Rangasamy **Highly Voted** 4 years, 4 months ago

Correct Answer :A

upvoted 5 times

ediward1 **Most Recent** 1 year, 11 months ago

B is also my answer. Why is there several incorrect answers

upvoted 1 times

evoken 1 year, 11 months ago

Selected Answer: B

Option B

upvoted 1 times

donmas 2 years, 4 months ago

Selected Answer: B

Answer B

upvoted 1 times

ShivaCharan23 2 years, 6 months ago

Selected Answer: B

B is Correct

upvoted 1 times

brutaltea 2 years, 9 months ago

Selected Answer: B

The purpose of application scoping is not to track the user who developed an application. However, application scoping does provide a way to manage access to applications based on roles and groups, which can be used to control who has access to create, modify, and delete application artifacts

upvoted 3 times

Charan_sai_97 3 years, 2 months ago

Selected Answer: B

Option B

upvoted 1 times

Benojojo 3 years, 6 months ago

Option B is correct

upvoted 2 times

Benojojo 3 years, 6 months ago

https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_buildneedit_rome_application_scope:

Scope protects an application, its files, and its data from conflicts with other applications.

Scope determines which parts of an application are available for use by other applications in ServiceNow.

Scope allows developers to configure which parts of their application can be acted on by other applications.

Scope prevents work done in the main ServiceNow browser window (not in Studio) from becoming part of an application's files.

upvoted 3 times

JackLopez 3 years, 8 months ago

Selected Answer: B

Correct answer is B

upvoted 1 times

manunarik 3 years, 9 months ago

Option B

upvoted 1 times

parcerocar1 4 years, 1 month ago

The answer is B

upvoted 1 times

nsmcan 4 years, 9 months ago

Correct answer is A. Provide a relationship between application artifacts

IMHO :)

upvoted 3 times

Question #36

Topic 1

It is best practice to define the business requirements and the process(es) an application will manage as part of the application development plan. What are some of the considerations to document as part of the business process?

- A. Business problem, data input/output, users/stakeholders, and process steps **Most Voted**
- B. Business problem, data input/output, project schedule, and process steps
- C. Business problem, data input/output, users/stakeholders, and database capacity
- D. Business problem, users/stakeholders, available licenses, and database capacity

Correct Answer: A

Community vote distribution

A (100%)

Comments

Lord_Korvus **Highly Voted** 1 year, 11 months ago

Selected Answer: A

Explanation:

Business problem - If you are not solving a business problem, you do not need an application.

Stakeholders - Requestor and Fulfiller, Application Administrator, Management.

Users - Personas largely equate to Roles in ServiceNow.

Inputs - can take many forms such as Users, spreadsheets, and web services.

Outputs: can also take many forms such as dashboards, reports, and email.

Process Steps - There are many strategies for defining a process, such as SIPOC(Six Sigma), ASME Standard for Process Charts, and others. Choose a strategy that works well for you.

<https://docs.servicenow.com/bundle/vancouver-governance-risk-compliance/page/product/grc-risk/concept/business-process-overview.html>

upvoted 5 times

Dekoreh **Most Recent** 1 year, 10 months ago

Selected Answer: A

A is correct

upvoted 2 times

titojoseph070 2 years, 1 month ago

Yes A is correct

upvoted 1 times

YMijoe 2 years, 1 month ago

Selected Answer: A

I agree that "Business problem, data input/output, users/stakeholders, and process steps" are correct.

upvoted 1 times

Question #37

Topic 1

Which of the following statements does NOT apply when extending an existing table?

- A. The parent table's Access Controls are evaluated when determining access to the new table's records and fields
- B. The new table inherits the functionality built into the parent table
- C. The new table inherits all of the fields from the parent table
- D. You must script and configure all required behaviors **Most Voted**

Correct Answer: D

Community vote distribution

D (89%) C (11%)

Comments

nsmcan **Highly Voted** 3 years, 9 months ago

Correct answer is D. You must script and configure all required behaviors

Provided link has this statement: Extending an existing ServiceNow table means the new table inherits the parent table's columns as well as its business logic.

upvoted 17 times

64fb170 **Highly Voted** 1 year, 7 months ago

I need my money back. So many questions are absolutely wrong. Absolute garbage!!

upvoted 7 times

Tengy28 **Most Recent** 1 year, 11 months ago

Do you must script and configure all required behavior when table extending an existing table ? NO ! so answer D does not apply... stop doubt

The correct answer D

upvoted 3 times

MagdaGrs 1 year, 11 months ago

Selected Answer: D

does NOT apply!

upvoted 1 times

Pranesh_RP 2 years ago

Selected Answer: C

We have a flexibility to choose which fields from the parent table to include in the extended table. Its not always "ALL"

upvoted 1 times

YMijoe 2 years, 2 months ago

Selected Answer: D

I agree "You must script and configure all required behaviors" is the correct answer.

upvoted 1 times

Charan_sai_97 2 years, 2 months ago

Hello,

Please let me know. Is this questions is enough to clear the CAD exam????

upvoted 4 times

trackstick 2 years, 7 months ago

Selected Answer: D

D is correct

upvoted 1 times

JackLopez 2 years, 8 months ago

Selected Answer: D

Correct is D. No doubt.
upvoted 2 times

manunarik 2 years, 9 months ago

D is the correct answer
upvoted 3 times

Gurubala 2 years, 11 months ago

Selected Answer: D

D is correct
upvoted 3 times

14006044 3 years ago

Correct Answer is D
upvoted 1 times

Reaperozuma 3 years, 3 months ago

ANSWER: D
upvoted 3 times

arunmech2001 3 years, 3 months ago

Correct Answer is D
upvoted 4 times

Question #38

Topic 1

Which of the following CANNOT be debugged using the Field Watcher?

A. Business Rules

B. Script Includes **Most Voted**

C. Client Scripts

D. Access Controls

Correct Answer: B

Community vote distribution

B (86%)

D (14%)

Comments

evoken 1 year, 8 months ago

B. its about what interacts with fields, and no client vs server
upvoted 2 times

DKey 1 year, 11 months ago

B is correct ... looked up how field watcher works here (https://docs.servicenow.com/bundle/washingtondc-api-reference/page/script/debugging/concept/c_FieldWatcher.html#d1173192e71) and the only field not referenced is the Script Includes. So ... B it is.
upvoted 2 times

MacGyver4th 2 years, 5 months ago

Selected Answer: B

Just opened the field watcher in a Vancouver PDI and these are the options:

ACL
Business rule
Client Script
Data lookup
Data policy
UI Policy

UI action
Workflow activity
Reference qualifier
upvoted 3 times

ri12345 2 years, 6 months ago

Selected Answer: D

Access control can not be debugged by feed watcher
upvoted 1 times

D_Ogi 2 years, 6 months ago
Why do you think so?
upvoted 1 times

Dekoreh 2 years, 10 months ago

Selected Answer: B

B is correct
upvoted 1 times

Satanik123 2 years, 11 months ago

Selected Answer: B

Option B
upvoted 1 times

Bob_Loblaw 3 years, 7 months ago

Selected Answer: B

https://docs.servicenow.com/bundle/tokyo-application-development/page/script/debugging/concept/c_FieldWatcher.html
upvoted 1 times

Question #39

Topic 1

Which objects can be used in Inbound Action scripts?

A. current and previous

B. current and email **Most Voted**

C. current and event

D. current and producer

Correct Answer: B

Community vote distribution

B (93%)

Comments

kundgir **Highly Voted** 4 years, 9 months ago

Should be B. There is no access to event in inbound action
upvoted 14 times

Jyoti18 **Highly Voted** 4 years, 1 month ago

Technically both B and C are correct:

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event, /*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger) {
```

```
// Implement email action here
```

```
})(current, event, email, logger);
```

upvoted 14 times

RoadtoCad **Most Recent** 1 year, 10 months ago

Selected Answer: C

Both B and C are correct:

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event, /*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger) {  
  
// Implement email action here  
  
})(current, event, email, logger);  
upvoted 1 times
```

MacGyver4th 2 years, 5 months ago

I agree that B and C are correct.

As Jyoti18 pointed out, the available objects are:
current, event, email, logger, classifier)

This the function that populates in my Vancouver PDI:

```
(function runAction(/*GlideRecord*/ current, /*GlideRecord*/ event, /*EmailWrapper*/ email, /*ScopedEmailLogger*/ logger, /*EmailClassifier*/  
classifier) {  
  
// Implement email action here  
  
})(current, event, email, logger, classifier);  
upvoted 1 times
```

fe91db0 2 years, 7 months ago

Selected Answer: B

event is deprecated
upvoted 3 times

IT4life 2 years, 9 months ago

You cannot use current and email in Inbound Action scripts. The current and email objects are only available in the context of an inbound email action. The current and previous objects are the only objects available in Inbound Action scripts for the following reasons:

- (1) The current and previous objects allow you to access the current and previous records in the context of an inbound email action.
- (2) The current and previous objects are the only objects that contain information about the email message that triggered the inbound email action.
- (3) The current and previous objects are the only objects that contain information about the records that are associated with the email message that triggered the inbound email action.
- (4) The current and previous objects are the only objects that contain information about the user who sent the email message that triggered the inbound email action.
- (5) The current and previous objects are the only objects that contain information about the inbound email action that was triggered by the email message.

Therefore, the current and previous objects are the only objects used in Inbound Action scripts for this reason. The correct answer is A
upvoted 1 times

Mru9 2 years, 11 months ago

Selected Answer: B

event is deprecated in inbound email action
upvoted 3 times

Susan 3 years, 4 months ago

B and C are correct: https://docs.servicenow.com/bundle/tokyo-servicenow-platform/page/administer/notification/task/t_CreatingAnInboundEmailAction.html
upvoted 2 times

fivani 3 years, 4 months ago

Selected Answer: B

Definitely B - current and email
"event" really has no purpose as inbound email actions are always triggered by "email.read".
upvoted 3 times

Zolly 3 years, 5 months ago

Utah PDI: When checking System Policy > Email > Inbound Actions and creating new Inbound action

The function runAction() Has parameters current,event,email

However event is striked and marked as deprecated, thats why B is correct.
upvoted 6 times

SergioVSJ 3 years, 6 months ago

Selected Answer: B

Correct answer is B.

Event is a parameter of the function, that gives access one of the parameters of the originating event. For example, event.parm1 accesses the first parameter of the event or event.parm2 for the second parameter.

Inbound actions are not generated by an event.

https://docs.servicenow.com/bundle/tokyo-servicenow-platform/page/administer/notification/task/t_CreatingAnInboundEmailAction.html

upvoted 1 times

AR1970 3 years, 7 months ago

B and C both are correct.

upvoted 2 times

trackstick 3 years, 7 months ago

Selected Answer: B

Current, email

upvoted 1 times

JackLopez 3 years, 8 months ago

Selected Answer: B

Correct is B

upvoted 1 times

manunarik 3 years, 9 months ago

Answer B is correct

upvoted 1 times

MaxMa 3 years, 8 months ago

Have you finished CAD? Is this dump still valid?

upvoted 3 times

Kristol 3 years, 8 months ago

have you? I'm thinking about today :D

upvoted 1 times

Hmzpkts 2 years, 8 months ago

what was your experience? was it valid?

upvoted 1 times

Krishireddy 2 years, 6 months ago

fghnjm

upvoted 1 times

som_420 3 years, 10 months ago

Selected Answer: B

B is correct

upvoted 1 times

14006044 4 years ago

correct answer is B

upvoted 1 times

Question #40

Topic 1

Which one of the following is part of the client-side scripting API?

A. workflow.scratchpad

B. GlideUser object (g_user) **Most Voted**

C. current and previous objects

D. GlideSystem object (gs)

Correct Answer: B

Community vote distribution

B (100%)

Comments

nsmcan **Highly Voted** 3 years, 9 months ago

Correct answer is B. GlideUser object (g_user)

<https://developer.servicenow.com/dev.do#!/reference/api/rome/client>

upvoted 19 times

skibumvermont **Most Recent** 7 months, 1 week ago

Selected Answer: B

option B is correct. For reference an updated (Zurich Release) link:

<https://developer.servicenow.com/dev.do#!/reference/api/zurich/client>

upvoted 1 times

brutaltea 1 year, 9 months ago

Selected Answer: B

B is the correct answer

upvoted 1 times

MagdaGrs 1 year, 11 months ago

Selected Answer: B

Open a client script record, you will see.

upvoted 1 times

Alice_Steele 2 years, 4 months ago

Selected Answer: B

C is not correct

upvoted 1 times

Ghostrunner 2 years, 6 months ago

Selected Answer: B

B is correct

upvoted 1 times

tashpasnow 2 years, 9 months ago

Selected Answer: B

C is not correct, as previous is not available in some types of BRs and not available in all other client scripts (UI Action etc.)

upvoted 2 times

manunarik 2 years, 9 months ago

B is the correct answer

upvoted 1 times

edehvide 2 years, 9 months ago

Selected Answer: B

B is correct

upvoted 1 times

Thiagofemeira 2 years, 10 months ago

Selected Answer: B

B is correct

upvoted 1 times

Krundol 2 years, 12 months ago

Selected Answer: B

Correct answer is B

upvoted 1 times

14006044 3 years ago

Correct answer is B

GLIDEUSER IS CLIENT SIDE

upvoted 1 times

Application developers configure ServiceNow using industry standard JavaScript to`

- A. Enable the right-click to edit the context menus on applications in the navigator
- B. Extend and add functionality **Most Voted**
- C. Customize the organization's company logo and banner text
- D. Configure the outgoing email display name

Correct Answer: B

Community vote distribution

B (100%)

Comments

Dekoreh 1 year, 10 months ago

Selected Answer: B

Base on SN CAD ebook pg 10
upvoted 2 times

Lord_Korvus 1 year, 11 months ago

Selected Answer: B

Correct answer is B
upvoted 1 times

How many applications menus can an application have?

- A. 3, one for an application's user modules, one for an application's administrator modules, and one for the ServiceNow administrator's modules
- B. As many as the application design requires **Most Voted**
- C. 2, one for an application's user modules and one for an application's administrator modules
- D. 1, which is used for all application modules

Correct Answer: B

Community vote distribution

B (100%)

Comments

Krundol **Highly Voted** 2 years, 12 months ago

Selected Answer: B

B is correct
upvoted 7 times

Dekoreh **Most Recent** 1 year, 10 months ago

Selected Answer: B

B for certain
upvoted 1 times

AccentureKiloGuru 2 years ago

Selected Answer: B

Of course b, I mean look at the global application. It has by default 119 application menus
upvoted 1 times

Ripsy 2 years, 1 month ago

final answer guys?
upvoted 2 times

SergioVSJ 2 years, 6 months ago

Selected Answer: B

Correct answer is B.
D answer is a best practice, but technically you can create as many applications menus as needed.
upvoted 2 times

sakshi_chitnis_ 2 years, 6 months ago

D is the correct answer
upvoted 1 times

the7kmaster 2 years, 2 months ago

No B is correct
upvoted 1 times

manunarik 2 years, 9 months ago

B is the correct answer
upvoted 1 times

14006044 3 years ago

Correct Answer is D.
1, which is used for all application modules
upvoted 1 times

lhorSNdev 3 years ago

I just created 2 and it works, so I think as many as needed
upvoted 6 times

淘宝/闲鱼: IT认证轻松过, 微信: Examtopics

Question #43

Topic 1

The source control operation used to store local changes on an instance for later application is called a(n) <blank>.

A. Branch


B. Tag

C. Stash **Most Voted**

D. Update set

Correct Answer: C

Community vote distribution



淘宝/闲鱼: IT认证轻松过, 微信: Examtopics

淘宝/闲鱼: IT认证轻松过, 微信: Examtopics

Comments

Benojojo 1 year, 10 months ago

C is correct. git stash - temporarily shelves (or stashes) changes you've made to your working copy so you can work on something else, and the com
back and re-apply them later on
upvoted 2 times

snawaza243 2 years ago

Selected Answer: C

Stash is correct
upvoted 1 times

Dekoreh 2 years, 4 months ago

Selected Answer: C

Stash is correct SN CAD ebook pg102
upvoted 2 times

Hmzpkts 2 years, 3 months ago

Correction: Ebook pg 94
upvoted 1 times

PetterRE 2 years, 5 months ago

Selected Answer: C

https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_devenvironment_utah_stashing_changes
upvoted 2 times

Pranesh_RP 2 years, 6 months ago

Selected Answer: D

Update Set is the source control operation used to store local changes on an instance for later application. Brance is actually used to isolating new feautres, bugs, or experiment. To work on your independent changes without directly affecting the actual codebase
upvoted 1 times

YMijoe 2 years, 8 months ago

I am leaning more towards stashing.
"Stashing in source control saves local changes for an application to apply later. The local changes do not need to be committed to the remote repository. Stashing a change removes the change from the current application and saves the change for a developer to later apply or delete."
https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_devenvironment_utah_stashing_changes#:~:text=To%20stash%20something%20is%20to%20store%20that%20something,for%20a%20developer%20to%20later%20apply%20or%20delete.
upvoted 4 times

blackjack987 2 years, 8 months ago

i think the answer should be A
upvoted 2 times

blackjack987 2 years, 8 months ago

i think the answer should be A
upvoted 1 times

Charan_sai_97 2 years, 8 months ago

is this questions is enough to clear the CAD exam????
upvoted 1 times

Question #44

Topic 1

What syntax is used in a Record Producer script to access values from Record Producer form fields?

A. producer.field_name

B. producer.variablename **Most Voted**

C. current.variable_name

D. current.field_name

Correct Answer: B

Community vote distribution

B (59%)

A (32%)

Comments

Benojojo Highly Voted 2 years, 4 months ago

B is correct - Use producer.*VARIABLE_NAME* to reference values entered by the end user.
upvoted 10 times

theadminek Most Recent 1 year, 6 months ago

Selected Answer: D

Use current.*FIELD_NAME* to reference fields on the record being created.
Use producer.*VARIABLE_NAME* to reference values entered by the end user
upvoted 1 times

Sid97 1 year, 7 months ago

Selected Answer: C

producer.variable_name - javascript code
upvoted 1 times

tenkawa10 1 year, 9 months ago

Selected Answer: B

From the docs that everyone else linked:

Define a script that uses any variable or server-side objects and functions to assign values.
Use current.*FIELD_NAME* to reference fields on the record being created.
Use producer.*VARIABLE_NAME* to reference values entered by the end user.
upvoted 2 times

AltiaTek 2 years ago

Selected Answer: B

Right answer is B.
/** Use `producer.var1` to access variables*/
upvoted 1 times

51f8ce8 2 years ago

B is correct
upvoted 1 times

georgeg4 2 years, 2 months ago

Selected Answer: B

https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c_PopulatingRecordData.html
upvoted 3 times

EforExtra 2 years, 2 months ago

Selected Answer: B

B is correct
upvoted 2 times

pazorische 2 years, 5 months ago

Selected Answer: B

B is correct
upvoted 3 times

vidhya_mouli 2 years, 6 months ago

B is the correct answer
https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c_PopulatingRecordData.html#:~:text=Use%20producer.*VARIABLE_NAME*%20to%20reference%20values%20entered%20by%20the%20end%20user.
upvoted 2 times

D_Ogi 2 years, 6 months ago

Both A and B are literally the same depending on the input field name.
upvoted 1 times

sstest2 2 years, 7 months ago

Selected Answer: A

A is correct per SDF book
upvoted 1 times

zoro69 2 years, 8 months ago

it should be B according to the SN community as well.

upvoted 1 times

Laurys 2 years, 8 months ago

Selected Answer: B

B is correct

https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c_PopulatingRecordData.html

upvoted 2 times

Hmzpkts 2 years, 9 months ago

B is correct

check the SN docs

https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c_PopulatingRecordData.html

upvoted 2 times

ravidamarla 2 years, 9 months ago

B is correct

upvoted 2 times

DavidJJ 2 years, 9 months ago

B is correct

Use current.*FIELD_NAME* to reference fields on the record being created.

Use producer.*VARIABLE_NAME* to reference values entered by the end

https://docs.servicenow.com/en-US/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c_PopulatingRecordData.html

upvoted 3 times

Question #45

Topic 1

Which of the following methods prints a message on a blue background to the top of the current form by default?

A. g_form.addInfoMsg()

B. g_form.addInfoMessage() **Most Voted**

C. g_form.showFieldMessage()

D. g_form.showFieldMsg()

Correct Answer: B

Community vote distribution

B (100%)

Comments

kundgir **Highly Voted** 3 years, 9 months ago

Answer should be B.

upvoted 15 times

Erdi **Highly Voted** 3 years, 8 months ago

Answer should be B

upvoted 15 times

Dekoreh **Most Recent** 1 year, 10 months ago

Selected Answer: B

B is correct

upvoted 1 times

Alice_Steele 2 years, 4 months ago

Selected Answer: B

it's B

upvoted 2 times

Stardust85 2 years, 7 months ago

Selected Answer: B

https://developer.servicenow.com/dev.do#!/reference/api/tokyo/client/c_GlideFormAPI#r_GlideFormAddInfoMessage_String

upvoted 4 times

agarwans 3 years ago

Answer is AddinfoMessage

upvoted 2 times

parcerocar1 3 years, 1 month ago

showFieldMessage is used for displaying messages under a specific field, this is another question in the CAD exam

upvoted 3 times

arunmech2001 3 years, 3 months ago

Selected Answer: B

Answer is B

upvoted 6 times

bigmikeyvegas 3 years, 4 months ago

From: https://docs.servicenow.com/bundle/paris-application-development/page/script/general-scripting/reference/r_ScriptingAlertInfoAndErrorMsgs.html

g_form.showFieldMsg("field_name", "Hello World", "error"); Puts "Hello World" in an error message **below the specified field**.

g_form.addInfoMessage() or g_form.addErrorMessage() place a blue box message at the top of the screen. Pg 126 of the CAD handbook

upvoted 5 times

Question #46

Topic 1

A scoped application containing Flow Designer content dedicated to a particular application is called a(n):

A. Spoke **Most Voted**

B. Bundle

C. Action

D. Flow

Correct Answer: A

Community vote distribution

A (86%)

D (14%)

Comments

Remo878 **Highly Voted** 3 years, 9 months ago

Selected Answer: A

<https://docs.servicenow.com/bundle/paris-servicenow-platform/page/administer/flow-designer/concept/spokes.html>

upvoted 8 times

Benojojo **Most Recent** 1 year, 10 months ago

A is correct. A spoke is a scoped application that includes Flow Designer custom actions or subflows. A spoke is a logical grouping of related custom actions, subflows, and supporting application files. Developers can reuse spoke logic in their own applications. Flow Designer includes baseline spokes

upvoted 2 times

Dekoreh 2 years, 4 months ago

Selected Answer: A

Spoke is correct

SN CAD ebook pg284

upvoted 1 times

TwelveKay 2 years, 10 months ago

Selected Answer: A

A: Spoke

https://developer.servicenow.com/dev.do#!/learn/courses/sandiego/app_store_learnv2_flowdesigner_sandiego_flow_designer/app_store_learnv2_flowdesigner_sandiego_developing_for_flow_designer/app_store_learnv2_flowdesigner_sandiego_working_with_spokes

upvoted 1 times

TwelveKay 2 years, 10 months ago

A: Spoke

https://developer.servicenow.com/dev.do#!/learn/courses/sandiego/app_store_learnv2_flowdesigner_sandiego_flow_designer/app_store_learnv2_flowdesigner_sandiego_developing_for_flow_designer/app_store_learnv2_flowdesigner_sandiego_working_with_spokes

upvoted 1 times

Ghostrunner 3 years ago

Selected Answer: A

A is correct

upvoted 2 times

rahulvtag 3 years, 9 months ago

Answer is A, Spoke

upvoted 4 times

arunmech2001 3 years, 9 months ago

Selected Answer: D

Answer is Flow

upvoted 2 times

Question #47

Topic 1

What is a Module?

- A. The functionality within an application menu such as opening a page in the content frame or a separate tab or window **Most Voted**
- B. A group of menus, or pages, providing related information and functionality to end-users
- C. A way of helping users quickly access information and services by filtering the items in the Application Navigator
- D. A web-based way of providing software to end-users

Correct Answer: A

Community vote distribution

A (100%)

Comments

nsmcan **Highly Voted** 4 years, 9 months ago

Correct answer is B. A group of menus, or pages, providing related information and functionality to end-users

https://docs.servicenow.com/bundle/rome-platform-user-interface/page/use/navigation/concept/c_ApplicationNavigation.html

An application is a group of modules, or pages, that provide related information and functionality in an instance

upvoted 15 times

NiDoSa **Highly Voted** 4 years, 5 months ago

Selected Answer: A

Answer A is correct IMHO

upvoted 6 times

NiDoSa 4 years, 5 months ago

Here is the reference from documentation:

https://docs.servicenow.com/bundle/rome-platform-user-interface/page/administer/navigation-and-ui/task/t_CreateAModule.html

upvoted 5 times

evoken **Most Recent** 1 year, 12 months ago

Selected Answer: A

A describes a module

B describes an application

C describes the navigator

upvoted 1 times

MagdaGrS 2 years, 11 months ago

Selected Answer: A

Modules are the children, or the second tier navigation options to the applications in the application navigator. Modules often link to other pages or records in the platform. You can configure which modules appear in the application navigator using Application Menus module.

upvoted 2 times

Vishalvr 3 years, 3 months ago

Selected Answer: A

A, check the video in NiDoSa comment.

upvoted 1 times

SergioVSJ 3 years, 6 months ago

Selected Answer: A

Correct answer is A.

See "Content Page" and "Documentation Link" types.

https://docs.servicenow.com/bundle/rome-platform-user-interface/page/administer/navigation-and-ui/reference/r_ModuleLinkTypes.html

upvoted 1 times

Ghostrunner 3 years, 6 months ago

Selected Answer: A

A is correct

upvoted 1 times

parcerocarl 4 years, 1 month ago

Answer is A already taken the exam

upvoted 5 times

TrevorGF 4 years, 2 months ago

It is A. The documentation provided by NiDoSa says it perfectly

upvoted 2 times

Question #48

Topic 1

Which source control operation is available from BOTH Studio and the Git Repository?

A. Create Branch **Most Voted**

B. Apply Remote Changes

C. Stash Local Changes

D. Edit Repository Configurations

Correct Answer: A

Community vote distribution

Comments

BillBaits Highly Voted 3 years, 7 months ago

Correct answer is A - check SNOW documentation
upvoted 13 times

examtp1 Highly Voted 2 years, 6 months ago

Selected Answer: A

https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/reference/r_AvailableSourceControlOperations.html#:~:text=The%20source%20control%20integration%20primarily,directly%20from%20the%20GIT%20repository.&text=Imports%20an%20application%20from%20the%20repository%20to%20the%20local%20nstance.

upvoted 5 times

examtp1 2 years, 6 months ago

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/reference/r_AvailableSourceControlOperations.html

Updated link also showing A is right.

upvoted 2 times

Dekoreh Most Recent 1 year, 9 months ago

Selected Answer: A

Create branch is correct
upvoted 1 times

aandooo 1 year, 11 months ago

Selected Answer: A

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/reference/r_AvailableSourceControlOperations.html

upvoted 1 times

YMijoe 2 years, 2 months ago

Selected Answer: A

I agree that "Create Branch" is correct
upvoted 1 times

Ghostrunner 2 years, 6 months ago

Selected Answer: A

A is correct
upvoted 2 times

arunmech2001 3 years, 3 months ago

Selected Answer: A

Create a Branch
upvoted 3 times

Question #49

Topic 1

Which one of the following is NOT required to link a ServiceNow application to a Git repository?

- A. Password
- B. URL
- C. User name

D. Application name Most Voted

Correct Answer: D

Reference:

https://docs.servicenow.com/bundle/orlando-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html

Community vote distribution

D (100%)

Comments

manikanta_gnbv 1 year, 10 months ago

Selected Answer: D

D is correct answer

upvoted 1 times

D_Ogi 2 years ago

Correct link:

https://docs.servicenow.com/bundle/vancouver-application-development/page/build/applications/task/t_LinkAnApplicationToSourceControl.html

upvoted 1 times

Question #50

Topic 1

Which Report Type(s) can be created by right-clicking on a column header in a table's list?

A. Bar Chart, Pie Chart, Histogram, and Line

B. Bar Chart

C. Bar Chart, Pie Chart, and Histogram

D. Bar Chart and Pie Chart **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

Dharma_tsa **Highly Voted** 4 years, 1 month ago

Selected Answer: D

Answer: D

upvoted 16 times

Benojojo **Most Recent** 1 year, 10 months ago

D. Bar Chart and Pie Chart is correct

upvoted 2 times

elanocek 2 years, 4 months ago

Selected Answer: D

D is right

upvoted 3 times

Surendar24 2 years, 5 months ago

Selected Answer: D

Bar Chart , Pie Chart

upvoted 2 times

MagdaGrs 2 years, 5 months ago

Selected Answer: D

Right click on a list of records, we can create Bar Chart , Pie Chart.

upvoted 2 times

KaBurAdNus 2 years, 8 months ago

D is correct

upvoted 1 times

YMijoe 2 years, 8 months ago

Selected Answer: D

I agree that "Bar Chart and Pie Chart" is correct.

upvoted 1 times

Alice_Steele 2 years, 10 months ago

Selected Answer: D

it's D

upvoted 1 times

Dufus123 2 years, 10 months ago

Selected Answer: D

Bar and Pie

upvoted 1 times

Benojojo 3 years ago

Option D is the correct answer, please

upvoted 1 times

Benojojo 3 years ago

Option B is the correct answer: Pie Chart and Bar Chart

upvoted 1 times

schaparro 2 years, 8 months ago

Option B is not correct. It only mentions Bar Chart.

upvoted 1 times

Ghostrunner 3 years ago

Selected Answer: D

D is correct

upvoted 2 times

SNangler 3 years, 1 month ago

Selected Answer: D

default behavior

upvoted 2 times

arunmech2001 3 years, 9 months ago

Selected Answer: D

Pie Chart and Bar Chart

upvoted 3 times

Question #51

Topic 1

Which one of the following is NOT a method used for logging messages in a server-side script for a privately-scoped application?

A. `gs.log()` **Most Voted**

B. `gs.error()`

C. `gs.warn()`

D. `gs.debug()`

Correct Answer: A

Community vote distribution

A (100%)

Comments

VirtuaLee **Highly Voted** 3 years, 9 months ago

Scoped Application Script Logging

gs.print() and gs.log() are older and not available in scoped applications, whereas gs.debug(), gs.info(), gs.warn(), gs.error() work in both scoped applications and global are therefore more versatile going forward in future versions.

upvoted 5 times

arango **Most Recent** 1 year, 3 months ago

Selected Answer: A

Keep in mind that, info, error, warn and debug logging methods are not only intended for Scoped Applications but can also be used in the Global Scope. However, these logging methods provide verbosity levels to a log message. Another consideration is that gs.log() cannot be used if you are developing in a scoped application.

upvoted 1 times

manikanta_gnbv 1 year, 10 months ago

Selected Answer: A

gs.log is not used in scoped applications

upvoted 2 times

xxshinichan 2 years, 7 months ago

gs.print() and gs.log() are older and not available in scoped applications, whereas gs.debug(), gs.info(), gs.warn(), gs.error() work in both scoped applications and global are therefore more versatile going forward in future versions.

Reference: https://developer.servicenow.com/dev.do#!/guides/utah/now-platform/tpb-guide/debugging_best_practices

upvoted 3 times

Question #52

Topic 1

If the Create module field is selected when creating a table, what is the new module's default behavior?

- A. Open an empty form so new records can be created
- B. Open a link to a wiki article with instructions on how to customize the behavior of the new module
- C. Display an empty homepage for the application
- D. Display a list of all records from the table **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

esllin 1 year, 2 months ago

Selected Answer: D

Select the check box and then complete the Add module to menu field to create a list module in the application menu.

This option is available only when creating a table.

upvoted 2 times

gcf 1 year, 10 months ago

Selected Answer: D

List of records is the default

upvoted 4 times

Lord_Korvus 1 year, 11 months ago

Selected Answer: D

https://docs.servicenow.com/en-US/bundle/utah-platform-administration/page/administer/table-administration/task/t_CreateATable.html
upvoted 1 times

ezsy 2 years, 6 months ago

Link type is default to list of records
upvoted 2 times

Question #53


Topic 1

How must Application Access be configured to prevent all other private application scopes from creating configuration records on an application's data tables?

- A. You must create Access Controls to prevent all other application scopes from creating configuration records on an application's data tables rather than using Application Access
- B. Set the Accessible from field value to All application scopes and de-select the Can create option
- C. Set the Accessible from field value to This application scope only and de-select the Allow access to this table via web services option
- D. Set the Accessible from field value to This application scope only **Most Voted**

Correct Answer: D

Community vote distribution



Comments

Ashtan1985 **Highly Voted** 3 years, 9 months ago

Correct answer is D. When Accessible from is set to "This app scope only", then "Allow configuration" is unchecked and read-only
upvoted 12 times

Felax **Most Recent** 10 months, 2 weeks ago

Selected Answer: D

Correct answer is D

The question is about configuration records on an applications data table (business rules, client scripts etc). The only option that will disable the "Allow Configuration" option for the table is D (as on change of the Accessible from field, all other configuration fields become read only and false)

The answer B, Create refers to Creating Data in the table from scripts in other application scopes, which is not the same as configuration records and is therefore not the correct option

Additionally: <https://www.servicenow.com/community/servicenow-impact-forum/answer/m-p/2959851>

upvoted 2 times

RKServiceNow 1 year ago

Selected Answer: B

Accessible and create are not same. The question here is about creation and not to block access on the records.
upvoted 3 times

Drinksbreak88 1 year, 2 months ago

Selected Answer: B

The question specifically talks about creating, not completely blocking.
upvoted 2 times

BFExam 1 year, 3 months ago

Selected Answer: B

Correct is B. We only want to disable create
upvoted 1 times

theadminek 1 year, 6 months ago

Selected Answer: B

The question is about preventing file creation so other activities should be allowed. Hence B is correct.
Answer D disallows all other activities.
The most correct answer is B.
upvoted 3 times

manikanta_gnbv 1 year, 10 months ago

Selected Answer: B

B is the correct answer.
upvoted 1 times

MacGyver4th 1 year, 11 months ago

Selected Answer: D

Just tested this in a Vancouver PDI.
When selecting "This application scope only", all the check boxes are cleared and become read-only.
upvoted 4 times

ravidamarla 2 years, 3 months ago

B is correct answer
upvoted 1 times

Dekoreh 2 years, 4 months ago

Selected Answer: D

D is correct.
upvoted 2 times

MagdaGrs 2 years, 5 months ago

Selected Answer: D

To prevent all other app scopes, simply select "This application scope only".
upvoted 2 times

Vishalvr 2 years, 9 months ago

Selected Answer: D

D is the best option. B is also correct in a way but since one option only, can select D
upvoted 3 times

SergioVSJ 2 years, 12 months ago

Selected Answer: D

Correct answer is D.
Check the following 2 examples of denying and granting access.
https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ExampleDenyingAllRuntimeAccess.html
https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ExampleGrantingAllRuntimeAccess.html
upvoted 3 times

Ghostrunner 3 years ago

I would say both B and D could be correct, however, D would also disable the read/update/delete, not just the create function. The question isn't clear whether the table should still be readable by others or not.
upvoted 4 times

som_420 3 years, 4 months ago

Selected Answer: D

answer is D
upvoted 4 times

Bajel 3 years, 5 months ago

I agree with D refer to
https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_securingapps_rome_application_access
upvoted 3 times

StandardSanders 3 years, 10 months ago

D - Reference
Note: If you set Accessible From to This Application Scope Only, it automatically unchecks and greys out Web Services so it can't be C
https://docs.servicenow.com/bundle/rome-application-development/page/build/applications/concept/c_ExampleDenyingAllDesignAccess.html
upvoted 4 times

What are some of the benefits of extending an existing table such as the Task table when creating a new application? a) You can repurpose existing fields by simply changing the label. b) Use existing fields with no modifications. c) Existing logic from the parent table will be automatically applied to the new table. d) All of the parent table records are copied to the new table.

A. a, b, c, and d

B. a and b

C. b and c

D. a, b, and c **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

ParagSanyashiv **Highly Voted** 3 years, 5 months ago

Selected Answer: D

D is the correct answer

upvoted 7 times

64fb170 **Highly Voted** 1 year, 7 months ago

Selected Answer: D

D is the correct answer. This study guide is honestly the most inaccurate guide I've come across. I definitely will get my money back for this garbage

upvoted 5 times

Shisol13 **Most Recent** 2 years, 3 months ago

D, records do not come with table

upvoted 1 times

Alice_Steele 2 years, 4 months ago

Selected Answer: D

it's D

upvoted 1 times

Ghostrunner 2 years, 6 months ago

Selected Answer: D

D is correct

upvoted 2 times

sephereth 2 years, 10 months ago

Selected Answer: D

D is the right answer, "you can repurpose existing fields by simply change the label" is mentioned in the ADF course.....

upvoted 4 times

When configuring an Access Control which has no condition or script, which one of the following statements is NOT true?

A. table.*will grant access to every field in a record

B. table.None will grant access to every record on the table

C. table.field will grant access to a specific field in a record

D. table.id will grant access to a specific record on the table **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

ParagSanyashiv **Highly Voted** 3 years, 12 months ago

Selected Answer: D

D is the correct answer

upvoted 11 times

RogerW **Most Recent** 2 years, 1 month ago

B. table.None grants access to all fields and since there is no condition or script, every record is accessible.

upvoted 1 times

RogerW 2 years, 1 month ago

Never mind, the answer is D. I misread the question.

upvoted 1 times

brutaltea 2 years, 3 months ago

you all saying D and table.id isnt a thing but D is about table.id *confusing*

upvoted 1 times

Sheydeko 2 years, 4 months ago

Selected Answer: D

D is correct.

upvoted 1 times

doctorF 2 years, 6 months ago

People saying D but table.* will not give access to every field - it restricts access and doesn't grant

upvoted 1 times

hawful 2 years, 6 months ago

Selected Answer: D

table.id isn't a thing, the correct answer is D

upvoted 1 times

Ghostrunner 3 years ago

Selected Answer: D

D is correct

upvoted 1 times

Bob_Loblaw 3 years, 1 month ago

Selected Answer: D

No such thing as "table.id" for ACL. Go on - do a Google search - nothing relevant comes up.

upvoted 2 times

Question #56

Topic 1

Which of the following methods are useful in Access Control scripts?

A. g_user.hasRole() and current.isNewRecord()

B. gs.hasRole() and current.isNewRecord() **Most Voted**

C. g_user.hasRole() and current.isNew()

D. gs.hasRole() and current.isNew()

Correct Answer: B

Community vote distribution

B (100%)

Comments

manikanta_gnbv 1 year, 10 months ago

Selected Answer: B

its B beacuse the current.isnewrecord is used and second thing is its serverside so gs.hashole() will be used
upvoted 4 times

Flanky 2 years, 2 months ago

Selected Answer: B

glideSystem options: getUser(), getUserID(), getUserName(), hasRole(Object role), isLoggedIn(), isInteractive(), getSession()
upvoted 1 times

Mishu123 2 years, 3 months ago

https://developer.servicenow.com/dev.do#!/learn/learning-plans/vancouver/new_to_servicenow/app_store_learnv2_securingapps_vancouver_creating_and_editing_access_controls
upvoted 2 times

Question #57

Topic 1

Which one of the following client-side scripts apply to Record Producers?

A. Catalog Client Scripts and Catalog UI Policies **Most Voted**

B. UI Scripts and UI Actions

C. UI Scripts and Record Producer Scripts

D. Client Scripts and UI Policies

Correct Answer: A

Reference:

https://docs.servicenow.com/bundle/orlando-application-development/page/script/client-scripts/concept/c_CatalogClientScriptCreation.html

Community vote distribution

A (100%)

Comments

DKey 1 year, 11 months ago

A. UI Policies / client scripts written on incident/change tables for example will not reflect in Service Catalog record producer. one needs to go to catalog UI Policies / Catalog client script and rewrite the script for respective record producer catalog items.
upvoted 1 times

sstest2 2 years, 7 months ago

Selected Answer: A

A is correct
upvoted 1 times

MR126 3 years, 1 month ago

A is correct
upvoted 1 times

moa21 3 years, 2 months ago

D ?? there are no catalog UIs but category UI can be
upvoted 1 times

MR126 3 years, 1 month ago

There is.

https://docs.servicenow.com/bundle/utah-api-reference/page/script/client-scripts/concept/c_CatalogClientScriptCreation.html

https://docs.servicenow.com/bundle/utah-servicenow-platform/page/product/service-catalog-management/task/t_CreateUIPolicyForSvcCatalog.html

upvoted 1 times

Question #58

Topic 1

When a ServiceNow instance requests information from a web service, ServiceNow is the web service:

- A. Publisher
- B. Specialist
- C. Provider

D. Consumer **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

Flanky **Highly Voted** 1 year, 8 months ago

Selected Answer: D

"A web service consumer (client) requests information from a web service provider (server). A web service provider processes the request and returns a status code and a response body."

https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/technology_partner_program_1/app_store_learnv2_rest_tokyo_servicenow_as_a_web_service_consumer

upvoted 5 times

stophs **Most Recent** 2 years, 2 months ago

Selected Answer: D

d is ok

upvoted 1 times

Question #59

Topic 1

Which one of the following is the fastest way to create and configure a Record Producer?

- A. Create a Catalog Category, open the category, and select the Add New Record Producer button
- B. Use the Record Producer module then add and configure all variables manually

C. Open the table in the Table records and select the Add to Service Catalog Related Link **Most Voted**

D. Open the table's form, right-click on the form header, and select the Create Record Producer menu item

Correct Answer: C

Community vote distribution

C (100%)

Comments

ParagSanyashiv Highly Voted 3 years, 5 months ago

Selected Answer: C

C is the correct as the simplest way is to click the related link which say "Publish to Service catalog"
upvoted 14 times

fe91db0 Most Recent 1 year, 7 months ago

Selected Answer: C

is told in course
upvoted 1 times

Zcam 1 year, 9 months ago

C is correct
upvoted 1 times

Shisol13 2 years, 3 months ago

C, Link at the bottom of the table
upvoted 1 times

Mike49707 2 years, 4 months ago

Selected Answer: C

C is correct
upvoted 1 times

Ghostrunner 2 years, 6 months ago

Selected Answer: C

C is correct
upvoted 3 times

trackstick 2 years, 8 months ago

This also how it is done in the ADF course lab.
upvoted 2 times

Question #60

Topic 1

Which objects can you use in a Scheduled Script Execution (Scheduled Job) script?

- A. GlideRecord and current
- B. GlideUser and GlideRecord
- C. GlideSystem and GlideRecord Most Voted
- D. GlideSystem and current

Correct Answer: C

Community vote distribution

C (89%)

D (11%)

Comments

Ashtan1985 Highly Voted 3 years, 3 months ago

Correct answer is C. You can only use server side scripting in Scheduled Jobs.

upvoted 7 times

aandoor Most Recent 1 year, 11 months ago

Selected Answer: C

there is no user nor current in scheduled job

upvoted 3 times

Alice_Steele 2 years, 4 months ago

Selected Answer: C

it has no access to current: https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/servicenow_administrator/app_store_learnv2_automatingapps_tokyo_scheduled_script_execution_scripts

upvoted 3 times

Mike49707 2 years, 5 months ago

Selected Answer: C

C is correct - you don't have a user or current in a scheduled job

upvoted 2 times

kapshawn 2 years, 6 months ago

Selected Answer: C

C is correct

upvoted 2 times

Ghostrunner 2 years, 6 months ago

Selected Answer: C

C is correct

upvoted 2 times

SNAngler 2 years, 7 months ago

Selected Answer: C

C is correct

upvoted 2 times

Bajel 2 years, 11 months ago

Correct answer is C refer to https://developer.servicenow.com/dev.do#!/learn/learning-plans/quebec/servicenow_administrator/app_store_learnv2_automatingapps_quebec_scheduled_script_execution_scripts

upvoted 2 times

Bayoubet 2 years, 11 months ago

Selected Answer: C

Correct answer is C the code examples in the book use the GlideRecord and GlideSystem

upvoted 3 times

ParagSanyashiv 3 years, 5 months ago

Selected Answer: D

Correct answer is D, as the gs object and current object can be directly used, for rest other you need to initialize the class into the object.

upvoted 2 times

sstest2 1 year, 7 months ago

D is incorrect. "Scheduled Script Executions are not associated with records and have no access to the previous or current objects used by many other server-side script types."

upvoted 1 times

Question #61

Topic 1

Can inherited fields be deleted from a table?

- A. Yes, select the red X in the left-most column in the table definition
- B. Yes, but only if they are text fields
- C. Yes, but only if there has never been any saved field data

D. No, inherited fields cannot be deleted from a child table **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

ParagSanyashiv **Highly Voted** 3 years, 5 months ago

Selected Answer: D

Cannot be deleted from child table directly, you need to open the record and then delete it.
upvoted 7 times

JuanGalindo **Most Recent** 1 year, 10 months ago

Selected Answer: D

D is correct
upvoted 1 times

Shisol13 2 years, 3 months ago

D, Per CAD class slide from SNOW
upvoted 1 times

Ghostrunner 2 years, 6 months ago

Selected Answer: D

D is correct
upvoted 2 times

Bayoubeat 2 years, 11 months ago

Selected Answer: D

Cannot delete
upvoted 2 times

Question #62

Topic 1

What is the purpose of the Application Picker?

- A. Select an application to run
- B. Select an application as a favorite in the Application Navigator
- C. Choose an application to edit and set the Application Scope **Most Voted**
- D. Choose an application to download and install

Correct Answer: C

Community vote distribution

C (100%)

Comments

ParagSanyashiv **Highly Voted** 3 years, 5 months ago

Selected Answer: C

C is the correct answer in this case
upvoted 15 times

Flanky **Most Recent** 1 year, 8 months ago

Selected Answer: C

"The application picker allows application developers to view and select the application where their changes apply"

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ApplicationPicker.html
upvoted 2 times

sg_100 2 years, 5 months ago

Selected Answer: C

It is C. All other make no sense!
upvoted 3 times

Ghostrunner 2 years, 6 months ago

Selected Answer: C

C is correct
upvoted 2 times

AR1970 2 years, 7 months ago

A is correct option.
upvoted 1 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: C

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_ApplicationPicker.html
upvoted 3 times

Question #63

Topic 1

What are Application Files in a ServiceNow application?

- A. An XML export of an application's table records
- B. CSV files containing data imported into an application
- C. ServiceNow artifacts comprising an application **Most Voted**
- D. XML exports of an application's Update Set

Correct Answer: C

Community vote distribution

C (100%)

Comments

Ashtan1985 **Highly Voted** 3 years, 9 months ago

Selected Answer: C

Application Files is the related list under an application record. It contains all artifacts that are part of that application.
upvoted 13 times

rahulvtag **Highly Voted** 3 years, 9 months ago

C is the correct answer
upvoted 6 times

Benojojo **Most Recent** 1 year, 10 months ago

Application files are configuration records that allow developers to extend application functionality.
upvoted 1 times

RohitBM 2 years ago

Selected Answer: C

https://docs.servicenow.com/bundle/vancouver-application-development/page/build/applications/concept/c_ApplicationFiles.html
upvoted 1 times

Vishalvr 2 years, 9 months ago

Selected Answer: C

C is the one. rest all contains partial info about application
upvoted 2 times

Ghostrunner 3 years ago

Selected Answer: C

C is correct
upvoted 4 times

Question #64

Topic 1

Which one of the following is NOT true for Modules?

- A. Modules open content pages
- B. Access to Modules is controlled with roles
- C. Every Module must be part of an Application Menu

D. Every Module must be associated with a table **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

manikanta_gnbv 1 year, 10 months ago

Selected Answer: D

D is the correct answer because there are some modules with a link type of separator which is not associated with application data
upvoted 3 times

NicOno 1 year, 11 months ago

what stophs said
upvoted 1 times

stophs 2 years, 8 months ago

Selected Answer: D

d is the answer
upvoted 3 times

Question #65

Topic 1

A graphical view of relationships among tables is a <blank>.

A. Schema map **Most Voted**

B. Dependency view

C. Graphical User Interface

D. Map source report

Correct Answer: A

Community vote distribution

A (100%)

Comments

Benojojo 1 year, 10 months ago

A. Schema map is correct

upvoted 1 times

GoMaggie02 2 years, 2 months ago

Selected Answer: A

I agree, its A

upvoted 1 times

Bob_Loblaw 3 years, 1 month ago

Selected Answer: A

"Schema map: Provides a graphical representation of the relationships between tables."

https://docs.servicenow.com/bundle/tokyo-platform-administration/page/administer/table-administration/concept/c_TableAdministration.html

upvoted 2 times

Question #66

Topic 1

Which one of the following is true for the Application Picker?

- A. All custom application scope and the Global scope appear in the Application Picker **Most Voted**
- B. All applications in ServiceNow, including baseline applications like Incident, appear in the Application Picker
- C. Only custom applications appear in the Application Picker
- D. Only downloaded applications appear in the Application Picker

Correct Answer: A

Community vote distribution

A (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: A

A is correct.

upvoted 2 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: A

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_SelectAnAppFromTheAppPicker.html

upvoted 3 times

Question #67


Topic 1

When creating an application through the Guided Application Creator, which of the following is a user experience option?

- A. Portal
- B. Mobile **Most Voted**
- C. Self-service
- D. Workspace

Correct Answer: B

Community vote distribution



Comments

Meraj_khan 3 months, 1 week ago

Selected Answer: B

Updated March 12, 2026

Guided Application Creator is a legacy development interface for building applications.

Starting with the Australia release, Guided Application Creator is being prepared for future deprecation. It will be hidden and no longer activated on new instances but will continue to be supported. ServiceNow Studio provides the latest experience for this functionality. For more information, see ServiceNow Studio and legacy products and ServiceNow Studio.

upvoted 1 times

al3xunder 9 months, 4 weeks ago

Selected Answer: A

Options A, B, and D are all correct user experience options you can create with the Guided Application Creator. This indicates a flaw in the question itself since it's presented as a single-choice question

upvoted 1 times

ff063b3 1 year, 3 months ago

Selected Answer: B

my wife's boyfriend confirmed it was B, I accepted it because I'm a ServiceNow Cuck

upvoted 1 times

GoMaggie02 1 year, 8 months ago

Selected Answer: B

The only options are mobile and classic, so B is correct.

upvoted 4 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: B

<https://docs.servicenow.com/bundle/tokyo-application-development/page/build/guided-app-creator/concept/guided-app-creator.html>

upvoted 4 times

Question #68

Topic 1

When writing a Client Script to provide feedback targeted at a specific field, which method should be used?

- A. `g_form.showInfoMessage()`
- B. `g_form.showFieldMsg()` **Most Voted**
- C. `g_form.addInfoMessage()`
- D. `g_form.addFieldMsg()`

Correct Answer: B

Community vote distribution

B (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: B

`g_form.showFieldMsg()`

upvoted 1 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: B

https://docs.servicenow.com/bundle/tokyo-application-development/page/script/useful-scripts/reference/r_DisplayFieldMessages.html

upvoted 3 times

rex11 2 years, 8 months ago

B is correct

upvoted 1 times

Question #69

Topic 1

Which actions can a Business Rule take without scripting?

- A. Set field values and write to the system log
- B. Set field values and generate an event
- C. Set field values and add message **Most Voted**
- D. Set field values and query the database

Correct Answer: C

Community vote distribution

C (100%)

Comments

Flanky 1 year, 8 months ago

Selected Answer: C

Set field values and add message is correct

upvoted 2 times

GoMaggie02 1 year, 8 months ago

Selected Answer: C

https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_scripting_utah_business_rule_actions

upvoted 2 times

kapshaw 2 years, 6 months ago

Selected Answer: C

Answer C: https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_scripting_tokyo_business_rule_actions#:~:text=Business%20Rule%20Actions%201%20Set%20Field%20Values%20The,Business%20Rule%20and%20aborts%20the%20database%20operation.%20

upvoted 2 times

Which server-side object provides methods for working with dates when writing a script in a privately scoped application?

A. GlideDateTime **Most Voted**

B. GlideRecord

C. GlideSystem

D. current

Correct Answer: A

Reference:

https://developer.servicenow.com/dev.do#!/reference/api/paris/server_legacy/c_GlideSystemAPI#r_GS-nowNoTZ

Community vote distribution

A (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: A

A - GlideDateTime

upvoted 1 times

stophs 2 years, 2 months ago

Selected Answer: A

a is the correct answer

upvoted 1 times

Application developers can specify which ServiceNow page a user sees after submitting a new record using the Record Producer UI. How is the page specified?

A. Create an application property to store the URL

B. Configure the page in the Module that opens the Record Producer UI

C. Write an after Business Rule script for the Record Producer's table: window.redirect = "<URL>";

D. Write a script in the Record Producer's Script field: producer.redirect = "<URL>"; **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

Flanky 1 year, 8 months ago

Selected Answer: D

"To redirect an end user to a particular page after the record producer is submitted, define the redirect link in the Script field"

upvoted 4 times

GoMaggie02 1 year, 8 months ago

Selected Answer: D

https://docs.servicenow.com/bundle/vancouver-servicenow-platform/page/product/service-catalog-management/concept/c_PopulatingRecordData.html

upvoted 2 times

stophs 2 years, 2 months ago

Selected Answer: D

d is correct

upvoted 1 times

Question #72

Topic 1

Identify characteristic(s) of a Record Producer. (Choose three.)

A. All records created using this strategy are inserted into the Requested Item [sc_req_item] table.

B. Each field prompts the user with a question rather than a field label. **Most Voted**

C. They must be scripted.

D. You can script behaviors of fields in the user interface. **Most Voted**

E. Graphics can be included on the user interface. **Most Voted**

Correct Answer: BDE

Community vote distribution

BDE (100%)

Comments

Ashtan1985 **Highly Voted** 3 years, 3 months ago

B, D, E

upvoted 9 times

ParagSanyashiv **Highly Voted** 3 years, 5 months ago

Selected Answer: BDE

C is not correct because scripting a record producer is not mandatory.

upvoted 6 times

Flanky **Most Recent** 1 year, 7 months ago

Selected Answer: BDE

C is wrong. Just a few questions up there is the one asking which actions a Record Producer can take without scripting. Its set value and add message.

upvoted 1 times

GoMaggie02 1 year, 8 months ago

Selected Answer: BDE

Scripting is not mandatory so C is incorrect.

upvoted 1 times

Question #73

Topic 1

Which server-side API debug log method is available for scoped applications?

A. gs.log()

B. gs.info() **Most Voted**

C. gs.debuglog()

D. gs.print()

Correct Answer: B

Reference:

https://developer.servicenow.com/dev.do#!/learn/courses/paris/app_store_learnv2_scripting_paris_scripting_in_servicenow/app_store_learnv2_scripting_paris_server_side_scripting/app_store_learnv2_scripting_paris_debugging_business_rules

Community vote distribution

B (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: B

gs.info

upvoted 1 times

stophs 2 years, 2 months ago

Selected Answer: B

b is correct

upvoted 1 times

Question #74

Topic 1

Which script types execute on the server? (Choose three.)

A. Business Rule **Most Voted**

B. Client Scripts

C. UI Policies

D. Script Actions **Most Voted**

E. Scheduled Jobs **Most Voted**

Correct Answer: ADE

Community vote distribution

ADE (100%)

Comments

ParagSanyashiv **Highly Voted** 4 years, 5 months ago

Selected Answer: ADE

UI Policies runs client side not on the server side

upvoted 11 times

f27ad55 **Most Recent** 1 year, 9 months ago

ADE is the answer!

upvoted 1 times

Bob_Loblaw 3 years, 7 months ago

Selected Answer: ADE

https://docs.servicenow.com/bundle/tokyo-application-development/page/script/server-scripting/concept/c_ServerScripting.html
upvoted 3 times

Sibykjoseph 3 years, 8 months ago

ADE is the correct answer
upvoted 2 times

Ashtan1985 4 years, 3 months ago

B, D, E
upvoted 2 times

Ashtan1985 4 years, 3 months ago

It's A D E. Business Rules, Script Actions and Scheduled Jobs
upvoted 10 times

Question #75

Topic 1

What is the best UX format to use for lists and forms?

- A. Forms
- B. Lists
- C. Standard

D. Classic **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

rahulvtag **Highly Voted** 3 years, 3 months ago

Answer is D, there are only two types of UX options: Mobile and Classic. Classic is defined as "manage records via lists and form"
upvoted 15 times

som_420 **Highly Voted** 2 years, 10 months ago

Selected Answer: D

Correct answer is D
upvoted 5 times

GoMaggie02 **Most Recent** 1 year, 8 months ago

Selected Answer: D

Only two types, mobile and classic.
upvoted 2 times

jpettyc 2 years, 5 months ago

Selected Answer: D

Correct answer is D
upvoted 4 times

Question #76

Topic 1

When creating a table in a privately-scoped application, which four Access Controls are created for the table?

A. Insert, Delete, Query, Write

B. Create, Delete, Read, Write **Most Voted**

C. Create, Delete, Read, Update

D. Insert, Delete, Query, Update

Correct Answer: B

Community vote distribution

B (74%)

C (26%)

Comments

Remo878 **Highly Voted** 3 years, 9 months ago

Selected Answer: B

Create, Delete, Read, Write
upvoted 14 times

ParagSanyashiv **Highly Voted** 3 years, 12 months ago

Selected Answer: C

The question is about table not the business rule, so the correct answer is C
upvoted 6 times

SDJoel **Most Recent** 5 months, 2 weeks ago

Selected Answer: B

Access Controls are automatically created when tables are added to scoped applications. The four default Access Controls grant access to the table's records. Permission is granted for these operations:

Create
Read
Write
Delete

https://developer.servicenow.com/dev.do#!/learn/learning-plans/zurich/new_to_servicenow/app_store_learnv2_securingapps_zurich_securing_table_records
upvoted 1 times

MikMikMik 1 year ago

Selected Answer: B

check your PDI
Only valid choices for ACL type (from this question) are Read, Write, Delete, Create

[Your PDI].service-now.com/sys_security_operation_list.do?sysparm_query=&sysparm_first_row=1&sysparm_view=
upvoted 1 times

PurushothamanD 1 year, 2 months ago

Selected Answer: C

Answer: C
Please replicate yourself before deciding which is the correct answer. Question states when creating a table within a privately scoped application.
1. Navigate to studio and create an application.
2. Create Application File - Select Table - Create
3. Navigate to Application Access - Related Tab
4. You can see check boxes: Can Read, Can Create, Can Update, Can Delete

This is not a BD operation and its access controls.
upvoted 1 times

cynfergon 1 year, 8 months ago

Selected Answer: B

Create, Delete, Read and Write
upvoted 1 times

Tirris 2 years, 2 months ago

Selected Answer: B

the answer is B as stated in the developer page for access controls
https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_securingsapps_utah_securings_table_records
upvoted 2 times

GoMaggie02 2 years, 2 months ago

Selected Answer: B

https://developer.servicenow.com/dev.do#!/learn/learning-plans/utah/new_to_servicenow/app_store_learnv2_securingsapps_utah_securings_table_records
upvoted 1 times

Hmzpkts 2 years, 3 months ago

Correct answer is B

Access Controls are automatically created when tables are added to scoped applications. The four default Access Controls grant access to the table's records. Permission is granted for these operations:

Create
Read
Write
Delete

https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_securingsapps_tokyo_securings_table_records
upvoted 3 times

Nik50 2 years, 3 months ago

When creating a table in a privately-scoped application in ServiceNow, the system automatically generates four Access Control Lists (ACLs) for the table to provide basic access control. These ACLs control the following CRUD operations:

Create: This ACL controls the ability to create new records in the table. It ensures that only users with the appropriate roles or permissions can add new records to the table.

Read: This ACL controls the ability to view or read records in the table. It ensures that only users with the appropriate roles or permissions can access the data stored in the table.

Update: This ACL controls the ability to modify or update records in the table. It ensures that only users with the appropriate roles or permissions can make changes to the data stored in the table.

Delete: This ACL controls the ability to delete records in the table. It ensures that only users with the appropriate roles or permissions can remove records from the table.
upvoted 1 times

kapshawn 3 years ago

Selected Answer: B

Answer B: https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_securingsapps_tokyo_securings_table_records
upvoted 2 times

SibykJoseph 3 years, 1 month ago

Selected Answer: C

C is correct. Can read, Can create, Can Update , Can Delete are the options
upvoted 2 times

SibykJoseph 3 years, 1 month ago

I was wrong . B is correct
upvoted 3 times

SISI619 1 year, 5 months ago

why indeed can read, create, update and delete are the options why is this wrong?
upvoted 1 times

sephereth 3 years, 4 months ago

Selected Answer: B

create, delete, read, write is the options in Studio
upvoted 3 times

Which one of the following is true for this script fragment?

```
g_user.hasRole('x_my_app_user');
```

- A. There is no `g_user.hasRole()` method
- B. The method returns false only if the currently logged in user has the `x_my_app_user` role
- C. The method returns true only if the currently logged in user has the `x_my_app_user` role
- D. The method returns true if the currently logged in user has the `x_my_app_user` role or the admin role **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: D

<https://www.servicenow.com/community/now-platform-forum/g-user-hasrole-g-user-hasroleexactly-and-g-user-hasroles/m-p/1095998>

upvoted 2 times

stophs 2 years, 2 months ago

Selected Answer: D

d is correct

upvoted 1 times

Question #78

Topic 1

Which one of the following database operations cannot be controlled with Application Access?

- A. Query **Most Voted**
- B. Update
- C. Create
- D. Delete

Correct Answer: A

Community vote distribution

A (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: A

A query can happen but what shows up would be controlled.

upvoted 2 times

KathQ 2 years, 4 months ago

Selected Answer: A

A: Query

The Can read, Can create, Can update, and Can delete Application Access options grant scripts from other application scopes the ability to perform

database operations against the table records.

https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/servicenow_administrator/app_store_learnv2_securingapps_rome_application_access_database_settings
upvoted 2 times

Question #79

Topic 1

For Application Access there is a configuration option called Allow access to this table via web services. Which one of the following statements is true when this option is selected?

- A. This option restricts the ability to delete records via web services but records can always be read
- B. Even when not selected, users with the correct permissions can use web services to access the table's records
- C. This option restricts access only to SOAP web services but does not apply to REST
- D. The user performing the query via web services must have the correct permissions to access the table's records **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

ParagSanyashiv **Highly Voted** 3 years, 5 months ago

Selected Answer: D

Correct answer is D

upvoted 10 times

Bajel **Highly Voted** 2 years, 11 months ago

https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/new_to_servicenow/app_store_learnv2_securingapps_rome_application_access_web_services

upvoted 5 times

Flanky **Most Recent** 1 year, 8 months ago

Selected Answer: D

"Although the admin user who initiated the web services call, is authorized to access the Occasions table records, authorization is not granted to make web services calls to the table"

Do only D is correct

upvoted 3 times

GoMaggie02 1 year, 8 months ago

Selected Answer: D

D is correct.

upvoted 1 times

Question #80

Topic 1

Which of the following statements must evaluate to true for a user to pass an Access Control? (Choose three.)

- A. The user has one of the roles specified in the Required roles related list. **Most Voted**
- B. Scripts configured in the Access Control must evaluate to true. **Most Voted**

C. Other matching Access Controls for the records evaluate to true.

D. Conditions configured in the Access Control must evaluate to true. **Most Voted**

E. The user must be granted access through a business rule.

Correct Answer: ABD

Community vote distribution

ABD (100%)

Comments

ParagSanyashiv **Highly Voted** 4 years, 5 months ago

Selected Answer: ABD

ABD are the correct options
upvoted 10 times

Lord_Korvus **Highly Voted** 2 years, 11 months ago

I believe that the correct answer should be A, B, C and D

Source: <https://docs.servicenow.com/bundle/utah-platform-security/page/administer/contextual-security/concept/access-control-rules.html>

Search for "ACL evaluation process" on the page and you can find the following line as well:
"[Record ACL rules only] The matching table-level and field-level ACL rules must both evaluate to true."
upvoted 6 times

DKey 1 year, 11 months ago

You would be correct :)
upvoted 1 times

Yexu **Most Recent** 3 years, 11 months ago

Selected Answer: ABD

ABD are the correct options
upvoted 3 times

Salim009 4 years, 8 months ago

I think its ABD.
upvoted 3 times

Erdi 4 years, 8 months ago

A :The user has one of the roles specified in the Required roles related list. true
upvoted 1 times

Question #81

Topic 1

What is a workflow context?

A. The table for which a workflow is defined plus any conditions such as "Active is true"

B. It is generated from a workflow version, executes activities, and follows transitions **Most Voted**

C. The business reason or process for which a workflow is designed

D. It is a checked out workflow which is being edited

Correct Answer: B

Community vote distribution

B (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: B

https://developer.servicenow.com/dev.do?_escaped_fragment_=/learn/learning-plans/orlando/new_to_servicenow/app_store_learnv2_automatingapps_orlando_workflow_contexts#:~:text=A%20context%20is%20a%20workflow's,at%20the%20time%20of%20launch.

upvoted 2 times

sg_100 2 years, 5 months ago

Selected Answer: B

https://docs.servicenow.com/de-DE/bundle/tokyo-servicenow-platform/page/administer/workflow-administration/reference/r_AdministeringWorkflowContexts.html

upvoted 2 times

Question #82

Topic 1

Which one of the following is a benefit of creating an Application Properties page for each application you develop?

- A. Application Properties allow a developer to override the application properties inherited from ServiceNow
- B. An Application Properties page is a good landing page for an application
- C. Application Properties allow a developer or admin to make changes to an application's behavior without modifying application artifacts
- D. Application users know to go to the Application Properties page to change the appearance of an application

Most Voted

Correct Answer: C

Community vote distribution

C (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: C

It is the best option

upvoted 1 times

schrack 1 year, 8 months ago

C - best practice.

upvoted 1 times

Question #83

Topic 1

Which one of the following is NOT an example of when an application might use a Scheduled Script Execution (Scheduled Job)?

- A. The application needs to send weekly email reminders to requestors for all records on a table
- B. The application needs to run a clean up script on the last day of every month
- C. The application needs to query the database every day to look for unassigned records
- D. The application needs to run a client-side script at the same time every day

Most Voted

Correct Answer: D

Community vote distribution

D (100%)

Comments

ParagSanyashiv Highly Voted 3 years, 5 months ago

Selected Answer: D

D is the correct answer
upvoted 15 times

GoMaggie02 Most Recent 1 year, 8 months ago

Selected Answer: D

All the others are server side which is good for scheduled jobs. client side isn't ideal for schedule jobs.
upvoted 3 times

s1o2n3a4l5i 1 year, 11 months ago

Selected Answer: D

D is the correct answer
upvoted 1 times

hawful 2 years ago

Selected Answer: D

Scheduled Jobs run on the server side, you cannot run a client script daily, D is the correct answer
upvoted 2 times

robinchadwick 2 years, 2 months ago

Selected Answer: D

Scheduled scripts are server side scripts, thus running a client-side script at the same time everyday cannot be accomplished with a scheduled script execution.
The application needs to run a client-side script at the same time every day
upvoted 4 times

SibyJoseph 2 years, 8 months ago

D is the correct answer
upvoted 4 times

Question #84

Topic 1

Which one of the following objects CANNOT be used in a Script Action script?

A. previous Most Voted

B. GlideRecord

C. event

D. current

Correct Answer: A

Community vote distribution

A (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: A

https://docs.servicenow.com/en-US/bundle/vancouver-platform-administration/page/administer/platform-events/reference/r_ScriptActions.html
upvoted 1 times

KathQ 2 years, 4 months ago

Selected Answer: A

No you can not access the "previous" object in script action.
Note: Script actions are triggered by events only.

<https://www.servicenow.com/community/itsm-forum/can-we-access-the-previous-object-in-script-action/m-p/875206>
upvoted 3 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: A

https://docs.servicenow.com/bundle/tokyo-platform-administration/page/administer/platform-events/reference/r_ScriptActions.html
upvoted 3 times

Remo878 3 years, 3 months ago

Selected Answer: A

https://docs.servicenow.com/bundle/san-diego-platform-administration/page/administer/platform-events/reference/r_ScriptActions.html
upvoted 2 times

Question #85

Topic 1

How does ServiceNow match inbound email to existing records?

A. Watermark **Most Voted**

B. Record link

C. Subject line

D. sys_id

Correct Answer: A

Community vote distribution

A (100%)

Comments

Remo878 **Highly Voted** 3 years, 3 months ago

Selected Answer: A

https://developer.servicenow.com/dev.do#!/learn/courses/quebec/app_store_learnv2_flowdesigner_quebec_flow_designer/app_store_learnv2_flowdesigner_quebec_notifications_in_flow_designer/app_store_learnv2_flowdesigner_quebec_inbound_email_and_flows
upvoted 5 times

GoMaggie02 **Most Recent** 1 year, 8 months ago

Selected Answer: A

A is correct.
upvoted 1 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: A

https://developer.servicenow.com/dev.do#!/learn/courses/tokyo/app_store_learnv2_flowdesigner_tokyo_flow_designer/app_store_learnv2_flowdesigner_tokyo_notifications_in_flow_designer/app_store_learnv2_flowdesigner_tokyo_inbound_email_and_flows
upvoted 3 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: A


"By default, the system generates a watermark label at the bottom of each notification email to allow matching incoming email to existing records."
https://docs.servicenow.com/bundle/tokyo-servicenow-platform/page/administer/notification/concept/c_WorkingWithWatermarks.html
upvoted 4 times

When debugging Email Notifications, what must you check on a user record? (Choose three.)

- A. Active must be true. **Most Voted**
- B. The First name and Last name fields must have values.
- C. The value in the Notification field must be set to enabled. **Most Voted**
- D. The user must not be locked out.
- E. The Email field must have a value. **Most Voted**

Correct Answer: ACE

Community vote distribution



Comments

Remo878 **Highly Voted** 4 years, 3 months ago

Selected Answer: ACE

https://community.servicenow.com/community?id=community_question&sys_id=8c5e9dcdb71ff8014d6fb243996197e

https://support.servicenow.com/kb?id=kb_article_view&sysparm_article=KB0535129

upvoted 8 times

Ashtan1985 **Highly Voted** 4 years, 3 months ago

Selected Answer: ACE

Must have email, must have notification enabled and should be active

upvoted 6 times

unicorn3 **Most Recent** 6 months ago

Selected Answer: ACE

Why the others are incorrect:

B. First and Last name must have values – Not required for email delivery.

D. The user must not be locked out – Lockout only affects login, not email notifications.

upvoted 1 times

9817ef9 11 months, 1 week ago

Selected Answer: ADE

No Notification field on user record.

upvoted 1 times

Felax 10 months, 1 week ago

Checked in PDI, there is in fact a notification on a user record. Correct answer is ACE.

You can email locked out users. For example "Too many login requests failed user locked out, if this was not you please contact admin" type emails

upvoted 1 times

treyPOV 1 year, 1 month ago

Selected Answer: ADE

Locked out users cannot receive emails

upvoted 2 times

BFExam 1 year, 3 months ago

Selected Answer: ACE

Check PDA.

Notification field needs to be enabled

Active true
Email filled
upvoted 2 times

SISI619 1 year, 5 months ago

Selected Answer: ADE

There is no Notification field on the user record.
upvoted 1 times

rrshah83 1 year, 6 months ago

Selected Answer: ADE

the notification field on sys_user seems to be mysterious...
upvoted 1 times

evoken 1 year, 7 months ago

Selected Answer: ADE

there is no "notification" field.
upvoted 1 times

evoken 1 year, 8 months ago

Selected Answer: ADE

****A. Active must be true.****
The user must have an active status to receive notifications.

- ****D. The user must not be locked out.****
Locked-out users will not receive email notifications.

- ****E. The Email field must have a value.****
The system requires a valid email address to send notifications.

Why Not the Other Options?

- ****B. The First name and Last name fields must have values.****
These fields are not required for email notifications to function. While useful for personalization, their absence does not block notifications.

- ****C. The value in the Notification field must be set to enabled.****
There is no specific "Notification" field on a user record. Notifications are enabled or disabled at the notification or system level, not per user through such a field.
upvoted 3 times

Asiandelight 1 year, 8 months ago

Correct answer is ADE
upvoted 1 times

sstest2 2 years, 7 months ago

Selected Answer: CDE

A don't agree with "A". Active must be true? Active what? I know SN troubleshooting article lists a use case where if Incident is no longer active, the email is not sent out because Incident Opened email notification has a condition of [active] [is] [true]. But that is a single case, and hardly can be applied to troubleshooting all email notifications.

C - because notifications must be enabled
D - because locked users cannot receive emails by design: https://support.servicenow.com/kb?id=kb_article_view&sysparm_article=KB0859406
E - because user will not get email if their email field is empty
upvoted 3 times

sstest2 2 years, 7 months ago

Questing reads "what must be done on the user table", so correct answer must be ACDE
A-user is active
C-notification set to 'enabled'
D-user is not locked out
E-user email field is not empty
upvoted 1 times

GoMaggie02 2 years, 8 months ago

Selected Answer: ACE

ACE is the correct options
upvoted 2 times

GHOTI 2 years, 10 months ago

Selected Answer: ADE

Even if Notification field is set to false, users will still receive mandatory notifications.
upvoted 3 times

doctorF 3 years ago

C is mentioned in the book
upvoted 2 times

MR126 3 years, 1 month ago

I believe ADE is correct.

https://support.servicenow.com/kb?id=kb_article_view&sysparm_article=KB0859406

upvoted 2 times

Question #87

Topic 1

What are web services?

- A. Methods used to create and maintain UI Pages
- B. Methods used to allow applications to connect to other software applications over a network **Most Voted**
- C. Methods used to discover a wide variety of systems and applications
- D. They provide a customer-facing view of available service and product offerings provided by departments within the organization

Correct Answer: B

Reference:

https://docs.servicenow.com/bundle/quebec-application-development/page/integrate/web-services/reference/r_AvailableWebServices.html

Community vote distribution

B (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: B

B is correct.

upvoted 1 times

joeblogs6234 2 years, 1 month ago

b seems right

https://developer.servicenow.com/dev.do#!/learn/learning-plans/rome/servicenow_application_developer/app_store_learnv2_rest_rome_what_are_scripted_web_services

upvoted 1 times

Question #88

Topic 1

Which of the following methods is NOT part of the ServiceNow REST API?

- A. COPY **Most Voted**
- B. GET
- C. DELETE
- D. POST

Correct Answer: A

Community vote distribution

A (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: A

Copy isn't an option
upvoted 2 times

robinchadwick 2 years, 2 months ago

Selected Answer: A

Supported HTTP request methods
GET
DELETE
HEAD
PATCH
POST
PUT

https://docs.servicenow.com/bundle/sandiego-application-development/page/integrate/inbound-rest/concept/c_RESTAPI.html
upvoted 4 times

Question #89

Topic 1

You are developing the MyApp application that has a table, Table A. When the MyApp application is installed on an instance, you want Table A's records to be installed as part of the application.
Table A's records will be installed when:

- A. Table A is active and extends the Task table
- B. Table A's records are added to the application record using the Create Application Files context menu item **Most Voted**
- C. Table A has an automatic number counter for new records
- D. Table A is not included in the System Clone > Exclude Tables list

Correct Answer: B

Community vote distribution

B (100%)

Comments

ParagSanyashiv **Highly Voted** 3 years, 5 months ago

Selected Answer: B

B is the correct answer in this case
upvoted 8 times

Remo878 **Highly Voted** 3 years, 3 months ago

Selected Answer: B

https://community.servicenow.com/community?id=community_question&sys_id=1d14a144db8f7f08190dfb243996190f
upvoted 6 times

GoMaggie02 **Most Recent** 1 year, 8 months ago

Selected Answer: B

B is the right answer
upvoted 1 times

Jayshree 2 years, 1 month ago

B is the correct answer

upvoted 1 times

AmmarGabr 2 years, 4 months ago

Selected Answer: B

B is correct

upvoted 2 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: B

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_includeApplicationData.html

upvoted 2 times

Question #90

Topic 1

How can an application link to a repository behind a firewall?

A. This option is not supported.

B. Link an application to source control through a MID Server. **Most Voted**

C. Link an application to source control through an access token.

D. Link an application to source control with multi-factor authentication.

Correct Answer: B

Community vote distribution

B (100%)

Comments

Benojojo 1 year, 10 months ago

B is correct: MID Servers help you to control and secure how ServiceNow communicates with your organization's systems, especially those behind a firewall

upvoted 2 times

GoMaggie02 2 years, 2 months ago

Selected Answer: B

MID servers are where its at!

upvoted 1 times

Bob_Loblaw 3 years, 1 month ago

Selected Answer: B

"Use an existing MID Server to connect to a Source Control repository. Linking or importing an application through a MID Server enables access to repositories behind a firewall."

https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/c_SourceControlIntegration.html

upvoted 4 times

Question #91

Topic 1

What is the ServiceNow store?

- A. Downloadable content ServiceNow script archive
- B. Alternate name for the ServiceNow Developer Share site
- C. The source for ServiceNow Community created developer content

D. Marketplace for free and paid certified ServiceNow applications and integrations **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: D

Yup, it is D

upvoted 3 times

stophs 2 years, 2 months ago

Selected Answer: D

D is correct

upvoted 2 times

Question #92

Topic 1

Tables that extend a table do what?

- A. Automatically update the application scope
- B. Do not inherit the parent's fields
- C. Sometimes inherit the parent's fields

D. Inherit the parent's fields **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: D

Parents pass (think like hair color or eye color) to their kids. (genetics is more complicated but it helps here too).

upvoted 2 times

Question #93

Topic 1

When creating an application through the Guided Application Creator, which of the following is NOT an option for creating a table?

A. Create table from template **Most Voted**

B. Create table from scratch

C. Extend a table

D. Upload spreadsheet

Correct Answer: A

Community vote distribution

A (100%)

Comments

svp7093 **Highly Voted** 2 years, 7 months ago

Selected Answer: A

A is correct answer.

<https://docs.servicenow.com/bundle/tokyo-application-development/page/build/guided-app-creator/concept/gac-tables.html>

upvoted 6 times

GoMaggie02 **Most Recent** 1 year, 8 months ago

Selected Answer: A

A - no template

upvoted 2 times

Mike49707 2 years, 5 months ago

Selected Answer: A

There's no template option

upvoted 3 times

tinylifter 2 years, 6 months ago

Selected Answer: A

A is the correct answer

upvoted 2 times

svp7093 2 years, 7 months ago

Selected Answer: A

A is correct answer

upvoted 2 times

Question #94

Topic 1

Server-side scripts manage what?

A. Database and backend **Most Voted**

B. Playbook access

C. User access

D. Forms and Fields

Correct Answer: A

Community vote distribution

A (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: A

Server side is back end things.

upvoted 2 times

JoshBaechle 2 years, 6 months ago

Selected Answer: A

A is correct

upvoted 2 times

svp7093 2 years, 7 months ago

Selected Answer: A

A is correct answer. https://docs.servicenow.com/bundle/tokyo-application-development/page/script/server-scripting/concept/c_ServerScripting.html

upvoted 3 times

Question #95

Topic 1

What intuitive development interface guides users through the initial application development process?

A. Guided Tour Designer

B. Guided Application Creator **Most Voted**

C. ServiceNow Studio

D. Flow Designer

Correct Answer: B

Community vote distribution

B (100%)

Comments

snawaza243 2 years ago

Selected Answer: B

ADF SN, MODULE 3, PN=62

Answer: Guided Application Creator

upvoted 1 times

GoMaggie02 2 years, 2 months ago

Selected Answer: B

GAC!!!

upvoted 1 times

stophs 2 years, 8 months ago

Selected Answer: B

B is correct

upvoted 1 times

Question #96

Topic 1

What are some benefits of developing private, scoped applications? (Choose two.)

A. To avoid using a code repository like GitHub or GitLab

B. To reduce risk at code collisions **Most Voted**

C. To enable installation and uninstallation of an application **Most Voted**

D. To replicate ServiceNow functions a private scope

Correct Answer: BC

Community vote distribution

BC (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: BC

B and C

upvoted 1 times

stophs 2 years, 2 months ago

Selected Answer: BC

B and C are correct

upvoted 1 times

Question #97

Topic 1

Which of the following statements is NOT true for the Form Designer?

A. To add a section to the form layout, drag it from the Field Types tab to the desired destination on the form. **Most Voted**

B. To add a field to the form layout, drag the field from the Fields tab to the desired destination on the form.

C. To remove a field from the form layout, hover over the field to enable the Action buttons, and select the Delete (X) button.

D. To create a new field on a form's table, drag the appropriate data type from the Field Types tab to the form and then configure the new field.

Correct Answer: A

Community vote distribution

A (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: A

A is correct. Its the only one not true.

upvoted 2 times

Noune 1 year, 11 months ago

Selected Answer: A

No drag and drop but a clickable button

upvoted 1 times

JoshBaechle 2 years, 6 months ago

Selected Answer: A

A is correct.

upvoted 1 times

svp7093 2 years, 7 months ago

Selected Answer: A

A is correct answer. https://docs.servicenow.com/bundle/tokyo-platform-administration/page/administer/form-administration/concept/c_FormDesign.html

upvoted 2 times

Xur 2 years, 7 months ago

Selected Answer: A

Correct is A

upvoted 2 times

Question #98

Topic 1

What records are used to track cross-scope applications or scripts that request access to an application, application resource, or event?

A. Restricted caller access records **Most Voted**

B. Caller tracking records

C. Access control level records

D. Cross-scope access records

Correct Answer: A

Community vote distribution

A (100%)

Comments

Bob_Loblaw **Highly Voted** 3 years, 7 months ago

Selected Answer: A

"Restricted caller access [sys_restricted_caller_access] records track cross-scope applications or scripts that request access to an application, application resource, or event in the Now Platform." < < == this is the third sentence down in the following link:

<https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/restricted-caller-access-privilege.html>

upvoted 6 times

DKey **Most Recent** 1 year, 11 months ago

A. Restricted caller access [sys_restricted_caller_access] records track cross-scope applications or scripts that request access to an application, application resource, or event in the platform.

upvoted 2 times

GoMaggie02 2 years, 8 months ago

Selected Answer: A

A - sys_restricted_caller_access

upvoted 1 times

JoshBaechle 3 years, 6 months ago

Selected Answer: A

Located in table sys_restricted_caller_access.

upvoted 1 times

NOW_TT 3 years, 7 months ago

D is the correct answer:

<https://www.servicenow.com/community/developer-blog/securing-an-application-using-cross-scope-access-application/ba-p/2288801>

upvoted 1 times

svp7093 3 years, 7 months ago

Selected Answer: A

A is the correct answer. <https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/concept/restricted-caller-access-privilege.html>

upvoted 2 times

Which ATF Test step allows you to create a user with speeded roles and groups for the test?

- A. Create a group
- B. Impersonation
- C. Create a user **Most Voted**
- D. Create a role

Correct Answer: C

Community vote distribution

C (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: C

Asnwer is in the question.
upvoted 2 times

Noune 1 year, 11 months ago

Selected Answer: C

"To impersonate a user, use the Create a User test step to create a user with specified roles and groups for the test. The user record gets rolled back after the test completes."
upvoted 2 times

stophs 2 years, 2 months ago

Selected Answer: C

c is correct
upvoted 1 times

What plugin enables the Guided Application Creator?

- A. com.glide.sn-guided-app-creator **Most Voted**
- B. com.glide.service_creator
- C. com.glide.snc.apps_creator
- D. com.snc.apps_creator_template

Correct Answer: A

Community vote distribution

A (100%)

Comments

snawaza243 2 years ago

Selected Answer: A

ADF SN, MODULE 3, PN= 68

upvoted 1 times

GoMaggie02 2 years, 2 months ago

Selected Answer: A

a is right.

upvoted 1 times

stophs 2 years, 8 months ago

Selected Answer: A

a is correct

upvoted 1 times

Bob_Loblaw 3 years, 1 month ago

Selected Answer: A

"Guided Application Creator is enabled via the Guided Application Creator (com.glide.sn-guided-app-creator) plugin, which is active by default in the Now Platform."

Located under "Activation Information" section at this URL:

<https://docs.servicenow.com/en-US/bundle/tokyo-application-development/page/build/guided-app-creator/concept/guided-app-creator.html>

upvoted 3 times

Question #101

Topic 1

Which of the following can be an external data source for a ServiceNow application?

- A. Microsoft Excel File
- B. Data provided by a public web service using SOAP or REST
- C. CSV file
- D. All of the above **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: D

D is correct.

upvoted 1 times

stophs 2 years, 2 months ago

Selected Answer: D

all above is correct

upvoted 1 times

Question #102

Topic 1

Which one of the following is true for the Application Picker and Application Scope?

- A. Global is a reserved application which does not appear in the Application Picker
- B. Selecting an application from the Application Picker does not set the Application Scope
- C. Selecting an application from the Application Picker sets the Application Scope **Most Voted**
- D. Selecting Global in the Application Picker sets the Application Scope to Incident

Correct Answer: C

Community vote distribution

C (100%)

Comments

varuns03 1 year, 7 months ago

Selected Answer: C

C is the correct answer.
upvoted 1 times

GoMaggie02 1 year, 8 months ago

Selected Answer: C

C is correct.
upvoted 1 times

stophs 2 years, 2 months ago

Selected Answer: C

C. Selecting an application from the Application Picker sets the Application Scope
upvoted 2 times

blackjack987 2 years, 2 months ago

I think the answer should be A.
upvoted 1 times

GoMaggie02 1 year, 8 months ago

If you sign in to a instance Global is at the top with private scopes below.
upvoted 1 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: C

"Application developers must select an application as their current scope context."
https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/t_SelectAnAppFromTheAppPicker.html
upvoted 3 times

Question #103

Topic 1

Which of the following is an available feature in Studio? (Choose two.)

- A. Push to update set
- B. Merge branches
- C. Search code **Most Voted**
- D. Push to external source control **Most Voted**

Correct Answer: CD

Community vote distribution

CD (100%)

Comments

thatchazguy Highly Voted 2 years, 7 months ago

Selected Answer: CD

Cannot merge branch or push to an update set in studio.
upvoted 7 times

evoken Most Recent 1 year, 7 months ago

Selected Answer: CD

Not A because you "publish" to update set.
upvoted 1 times

lyon301 1 year, 7 months ago

C and D are correct

https://docs.servicenow.com/bundle/utah-application-development/page/build/applications/task/t_SearchWithinApplicationFiles.html

https://docs.servicenow.com/en-US/bundle/utah-application-development/page/build/applications/concept/c_SourceControlIntegration.html
upvoted 1 times

GoMaggie02 1 year, 8 months ago

Selected Answer: CD

Like the others said, C and D
upvoted 1 times

KathQ 2 years, 4 months ago

Selected Answer: CD

You can Search Code using code search:

<https://www.servicenow.com/community/developer-blog/using-code-search-to-make-developing-on-the-platform-easier/ba-p/2265789>

You can also push to external source control by committing local changes.

https://docs.servicenow.com/en-US/bundle/utah-application-development/page/build/applications/concept/c_SourceControlIntegration.html

upvoted 4 times

Question #104

Topic 1

The Task table is an example of which of the following? (Choose two.)

A. Parent class Most Voted

B. Legacy class

C. Child class

D. Base class Most Voted

Correct Answer: AD

Community vote distribution

AD (100%)

Comments

Bob_Loblaw Highly Voted 2 years, 7 months ago

My answer is A & D. There's no search result for "legacy class" and Task is (I believe) a parent class, it doesn't extend any table, so it wouldn't be a child class to anything.

"A table that extends another table is called a child class, and the table it extends is the parent class" - this is about halfway down in this link below:

<https://docs.servicenow.com/en-US/bundle/tokyo-platform-administration/page/administer/table-administration/concept/table-extension-and-classes.html>

upvoted 11 times

Stardust85 2 years, 7 months ago

Sure. And a base class is a class that doesn't extend any other table. You can check System Definition -> Tables to see that Task doesn't extend a table. Source: <https://docs.servicenow.com/en-US/bundle/tokyo-platform-administration/page/administer/table-administration/concept/table->

extension-and-classes.html (search for "base class")
upvoted 3 times

kapshawn Highly Voted 2 years, 6 months ago

Selected Answer: AD

A & D is my answer
upvoted 5 times

GoMaggie02 Most Recent 1 year, 8 months ago

Selected Answer: AD

Task is a parent and base table.
upvoted 1 times

AmmarGabr 2 years, 4 months ago

Selected Answer: AD

my answers
upvoted 4 times

Question #105

Topic 1

Which of the following is true about deleting fields from a table?

A. Table records are deleted when a field is deleted

B. User-defined non-inherited fields can be deleted Most Voted

C. Any field on a table can be deleted

D. Inherited fields can be deleted

Correct Answer: B

Community vote distribution

B (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: B

B is the only one true.
upvoted 1 times

stophs 2 years, 2 months ago

Selected Answer: B

B. User-defined non-inherited fields can be deleted
upvoted 1 times

Question #106

Topic 1

Why would you build a custom app? (Choose two.)

A. To avoid using a code repository like GitHub or GitLab

B. To replace ServiceNow base tables

C. To fulfill a specific use case on internal processes **Most Voted**

D. To create a custom integration for a 3rd party system **Most Voted**

Correct Answer: CD

Community vote distribution

CD (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: CD

C and D

upvoted 1 times

YGMPC 2 years, 5 months ago

Selected Answer: CD

C and D are correct answers.

upvoted 1 times

Question #107

Topic 1

What are three ServiceNow table creation methods? (Choose three.)

A. Using legacy Workflows

B. Upload and turn a spreadsheet into a custom table **Most Voted**

C. Using Flow Designer

D. Use the Now Experience Table Creator

E. Extend a table **Most Voted**

F. Create a custom table **Most Voted**

Correct Answer: BEF

Community vote distribution

BEF (100%)

Comments

Bob_Loblaw **Highly Voted** 3 years, 7 months ago

Selected Answer: BEF

"If there are no spreadsheets or existing tables to use for your application, you can create and customize a new table." see this quote in link below:
<https://docs.servicenow.com/bundle/tokyo-application-development/page/build/app-engine-studio/task/create-table.html>

Also see:

<https://docs.servicenow.com/bundle/tokyo-application-development/page/build/guided-app-creator/task/gac-create-table-from-scratch.html>

Also, no search results if search on "Now Experience Table Creator".

upvoted 12 times

Asiandelight **Most Recent** 1 year, 8 months ago

Correct answer: BDF

upvoted 1 times

GoMaggie02 2 years, 8 months ago

Selected Answer: BEF

Bob has a great explanation to the answer.
upvoted 1 times

AmmarGabr 3 years, 4 months ago

Selected Answer: BEF

my answers
upvoted 3 times

Question #108


Topic 1

When selecting a data type for a field that will be displayed on a form, which of the following statements is NOT correct?

- A. Use the String data type for a free-form text field
- B. Use the Phone Number data type to automate phone number data validation
- C. Use the Choice data type to limit options in a field
- D. Use the Date data type to enter the date and time of day **Most Voted**

Correct Answer: D

Community vote distribution



Comments

Bob_Loblaw **Highly Voted** 3 years, 7 months ago

Selected Answer: B

There's no "phone number" data type.
upvoted 5 times

AR1970 3 years, 7 months ago

There is "phone number" data type. On form go to configure->form layout->create new field-> "data type-phone number" will be there in the available data types.
upvoted 4 times

JinDG **Most Recent** 1 year, 11 months ago

Selected Answer: D

The answer is D only Date/Time data type allows you to choose time of day not Date.
upvoted 3 times

DKey 1 year, 11 months ago

D. to show date AND time, you need to select date / time not just date
upvoted 2 times

f37cbd9 2 years, 1 month ago

Selected Answer: B

Exclude phone number. See the "data type" in the Application Development Fundamentals book
upvoted 2 times

pazorische 2 years, 5 months ago

Selected Answer: D

D is true
upvoted 3 times

xheniinehx 2 years, 5 months ago

D) To show Date and Time, the data type Date/Time needs to be selected
upvoted 2 times

sstest2 2 years, 7 months ago

Selected Answer: D

Phone number exists and does validation
upvoted 1 times

Adam2023 2 years, 7 months ago

Selected Answer: B

Phone Number data type does not exist.
upvoted 1 times

GoMaggie02 2 years, 8 months ago

Selected Answer: D

D - read carefully! Date and Time, not just date.
upvoted 3 times

LucasDom 3 years, 2 months ago

Selected Answer: D

The data type Phone Number exists and also validates the Format so B is not the correct answer. The Date data type only is there for the date and not the time. That would be the Date/Time data type field.

https://docs.servicenow.com/bundle/tokyo-platform-administration/page/administer/reference-pages/reference/r_FieldTypes.html
upvoted 4 times

sg_100 3 years, 5 months ago

Selected Answer: D

For Date AND Time it would be "Date/Time". And "Phone Number" exists for sure.
upvoted 4 times

AR1970 3 years, 7 months ago

Option D
upvoted 3 times

Question #109

Topic 1

Which one of the following is NOT part of the Form Designer?

A. Page header

B. Schema map **Most Voted**

C. Field navigator

D. Form layout

Correct Answer: B

Community vote distribution

B (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: B

No map
upvoted 2 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: B

https://developer.servicenow.com/dev.do#!/learn/courses/sandiego/app_store_learnv2_learnmore_sandiego_learn_more/app_store_learnv2_learnmore_sandiego_form_and_list_layouts/app_store_learnv2_learnmore_sandiego_what_is_form_designer
upvoted 2 times

Which class is NOT part of the Client side scoped APIs?

- A. GlideDialogWindow
- B. GlideAjax
- C. GlideRecord **Most Voted**
- D. GlideForm

Correct Answer: C

Community vote distribution

C (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: C

See links from others.
upvoted 1 times

Lord_Korvus 1 year, 11 months ago

Selected Answer: C

"The client-side GlideRecord API is not supported in scoped applications."
Source: https://developer.servicenow.com/dev.do#!/reference/api/utah/client/c_GlideRecordClientSideAPI
upvoted 2 times

stophs 2 years, 2 months ago

Selected Answer: C

<https://www.servicenow.com/community/developer-blog/client-side-gliderecord-replacement-for-scoped-applications-sort/ba-p/2284117>
upvoted 1 times

When designing and creating a form what do you create to organize fields on a form?

- A. Buttons
- B. Tabs
- C. Sections **Most Voted**
- D. Related lists

Correct Answer: C

Community vote distribution

C (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: C

Sections

upvoted 2 times

stophs 2 years, 2 months ago

Selected Answer: C

https://docs.servicenow.com/en-US/bundle/utah-platform-administration/page/administer/form-administration/concept/c_FormDesign.html#title_t_AddANewSection

upvoted 3 times

Question #112

Topic 1

Which one of the following is a good practice for adding instructions to a form?

- A. Related links to wiki pages
- B. A Context Menu UI Action
- C. Annotations **Most Voted**
- D. A populated read-only field

Correct Answer: C

Community vote distribution

C (93%)

Comments

Bob_Loblaw **Highly Voted** 2 years, 7 months ago

Selected Answer: C

"Add instructional text and other design elements to your forms by using form annotations in Form Builder."

<https://docs.servicenow.com/bundle/sandiego-application-development/page/administer/form-builder/task/create-form-annotations.html>

upvoted 12 times

GoMaggie02 **Most Recent** 1 year, 8 months ago

Selected Answer: C

Annotation

upvoted 1 times

alekos123 1 year, 11 months ago

Selected Answer: B

C. Annotations

upvoted 1 times

Question #113

Topic 1

Which of the following GlideRecord methods run a query against a database table? (Choose three.)

- A. _get()
- B. runQuery()
- C. query() **Most Voted**
- D. _query() **Most Voted**

E. get(**Most Voted**

Correct Answer: CDE

Community vote distribution

CDE (100%)

Comments

Lord_Korvus 1 year, 11 months ago

Selected Answer: CDE

For answer C:

query()

https://developer.servicenow.com/dev.do#!/reference/api/utah/client/c_GlideRecordClientSideAPI#r_GRCS-query_Function

For answer D:

_query()

https://developer.servicenow.com/dev.do#!/reference/api/utah/server_legacy/c_GlideRecordAPI#r_GlideRecord-_query_Object_Object

https://developer.servicenow.com/dev.do#!/reference/api/utah/server/no-namespace/c_GlideRecordScopedAPI#SGR-_query_O_O

For answer E:

Run a search using one of the sites above to find multiple results regarding get()

upvoted 4 times

stophs 2 years, 2 months ago

Selected Answer: CDE

C D E are correct

upvoted 1 times

Bob_Loblaw 2 years, 7 months ago

I'll go with answers given, but here are helpful links:

https://docs.servicenow.com/bundle/tokyo-application-development/page/app-store/dev_portal/API_reference/GlideQuery/concept/GlideQueryGlobalAPI.html#GlideQueryAPI

https://docs.servicenow.com/bundle/tokyo-application-development/page/app-store/dev_portal/API_reference/glideRecordScoped/concept/c_GlideRecordScopedAPI.html

upvoted 2 times

Question #114

Topic 1

What is the GlideForm Client-side scripting object?

A. sn.form

B. g_form **Most Voted**

C. gs.form

D. gs_form

Correct Answer: B

Community vote distribution

B (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: B

g_form

upvoted 1 times

alekos123 1 year, 11 months ago

Selected Answer: B

B is correct: g_form

https://docs.servicenow.com/en-US/bundle/vancouver-api-reference/page/app-store/dev_portal/API_reference/GlideForm/concept/c_GlideFormAPI.html

upvoted 2 times

stophs 2 years, 2 months ago

Selected Answer: B

D. field3 only

upvoted 1 times

Question #115

Topic 1

In a Business Rule, which one of the following returns the sys_id of the currently logged in user?

A. g_form.getUserID()

B. gs.getUserSysID()

C. gs.getUserID() **Most Voted**

D. g_form.getUserSysID()

Correct Answer: C

Community vote distribution

C (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: C

<https://servicenowguru.com/scripting/user-object-cheat-sheet/>

upvoted 1 times

tinylifter 2 years, 6 months ago

Selected Answer: C

C is the answer. g_form is client-side and the getUserID method returns the sys_ID of the currently logged in user

upvoted 2 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: C

https://docs.servicenow.com/bundle/tokyo-application-development/page/app-store/dev_portal/API_reference/glideSystemScoped/concept/c_GlideSystemScopedAPI.html

upvoted 3 times

milokimok 2 years, 7 months ago

Selected Answer: C

The gs.getUserID method is used to determine the sys_id of the currently logged-in user.

upvoted 2 times

Question #116

Topic 1

Access Control debug information identifies whether each element of an Access Control granted or denied access. The elements appear in the debug information in the order of evaluation. In which order are the elements of an Access Control evaluated?

- A. Conditions, Roles, Script
- B. Conditions, Script, Roles
- C. Roles, Conditions, Script **Most Voted**
- D. Script, Conditions, Roles

Correct Answer: C

Community vote distribution

C (100%)

Comments

fe91db0 1 year, 7 months ago

Selected Answer: C

Still roles first, condition and then script. all must be true to pass acl
upvoted 3 times

GoMaggie02 1 year, 8 months ago

Selected Answer: C

See others info as to why.
upvoted 1 times

devandy 1 year, 11 months ago

Selected Answer: C

The sequence is: Roles, Condition, Script.
That's what the annotation on the access control tab in studio says.
upvoted 1 times

Stardust85 2 years, 7 months ago

the blue definition in the official docs defines the order <https://docs.servicenow.com/en-US/bundle/tokyo-platform-administration/page/administer/contextual-security/concept/access-control-rules.html>
upvoted 2 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: C

"The sequence is ROLES first, then condition, then script." - Chuck Tomasi says so at this link:
<https://www.servicenow.com/community/grc-forum/order-of-execution-of-an-acl/m-p/1311962/highlight/true#M6538>
upvoted 3 times

AR1970 2 years, 7 months ago

Correct answer is C
upvoted 3 times

milokimok 2 years, 7 months ago

Selected Answer: C

Should be C <https://www.servicenow.com/community/grc-forum/order-of-execution-of-an-acl/m-p/1311960>
upvoted 3 times

Assume a table called table exists and contains 3 fields: field1, field2, field3. Examine the Access Control list for table:


```
table.None read Access Control for users with the admin and itil roles
table.* read Access Control for users with the admin role
table.field3 read Access Control for users with the itil role
```

Which field or fields can a user with the itil role read?

- A. All fields except field3
- B. field1, field2, and field3
- C. field1 and field3
- D. field3 only **Most Voted**

Correct Answer: D

Community vote distribution



Comments

doctorF **Highly Voted** 3 years ago

First - Gives Access to admin and itil for every field
second - give access to only the admin for every field
third - give read access to field 3 to itil
upvoted 8 times

51f8ce8 **Most Recent** 2 years ago

Selected Answer: D

field 3 only
upvoted 2 times

f37cbd9 2 years, 1 month ago

Selected Answer: C

itil has access to 1 and 3
upvoted 1 times

GoMaggie02 2 years, 8 months ago

Selected Answer: D

doctorF spells it out correctly.
upvoted 2 times

stophs 3 years, 2 months ago

Selected Answer: D

D. field3 only
upvoted 2 times

Question #118

Topic 1

Assume a table called table exists and contains 3 fields: field1, field2, field3. Examine the Access Control list for table:

```
table.None read Access Control for users with the admin and itil roles
table.field3 read Access Control for users with the admin role
```

Which field or fields can a user with the itil role read?

- A. field3 only
- B. field1 and field3
- C. All fields
- D. All fields except field3 **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

GoMaggie02 1 year, 8 months ago

Selected Answer: D

First gives access to both Admin and it'll
Second gives access to field 3 only to admin.
upvoted 1 times

doctorF 2 years ago

I think its D
upvoted 1 times

jpettyc 2 years, 5 months ago

Selected Answer: D

Answer is D
upvoted 2 times

JoshBaechle 2 years, 6 months ago

Selected Answer: D

Answer is D.
upvoted 3 times

Bob_Loblaw 2 years, 7 months ago

Selected Answer: D

<https://docs.servicenow.com/bundle/tokyo-platform-security/page/administer/contextual-security/concept/access-control-rules.html>
upvoted 4 times

Question #119

Topic 1

Which of the following is NOT a caller access field option?

- A. Caller Tracking
- B. Caller Restriction
- C. None
- D. Caller Permission **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

milokimok Highly Voted 3 years, 1 month ago

Selected Answer: D

Should be D

<https://docs.servicenow.com/bundle/tokyo-application-development/page/build/applications/task/set-RCA-level.html>

upvoted 10 times

Rai0704 Most Recent 1 year, 9 months ago

Selected Answer: D

D is correct.

Caller options are None, Caller Restriction and Caller Tracking. Refer to the Application Development Fundamentals ebook > Caller Access

upvoted 1 times

cricosta 2 years, 2 months ago

D is wrong.

See Application Developer book page 119

upvoted 2 times

GoMaggie02 2 years, 2 months ago

Selected Answer: D

It is D

upvoted 1 times

JoshBaechle 3 years ago

Selected Answer: D

Answer is D.

upvoted 2 times

Bob_Loblaw 3 years, 1 month ago

D is answer. milokimok nailed it.

upvoted 4 times

Question #120

Topic 1

Which method is used to retrieve Application Property values in a script?

A. gs.getProperty() Most Voted

B. g_form.getAppProperty()

C. g_form.getProperty()

D. gs.getAppProperty()

Correct Answer: A

Community vote distribution

A (92%)

D (8%)

Comments

milokimok Highly Voted 2 years, 7 months ago

Selected Answer: A

Should be A

https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_automatingapps_tokyo_use_application_properties

upvoted 6 times

GoMaggie02 Most Recent 1 year, 8 months ago

Selected Answer: A

gs.getProperty() - I write it often in my script
upvoted 2 times

Lord_Korvus 1 year, 11 months ago

Selected Answer: D

Source: https://developer.servicenow.com/dev.do#!/reference/api/utah/server_legacy/c_GlideSystemAPI#r_GS-getProperty_S_O
upvoted 1 times

Hmzpkts 1 year, 9 months ago

you meant A i guess

upvoted 1 times

tinylifter 2 years, 6 months ago

Selected Answer: A

The Correct answer is A

https://docs.servicenow.com/bundle/tokyo-application-development/page/app-store/dev_portal/API_reference/glideSystemScoped/concept/c_GlideSystemScopedAPI.html#r_ScopedGlideSystemGetProperty_String_Object
upvoted 3 times

Question #121

Topic 1

What Module Link type is used to access an Application Properties page?

A. Single Record

B. HTML (from Arguments)

C. URL (from Arguments) **Most Voted**

D. Script (from Arguments)

Correct Answer: C

Community vote distribution

C (100%)

Comments

Lord_Korvus 1 year, 11 months ago

Selected Answer: C

https://developer.servicenow.com/dev.do#!/learn/learning-plans/vancouver/new_to_servicenow/app_store_learnv2_automatingapps_vancouver_create_application_properties_module
upvoted 2 times

Stardust85 2 years, 7 months ago

Selected Answer: C

https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_automatingapps_tokyo_create_application_properties_module
upvoted 3 times

Question #122

Topic 1

Identify the way(s) an application can respond to an Event generated by the gs.eventQueue() method.

a. Script Action

- b. Scheduled Script Execution (Scheduled Job)
- c. UI Policy
- d. Email Notification

A. b and c

B. c

C. a and d **Most Voted**

D. a and c

Correct Answer: C

Community vote distribution

C (100%)

Comments

Bob_Loblaw **Highly Voted** 2 years, 1 month ago

Selected Answer: C

"There are two possible ways to respond to events:

- Email Notification

- Script Action" - see this quote in link below:

https://developer.servicenow.com/dev.do#!/learn/learning-plans/tokyo/new_to_servicenow/app_store_learnv2_automatingapps_tokyo_responding_to_events

upvoted 6 times

jpettyc **Most Recent** 1 year, 11 months ago

Selected Answer: C

C is correct

upvoted 2 times

thatchazguy 2 years, 1 month ago

Selected Answer: C

bob is right, see doc

upvoted 3 times

MXMLN213 2 years, 1 month ago

C is the correct answer

upvoted 4 times

Question #123

Topic 1

When troubleshooting and debugging notifications, where do you navigate to see if an email was sent in response to an event?

A. System Logs > Events

B. System Logs > Emails **Most Voted**

C. System Logs > Push Notifications

D. System Logs > ICE Logs

Correct Answer: B

Community vote distribution

B (100%)

Comments

Lord_Korvus 1 year, 10 months ago

Selected Answer: B

Source: https://docs.servicenow.com/bundle/vancouver-platform-security/page/administer/time/reference/r_EmailLogs.html
upvoted 2 times

stophs 2 years, 2 months ago

Selected Answer: B

B. System Logs > Emails
upvoted 1 times

stophs 2 years, 2 months ago

B. System Logs > Emails
upvoted 1 times

YGMPC 2 years, 5 months ago

Selected Answer: B

The correct answer is B.
upvoted 1 times

Question #124

Topic 1

What are the benefits of storing the majority of an Application's server-side script logic in a Script Include?

- a. This makes execution faster.
- b. Only run when called from a script.
- c. The script logic can be hidden when the Application is installed from the ServiceNow Store.
- d. For some changes to application logic there is only one place to make edits.

A. a, b, and d

B. a, b, c, and d

C. b, c, and d **Most Voted**

D. a, b, and c

Correct Answer: C

Community vote distribution

C (94%)

Comments

Bob_Loblaw **Highly Voted** 3 years, 7 months ago

Selected Answer: C

Answer is C. Proof is here:

https://developer.servicenow.com/dev.do#!/learn/courses/tokyo/app_store_learnv2_scripting_tokyo_scripting_in_servicenow/app_store_learnv2_scripting_tokyo_server_side_scripting/app_store_learnv2_scripting_tokyo_script_includes

upvoted 10 times

doctorF 3 years ago

Agreed on C

upvoted 1 times

skibumvermont **Most Recent** 7 months ago

Selected Answer: B

Correct Anser: B/C/D

Corrects options (shows incomplete):

- a. This makes execution faster.
- b. Only run when called from a script.
- c. The script logic can be hidden when the Application is installed from the ServiceNow Store.
- d. For some changes to application logic there is only one place to make edits.

upvoted 1 times

1fd00cf 2 years ago

c is correct

upvoted 1 times

fe91db0 2 years, 7 months ago

Selected Answer: C

execution performance is not based on script include but rather logic, query and when/where script is running

upvoted 2 times

stophs 3 years, 2 months ago

Selected Answer: C

C. b, c, and d

upvoted 2 times

Mike49707 3 years, 4 months ago

Selected Answer: C

Answer is C

upvoted 2 times

Question #125

Topic 1

Which of the following is NOT a Flow Designer feature?

A. Run a flow from a Catalog item

B. Call a flow from another flow or subflow **Most Voted**

C. Add stages to a flow

D. Test a flow using the "Run as" feature

Correct Answer: B

Community vote distribution

B (92%)

D (8%)

Comments

KathQ **Highly Voted** 3 years, 4 months ago

Selected Answer: B

You can't call a flow from another flow but you can call a Subflow from a flow. Create a Subflow and call from the main flow.

<https://www.servicenow.com/community/itsm-forum/how-to-call-a-flow-from-another-flow-in-servicenow/td-p/2349397>

You can:

Run a flow from a Catalog item

<https://docs.servicenow.com/bundle/rome-servicenow-platform/page/administer/flow-designer/task/create-sc-flow.html>

Add stages to a flow

<https://docs.servicenow.com/bundle/rome-servicenow-platform/page/administer/flow-designer/task/add-stages.html>

Test a flow using the "Run as" feature

<https://www.servicenow.com/community/now-platform-forum/run-as-property-in-flow-designer/m-p/1142272>

<https://docs.servicenow.com/bundle/sandiego-application-development/page/administer/flow-designer/concept/flows.html>

upvoted 10 times

sahithi2004 2 years ago

Brilliant

upvoted 1 times

MikMikMik **Most Recent** 1 year ago

Selected Answer: B

After watching the counter evidence from AnnaHr, the video clearly mentions subflows not flows. KathQ gives a clear explanation with sources, no sense to repeat it, thank you KathQ

upvoted 1 times

AnnaHr 1 year, 7 months ago

Selected Answer: D

B is incorrect because you can call flow from flow. See here: <https://www.youtube.com/watch?v=WVu8mZeHlmo>

upvoted 1 times

stophs 3 years, 2 months ago

Selected Answer: B

B. Call a flow from another flow or subflow

upvoted 1 times

Question #126

Topic 1

What is the purpose of the coalesce field when importing data?

A. If a match is not found, the existing record is updated

B. To determine if a record matches an existing record or is a new record **Most Voted**

C. To identify and merge duplicate records

D. When a match is found, a new record is inserted

Correct Answer: B

Community vote distribution

B (100%)

Comments

1fd00cf 2 years ago

b is correct

upvoted 1 times

stophs 3 years, 2 months ago

Selected Answer: B

b is correct I checked it on my instance

upvoted 1 times

stophs 3 years, 2 months ago

b is correct I checked it on my instance

upvoted 1 times

Question #127

Topic 1

If you create a SOAP Message what syntax indicates a variable to pass when the function is called?

- A. current.variable_name
- B. \${variable_name} **Most Voted**
- C. < variable_name >.do?WSDL
- D. < variable_name >

Correct Answer: B

Community vote distribution

B (100%)

Comments

1fd00cf 2 years ago

The correct is B .

\${variable_name}
upvoted 1 times

stophs 3 years, 2 months ago

Selected Answer: B

B. \${variable_name}
upvoted 1 times

stophs 3 years, 2 months ago

B IS CORRECT
upvoted 1 times

Question #128

Topic 1

Which of the following is NOT a way to install an application on a ServiceNow instance?

- A. Install an application from the Application Repository
- B. Select the Copy button on the application record **Most Voted**
- C. Download and install an application from the ServiceNow Share web site
- D. Download and install a third-party application from the ServiceNow Store

Correct Answer: B

Community vote distribution

B (100%)

Comments

Bob_Loblaw **Highly Voted** 2 years, 1 month ago

Selected Answer: B

There is no "copy" button on the application record (at least I couldn't see one). Also, see here:
https://docs.servicenow.com/bundle/sandiego-application-development/page/build/applications/reference/r_ManagingApplications.html
upvoted 6 times

tinylifter **Highly Voted** 2 years ago

Selected Answer: B

Answer is B. Could not find a copy button either.

The ServiceNow Share site can be found here: <https://developer.servicenow.com/connect.do#!/share>

upvoted 5 times

Question #129

Topic 1

Using Custom UI test step in Automated Test Framework, which of the following is NOT a testable page component?

- A. Buttons
- B. UI controls
- C. UI pages
- D. Form field values **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

RoadtoCad 1 year, 10 months ago

Selected Answer: D

D is true. Though it was C but then I found it on this page.

<https://docs.servicenow.com/bundle/xanadu-application-development/page/administer/auto-test-framework/concept/custom-ui-test-steps.html>

upvoted 2 times

MR126 3 years, 1 month ago

D

<https://docs.servicenow.com/bundle/utah-application-development/page/administer/auto-test-framework/concept/custom-ui-test-steps.html>

upvoted 4 times

Stardust85 3 years, 7 months ago

Selected Answer: D

<https://docs.servicenow.com/en-US/bundle/tokyo-application-development/page/administer/auto-test-framework/concept/custom-ui-test-steps.html>

upvoted 3 times

Question #130

Topic 1

Why create Applications in ServiceNow?

a) To replace outdated, inadequate, custom business applications and processes b) To extend service delivery and management to all enterprise departments c) To allow users full access to all ServiceNow tables, records, and fields d) To extend the value of ServiceNow

- A. a, b, and d **Most Voted**

- B. a, b, c, and d
- C. a, b, and c
- D. b, c, and d

Correct Answer: A

Community vote distribution

A (100%)

Comments

evoken 1 year, 11 months ago

Selected Answer: A

As C is not true.

upvoted 1 times

1fd00cf 2 years ago

correct is A

upvoted 1 times

Question #131

Topic 1

Flow Designer supports variable data types to store record data and complex data. Which of the following are supported variable data types? (Choose three.)

A. Choice data type **Most Voted**

B. Array.Reference data type

C. Integer data type **Most Voted**

D. Freedom data type

E. Array.Boolean data type **Most Voted**

F. Label data type

Correct Answer: ACE

Community vote distribution

ACE (67%)

ABC (33%)

Comments

thatchazguy **Highly Voted** 3 years, 7 months ago

ACE Is correct.

<https://docs.servicenow.com/bundle/tokyo-application-development/page/administer/flow-designer/reference/action-inputs-outputs.html>

upvoted 8 times

oswaldorusb **Most Recent** 3 months ago

Selected Answer: ABC

Array.Boolean (option E) does not exist in a native way in the variable creation drop-down list, although technically is possible to manage a boolean list from code

upvoted 1 times

oswaldorusb 3 months ago

So sorry, fixed, ACE are correct

upvoted 1 times

al3xunder 9 months, 4 weeks ago

Selected Answer: ABC

A. Choice data type: Correct. This is listed as a supported data type.

B. Array.Reference data type: Correct. This is listed as a supported data type.

C. Integer data type: Correct. This is a basic, supported data type.

E. Array.Boolean data type: Correct. This is also listed as a supported data type.

The documentation does not list "Freedom data type" or "Label data type" as supported variable types.

upvoted 1 times

DKey 1 year, 11 months ago

ACE

<https://docs.servicenow.com/bundle/washingtondc-build-workflows/page/administer/flow-designer/reference/action-inputs-outputs.html>

upvoted 2 times

poppop997 3 years, 5 months ago

A,C,E is correct!!

upvoted 2 times

Andskie 3 years, 5 months ago

Selected Answer: ACE

IT'S A,C,E

upvoted 4 times

Question #132


Topic 1

Which of the following statements is true about Guided Application Creator?

- A. The global scope option is turned on by default
- B. Default access controls are automatically created **Most Voted**
- C. The welcome screen appears every time a new application is created
- D. A scoped application user role is automatically created

Correct Answer: B

Community vote distribution



Comments

fredrikgjerde 1 year, 11 months ago

Selected Answer: B

A: You set the scope on the first screen, and choose scoped or global. It does not default to G.

B: In the Application Development Fundamentals Lab 3.2 demo, you can see that access controls are automatically created for the defined roles. B is correct.

C: "It is best practice to add at least one scoped role for the scoped application. (ADF book, ch 3.2). You have to add roles yourself, but can choose between creating new or assign existing roles.

D: The welcome screen will appear the first time the GAC is used (ADF book, ch 3.2)

upvoted 4 times

pazorische 1 year, 11 months ago

Selected Answer: C

C is right

upvoted 1 times

Question #133

Topic 1

What are the ways to designate data tables when using Guided Application Creator (GAC)? (Choose three.)

A. Upload an existing PDF

B. Create a new table on the platform **Most Voted**

C. Use a freeform database

D. Upload an existing spreadsheet **Most Voted**

E. Use an existing table on the platform **Most Voted**

F. Upload an existing word processing document

Correct Answer: BDE

Community vote distribution

BDE (100%)

Comments

YMijoe 1 year, 11 months ago

Selected Answer: BDE

I agree that 'Create a new table on the platform', 'Upload an existing spreadsheet'. and 'Use an existing table on the platform' are correct.
upvoted 1 times

cynfergon 2 years, 3 months ago

<https://docs.servicenow.com/bundle/washingtondc-application-development/page/build/guided-app-creator/task/gac-designate-data-table.html>
upvoted 2 times

Question #134

Topic 1

What is the Event Registry?

A. A Workflow which is launched every time an Event is generated; used to debug Events

B. The Event Log which lists all Events that have been generated

C. The method used in server side scripts to generate Events and pass parameters

D. A table containing a record for every Event known to the ServiceNow system which allows ServiceNow to react when Events are generated

Most Voted

Correct Answer: D

Community vote distribution

D (67%)

C (33%)

Comments

YMijoe 1 year, 11 months ago

Selected Answer: D

I agree that 'A table containing a record for every Event known to the ServiceNow system which allows ServiceNow to react when Events are generated' is correct.
upvoted 1 times

IAmShe 1 year, 12 months ago

Selected Answer: D

Since event registry is a table and it contains all the lists of the events that exist in the system.

upvoted 1 times

code_bajju 2 years, 2 months ago

Selected Answer: C

answer c

upvoted 1 times

Chanti1243 2 years, 3 months ago

Ans -D

A table containing a record for every Event known to the ServiceNow system which allows ServiceNow to react when Events are generated: True. The Event Registry maintains a comprehensive list of recognized events. Each event corresponds to a specific occurrence or action within the system

upvoted 2 times

cynfergon 2 years, 3 months ago

D is correct

upvoted 2 times

Question #135

Topic 1

Identify the ways an application can respond to an Event generated by the gs.eventQueue() method: (Choose two.)

A. Client Script

B. Email Notification **Most Voted**

C. Scheduled Script Execution (Scheduled Job)

D. Script Action **Most Voted**

E. UI Policy

Correct Answer: BD

Community vote distribution

BD (100%)

Comments

Zpika 1 year, 3 months ago

Selected Answer: BD

B and D are correct answers.

upvoted 1 times

Asiandelight 1 year, 8 months ago

B and D are correct answers.

upvoted 1 times

Question #136

Topic 1

Is it possible to change an application's scope?

A. No, it's not possible **Most Voted**

B. Yes, it's possible

- C. Yes, but only from global scope to private scope
- D. Yes, but only from private scope to global scope

Correct Answer: A

Community vote distribution

A (100%)

Comments

randyFarner **Highly Voted** 2 years, 1 month ago

Selected Answer: A

Per course documentation: It is not possible to change an application's scope once the record is saved to the database.

upvoted 7 times

Asiandelight **Most Recent** 1 year, 8 months ago

Yes, it is possible to change an application's scope in ServiceNow, although it's typically done by modifying the "sys_scope" field of a record through scripting or directly in the database, effectively assigning the record to a different application scope; this is not a simple UI-based change and requires careful consideration to avoid data inconsistencies.

upvoted 1 times

Asiandelight 1 year, 8 months ago

I think the answer is B

upvoted 1 times

RajaKR 1 year, 8 months ago

To convert your solution from a global scoped application to a unique scope, you will need to recreate your application and move the logic over manually

So Answer is A (No)

upvoted 1 times

51f8ce8 2 years ago

Selected Answer: A

Option A, no its not possible

upvoted 3 times

Question #137

Topic 1

Which of the following is true about g_scratchpad? (Choose two.)

A. Used to push information from the server to the client **Most Voted**

B. Does not exist on the mobile platform **Most Voted**

C. Has constructors and methods

D. Has default properties passed by client-side scripts

Correct Answer: AB

Community vote distribution

AB (62%)

AD (25%)

A (12%)

Comments

kerni08 **Highly Voted** 2 years, 3 months ago

Selected Answer: AB

The g_scratchpad object has no default properties, constructors or methods.

https://developer.servicenow.com/dev.do#!/learn/courses/washingtondc/app_store_learnv2_scripting_washingtondc_scripting_in_servicenow/app_store_learnv2_scripting_washingtondc_server_side_scripting/app_store_learnv2_scripting_washingtondc_controlling_when_business_rules_run
upvoted 5 times

al3xunder Most Recent 9 months, 4 weeks ago

Selected Answer: A

Only A is Correct, In the past, statement B ("Does not exist on the mobile platform") was also true, which is why the question was originally created that way. However, g_scratchpad is now fully supported on the mobile platform, making statement B incorrect.

upvoted 1 times

CodingAmo 2 years ago

AB for the reasons already cited.

upvoted 1 times

cynfergon 2 years, 3 months ago

Answer AB: CAD book.

The g_scratchpad object does not exist on the mobile platform.

upvoted 3 times

pazorische 2 years, 5 months ago

Selected Answer: AD

Answer is AD

upvoted 2 times

Question #138

Topic 1

Client-side scripts manage what?

- A. User access
- B. Database and backend
- C. Playbook access

D. Forms and Form Fields Most Voted

Correct Answer: D

Community vote distribution

D (100%)

Comments

Zpika 1 year, 3 months ago

Selected Answer: D

D is correct

upvoted 1 times

draken1107 1 year, 9 months ago

The answer is D

upvoted 1 times

Question #139

Topic 1

When debugging Email Notifications, what must you check on a user record? (Choose two.)

A. Active must be true. **Most Voted**

B. The Email field must have a valid value.

C. The user must not be locked out. **Most Voted**

D. The First name and Last name fields must have values.

E. Delegation must be enabled.

Correct Answer: AB

Community vote distribution

AC (67%)

AB (33%)

Comments

oswaldorusb 3 months ago

Selected Answer: AB

Option C cannot be correct, imagine the user has failed to enter the password correctly more than three times...then, probably, the system will lock out the user, and then, if is locked out and is not possible to send notifications to locked out users, how can the system inform the user to reset the password?

upvoted 1 times

RKServiceNow 1 year ago

Selected Answer: AC

As per this KBA, AC are also correct. The correct answers are ABC - https://support.servicenow.com/kb?id=kb_article_view&sysparm_article=KB0859406

upvoted 2 times

chrisRY 1 year, 7 months ago

This reinforces question 86 - It looks like they updated the question. Correct = AB

upvoted 1 times

chrisRY 1 year, 7 months ago

This reinforces question 86 - It looks like they updated the question. Correct = CD

upvoted 1 times

chrisRY 1 year, 7 months ago

Admins delete pls

upvoted 1 times

Question #140

Topic 1

When crafting a scoped application that contains flow actions, what is the application called?

A. Action

B. Spoke

C. Bundle

D. Flow

Correct Answer: B

Comments

Seb2014 1 year, 10 months ago

B - Spoke

upvoted 1 times

Question #141

Topic 1

Which are reasons an application could be developed on the ServiceNow platform? (Choose three.)

A. It needs workflow to manage processes. **Most Voted**

B. It requires reporting capabilities. **Most Voted**

C. It uses forms extensively to interact with data. **Most Voted**

D. It requires low-level programming libraries.

E. It uses multimedia features.

Correct Answer: ABC

Community vote distribution

ABC (100%)

Comments

YMijoe 1 year, 11 months ago

Selected Answer: ABC

I agree that 'It needs workflow to manage processes', 'It requires reporting capabilities', and 'It uses forms extensively to interact with data' are correct.

upvoted 1 times

Question #142

Topic 1

Once an application is ready to share, which of the following methods of publishing are supported by ServiceNow? (Choose three.)

A. Publish to an application repository

B. Publish to a local drive

C. Publish to the ServiceNow Store

D. Publish to an Update Set

E. Publish to a spreadsheet

F. Publish to a local USB device

Correct Answer: ACD

Community vote distribution

ACD (100%)

Comments

tenkawa10 1 year, 9 months ago

Selected Answer: ACD

Correct is ACD.

upvoted 2 times

DKey 1 year, 11 months ago

Correct is ACF

upvoted 1 times

Question #143

Topic 1

What is required to link a ServiceNow application to a Git repository? (Choose three.)

A. URI

B. ACL

C. Application name

D. Password **Most Voted**

E. User name **Most Voted**

F. URL **Most Voted**

Correct Answer: DEF

Community vote distribution

DEF (100%)

Comments

CodingAmo 2 years ago

From the CAD book: Configure the link: repository URL, user name, and password.

upvoted 2 times

Chanti1243 2 years, 3 months ago

A,D&E

Remember that options B (ACL), C (Application name), and F (URL) are not directly related to linking a ServiceNow application to a Git repository. Instead, focus on the URI, user name, and authentication credentials for successful integration.

upvoted 1 times

Benojojo 2 years, 4 months ago

Password, Username, URL - DEF is correct

upvoted 3 times

manikanta_gnbv 2 years, 4 months ago

Selected Answer: DEF

DEF is the correct answer

upvoted 3 times

MW1984 2 years, 4 months ago

Selected Answer: DEF

Repository URL, user name and password

upvoted 3 times

Question #144

Topic 1

What is the Endpoint when configuring a REST Message?

- A. The URI of the WebServer
- B. The command to the REST script to stop execution
- C. The URI of the data to be accessed, queried, or modified
- D. The provider response indicates there is no data to send back

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #145

Topic 1

Which client-side scripts apply to Record Producers? (Choose two.)

- A. Fix Scripts
- B. Catalog Client Scripts
- C. UI Scripts
- D. Catalog UI Policies
- E. Record Producer Policies

Correct Answer: BD

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #146

Topic 1

Which business requirements and process(es) should be documented as part of the application development plan? (Choose four.)

- A. Available licenses
- B. Business problem
- C. Process steps
- D. Users/stakeholders
- E. Database capacity
- F. Project schedule
- G. Data input/output

Correct Answer: BCDG

Community vote distribution

Comments

arango 1 year, 3 months ago

Selected Answer: BCDG

Just remember here. It's talking about business process
upvoted 2 times

Question #147

Topic 1

Which objects are used as part of the client-side scripting API? (Choose two.)

- A. gs
- B. current ana previous
- C. g_user
- D. workflow.scratchpad
- E. g_form

Correct Answer: CE

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #148

Topic 1

When creating application tables, a user role is automatically added to the table record. Which other role does an application typically have?

- A. Application Super User
- B. Application Fulfiller
- C. Application Admin
- D. Application Manager

Correct Answer: C

Community vote distribution

C (100%)

Comments

9b323a3 1 year, 6 months ago

Selected Answer: C

Every application will have a custom admin
upvoted 2 times

Which determines the relationships between field in an Import Set table to field in an existing ServiceNow table?

- A. Data Sources
- B. Schema Map Relationship Builder
- C. Business Service Management Map
- D. Transform Map

Correct Answer: D

Comments

Currently there are no comments in this discussion, be the first to comment!

What data types of Flow Designer variables are supported to store record data and complex data? (Choose three.)

- A. Label data type
- B. Integer **Most Voted**
- C. Array.Reference
- D. Choice **Most Voted**
- E. String **Most Voted**

Correct Answer: BDE

Community vote distribution

BDE (100%)

Comments

esllin 1 year, 1 month ago

Selected Answer: BDE

Array.Reference is not exist
upvoted 1 times

salmakhairat 1 year, 9 months ago

Selected Answer: BDE

<https://docs.servicenow.com/bundle/washingtondc-build-workflows/page/administer/flow-designer/reference/action-inputs-outputs.html>
upvoted 2 times

562ae40 1 year, 9 months ago

It's BDE
upvoted 2 times

mastermoua 1 year, 11 months ago

Selected Answer: BDE

BDE
<https://docs.servicenow.com/bundle/washingtondc-build-workflows/page/administer/flow-designer/reference/action-inputs-outputs.html>

upvoted 4 times

Question #151

Topic 1

What are the features of Flow Designer? (Choose three.)

- A. Add stages to a flow. **Most Voted**
- B. Call a flow from another flow or subflow.
- C. Test a flow using the "Run as" feature. **Most Voted**
- D. Support Java Scripting code to test conditions that trigger the flow.
- E. Run a flow from a Catalog item. **Most Voted**
- F. Perform form field data validation at client side.

Correct Answer: ACE

Community vote distribution

ACE (100%)

Comments

rikhipitheni 1 year, 11 months ago

Selected Answer: ACE

The correct answer: ACE

upvoted 1 times

johnvp 2 years ago

Selected Answer: ACE

ACE is correct

upvoted 2 times

Ehsan8483 2 years, 1 month ago

ACE is correct. You cant call a flow from another flow. You can only call a subflow from a flow

upvoted 2 times

ch_usman312 2 years, 3 months ago

ACE is correct

upvoted 2 times

pazorische 2 years, 5 months ago

Selected Answer: ACE

ACE is correct

upvoted 1 times

mastermoua 2 years, 5 months ago

Selected Answer: ACE

ACE, you can add stages to a flow, test the flow with the run as functionality, and associate a flow to run for a catalog item

upvoted 2 times

Question #152

Topic 1

How is access to Application Menus and Modules controlled?

- A. Access Control
- B. Client Scripts
- C. Roles **Most Voted**
- D. Application Rules

Correct Answer: C

Community vote distribution

C (100%)

Comments

unihoc88 1 year, 2 months ago

Selected Answer: C

Answer C

upvoted 1 times

Question #153

Topic 1

What is the ServiceNow App Repository?

- A. A Request table
- B. A database containing ServiceNow apps **Most Voted**
- C. A collection of files in a Git database
- D. Another name for update sets

Correct Answer: B

Community vote distribution

B (100%)

Comments

esllin 1 year, 1 month ago

Selected Answer: B

<https://www.servicenow.com/docs/ja-JP/bundle/yokohama-application-development/page/build/applications/concept/app-repo.html>

upvoted 1 times

Question #154

Topic 1

What happens to the List view when a new field is added to an existing table?

- A. The new field is added at the start of the List
- B. The new field is added at the end of the List
- C. The new field is not added to the List view **Most Voted**

D. A List View is created with the new Field

Correct Answer: C

Community vote distribution

C (100%)

Comments

Felax 10 months, 1 week ago

Selected Answer: C

Existing tables have defined list views that will not automatically update when a field is added to the table
upvoted 1 times

kilkot 10 months, 2 weeks ago

Selected Answer: C

Tested in my PDI.
upvoted 1 times

Question #155

Topic 1

Exportitem table is extended from Item Table with the additional column of ItemCountry added. The Item table contains the columns ItemName and ItemQty.

Which fields are available in the ExportItem Table?

A. Only ItemCountry

B. ItemName, ItemQty, and ItemCountry

C. ItemCountry, Number

D. Only ItemName, ItemQty

Correct Answer: B

Community vote distribution

B (100%)

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #156

Topic 1

What data types of Flow Variables are supported to store record data? (Choose three.)

A. Choice

B. Date

C. Array **Most Voted**

D. Integer **Most Voted**

E. String **Most Voted**

Correct Answer: CDE

Community vote distribution

CDE (100%)

Comments

blade827 **Highly Voted** 1 year, 1 month ago

Selected Answer: CDE

In ServiceNow Flow Designer, Flow Variables can store various data types, including record data. Of the options given, the three supported data type that can be used to store record data are:

- Array (array)
- Integer (integer)
- String (string)

These types are available when creating flow variables and allow you to store and pass values between steps within a flow
upvoted 5 times

Question #157

Topic 1

Which of the following objects does a Before Business Rule have access to in a script?

- A. current
- B. previous
- C. GlideRecord
- D. All of the above

Correct Answer: D

Community vote distribution

D (67%)

A (33%)

Comments

oswaldorusb 6 months ago

Selected Answer: D

A business Rules has access to previous, current and GlideRecord since it runs on server's side.
upvoted 2 times

Question #158

Topic 1

Which options are strategies for debugging client-side scripts? (Choose two.)

A. g_form.addInfoMessage() **Most Voted**

B. gs.addErrorMessage()

C. gs.log()

D. jslog() **Most Voted**

Correct Answer: AD

Community vote distribution

AD (100%)

Comments

kilkot 10 months, 2 weeks ago

Selected Answer: AD

These are client-side debugging strategies.

g_form.addInfoMessage() shows a message on the form (client-side).

jslog() writes to the browser console.

upvoted 1 times

Question #159

Topic 1

In a privately-scoped application, which methods are used for logging messages in server-side scripts? (Choose two.)

A. gs.logError()

B. gs.log()

C. gs.debug() **Most Voted**

D. gs.info() **Most Voted**

E. gs.error()

Correct Answer: CD

Community vote distribution

CD (100%)

Comments

unihoc88 **Highly Voted** 1 year, 2 months ago

Selected Answer: CD

CDE are correct. see <https://www.servicenow.com/community/itsm-forum/server-side-script/m-p/2776438>

upvoted 5 times

kilkot **Most Recent** 10 months, 2 weeks ago

Selected Answer: CD

In a privately-scoped application, you should use gs.debug() and gs.info() for server-side logging.

gs.debug() used for debug-level messages.

gs.info() used for informational messages.

gs.error() is also valid but not part of the scoped-only exam question focus..

gs.log() is not available in scoped apps.

gs.logError() doesn't exist.

upvoted 1 times

bertis2311154 1 year, 1 month ago

Selected Answer: CD

CDE are all available in scoped applications. gs.log() is global scope only. gs.logError() does not exist

upvoted 2 times

PurushothamanD 1 year, 2 months ago

Selected Answer: CD

CDE all are correct answers.

GlideSystem debugging methods: `gs.info()`, `gs.error()`, `gs.warn()`, `gs.debug()` and `gs.log()`

Also the below sends debugging information to the top of the form

1. `gs.addInfoMessage()`
2. `gs.addErrorMessage()`

FYI: `gs.log()` is only used in global scope and cannot be used for a privately scoped application.

upvoted 4 times

Question #160

Topic 1

When creating an application through the Guided Application Creator, what are the options for creating a table? (Choose three.)

- A. Run import jobs
- B. Use API calls
- C. Create a table from a template

D. Create a table from scratch **Most Voted**

E. Link to external tables

F. Extend a table **Most Voted**

G. Upload a spreadsheet **Most Voted**

Correct Answer: DFG

Community vote distribution

DFG (100%)

Comments

snjegovic 1 year ago

Selected Answer: DFG

Correct Answers are DFG. Create a table from a template is not an option.

upvoted 1 times

unihoc88 1 year, 2 months ago

Selected Answer: DFG

Correct Answers are DFG

upvoted 4 times

Question #161

Topic 1

Which one of the following database operations can be controlled with Application Access? (Choose two.)

A. Query

B. Update **Most Voted**

C. Create **Most Voted**

D. Delete

Correct Answer: BC

Community vote distribution

BC (100%)

Comments

unihoc88 Highly Voted 1 year, 2 months ago

Selected Answer: BC

BCD are correct:

https://developer.servicenow.com/dev.do#!/learn/learning-plans/xanadu/new_to_servicenow/app_store_learnv2_securingsapps_xanadu_application_access

upvoted 8 times

Question #162

Topic 1

Which is an example of when an application might use a Scheduled Script Execution (Scheduled Job)?

A. The application needs to run a client-side script at the same time every day.

B. The application needs to query the database every day to look for unassigned records. Most Voted

C. To display a custom welcome message when a user logs in.

D. To validate form input fields before a record is submitted.

Correct Answer: B

Community vote distribution

B (100%)

Comments

sruthinarahari16 10 months ago

Selected Answer: B

Answer is definitely B.

upvoted 1 times

Felax 10 months, 1 week ago

Selected Answer: B

Answer is definitely B. Use scheduled jobs perform server side actions on a schedule

Does not run client side logic

Does not impact the welcome message

Does not run on form submission

upvoted 1 times

Question #163

Topic 1

What field type would you select if you want to query records from another table on a form?

- A. Use the Date field type.
- B. Use the Phone Number field type.
- C. Use the String field type.

D. Use the Reference field type. **Most Voted**

Correct Answer: D

Community vote distribution

D (100%)

Comments

Felax 10 months, 1 week ago

Selected Answer: D

Reference fields allow you to select data from another table on a form
upvoted 3 times

Question #164

Topic 1

What functionality is supported by Flow Designer?

- A. The role flow_operator can create and edit flows.
- B. Flows can be "Run as" security admin.
- C. Call a subflow from a flow.
- D. Flows can trigger off a record being deleted.

Correct Answer: C

Community vote distribution

C (100%)

Comments

oswaldorusb 6 months ago

Selected Answer: C

C is the right Answer.

A is wrong. To create and edit Flows the roles is flow_designer

B is wrong. Flows can be "Run as" -System User- or -User who initiates session-

D is wrong. Flows cannot trigger on record deletion natively; triggers are generally create, update, or schedule-based.

upvoted 1 times

Question #165

Topic 1

What is a characteristic of Modules?

- A. Every Module must be associated with a table.

B. Access to Modules is not controlled with roles.

C. Every Module must be part of an Application Menu.

D. Modules cannot open forms or lists.

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #166

Topic 1

Which method can be used to install an application on a ServiceNow instance? (Choose three.)

A. Install from the Google Play Store.

B. Download from Stack Overflow.

C. Download and install a third-party application from the ServiceNow Store.

D. Use the "Install" button on the application record.

E. Install an application from the Application Repository.

F. Import an application from an XML file.

Correct Answer: CEF

Community vote distribution

CEF (100%)

Comments

KostasA 1 year ago

Selected Answer: CEF

CEF is correct.

upvoted 1 times

Question #167

Topic 1

Which one of the following is the correct Link Type to select when creating a module which opens the Record Producer UI for a user rather than the ServiceNow form UI?

A. URL (from Arguments:)

B. Content Page

C. Script (from Arguments:)

D. HTML (from Arguments:)

Correct Answer: A

Community vote distribution

A (100%)

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #168

Topic 1

Which are valid caller access field options? (Choose three.)

A. Caller Tracking **Most Voted**

B. Accessible from

C. None **Most Voted**

D. Allow Configuration

E. Caller Restriction **Most Voted**

F. Caller Permission

Correct Answer: ACE

Community vote distribution

ACE (100%)

Comments

bertis2311154 1 year, 2 months ago

Selected Answer: ACE

ACE are the Caller Access options available for an app
upvoted 2 times

PurushothamanD 1 year, 2 months ago

Selected Answer: ACE

Check in the Caller Access, within Application Access when creating a table in Studio.
upvoted 2 times

arango 1 year, 3 months ago

Selected Answer: ACE

this is the correct answer
upvoted 2 times

Question #169

Topic 1

Which items are valid UI Action types in ServiceNow? (Choose three.)

A. List banner button

B. Form button

C. Record navigation button

D. List choice

E. Form choice

F. Workflow action

Correct Answer: ABD

Community vote distribution

ABD (100%)

Comments

KostasA 1 year ago

Selected Answer: ABD

- A. Appears in the banner of a list view
 - B. Appears at the top or bottom of a record form.
 - D. Appears as an option in the list context menu.
- upvoted 2 times

Question #170

Topic 1

What occurs when an existing table is extended in ServiceNow?

- A. The parent table's Access Controls are ignored when determining access to the new table's records and fields.
- B. The new table does not inherit any of the fields from the parent table.
- C. You must script and configure all required behaviors.
- D. The new table inherits the functionality built into the parent table.

Correct Answer: D

Community vote distribution

D (100%)

Comments

SDJoel 4 months, 3 weeks ago

Selected Answer: D

<https://www.servicenow.com/docs/r/washingtondc/application-development/table-administration-and-data-management/table-relationships.html>
upvoted 1 times

KostasA 1 year ago

Selected Answer: D

The new (child) table inherits all fields, business rules, UI policies, client scripts, and other behaviors from the parent table.
upvoted 2 times

Question #171

Topic 1

An application called My App has a table, MyAppTable, with this Application Access configuration:

Accessible from: All application scopes

Can read: Selected -

Can delete: Not selected -

Allow configuration: Selected -

Which of the following is true based on this configuration?

- A. An application developer working in another privately scoped application can write a Business Rule for the MyAppTable table which successfully deletes all records from the MyAppTable table
- B. An application developer working in the My App scope can write a Business Rule for the MyAppTable table which successfully deletes all records from the MyAppTable table
- C. Any Application developer can write a Business Rule which successfully deletes all records from the MyAppTable
- D. No Business Rule can be written which successfully deletes all records from the MyAppTable table

Correct Answer: B

Community vote distribution

B (100%)

Comments

KostasA 1 year ago

Selected Answer: B

Developers within the same application scope (My App) have full control, including delete operations. They can write Business Rules to delete records because deleting within the same scope is allowed.

upvoted 1 times

Question #172

Topic 1

Which one of the following is true about client-side scripted security?

- A. Client-side scripts have access to both the GlideSystem (gs) and GlideUser (g_user) methods
- B. Client-side scripts have access to the GlideUser (g_user) methods
- C. Client-side scripts have no access to user methods
- D. Client-side scripts have access to the GlideSystem (gs) user methods

Correct Answer: B

Community vote distribution

B (100%)

Comments

f9ad21c 4 months, 1 week ago

Selected Answer: B

GlideUser methods and properties are accessed through a global object (g_user) that is _only_ available in client scripts.

Source: https://www.servicenow.com/docs/r/api-reference/c_GlideUserAPI.html

upvoted 1 times

SDJoel 4 months, 3 weeks ago

Selected Answer: B

https://www.servicenow.com/docs/r/api-reference/c_GlideUserAPI.html

upvoted 1 times

Question #173

Topic 1

How can Administrators expand the list of supported file types for code search in ServiceNow Studio?

- A. By modifying the default code search table
- B. By configuring metadata synchronization settings
- C. By creating a new code search group **Most Voted**
- D. By adding new file types to a custom search group

Correct Answer: C

Community vote distribution

C (100%)

Comments

Bartosz98 3 months, 1 week ago

Selected Answer: C

answer C

upvoted 2 times

SDJoel 4 months, 3 weeks ago

Selected Answer: C

<https://www.servicenow.com/docs/r/xanadu/application-development/sn-studio-file-types.html>

upvoted 2 times

175f16f 7 months ago

Selected Answer: C

- C. By creating a new code search group

upvoted 1 times

Question #174

Topic 1

What happens if a record producer script aborts the record generation process in ServiceNow?

- A. Record creation displays an error message to the user
- B. Record is not generated in the Item Produced Record table

- C. Record creation is redirected to a confirmation page
- D. Record creation terminates without notifying the user

Correct Answer: A

Community vote distribution

B (60%)

D (40%)

Comments

SDJoel 4 months, 3 weeks ago

Selected Answer: B

If the record producer script aborts the record generation, no record is generated in the Item Produced Record [sc_item_produced_record] table.

https://www.servicenow.com/docs/r/servicenow-platform/service-catalog/c_RecordProducer.html

upvoted 3 times

175f16f 7 months ago

Selected Answer: D

- D. Record creation terminates without notifying the user

upvoted 2 times

Question #175

Topic 1

What is a function of an update set in ServiceNow Studio?

- A. To track and monitor system performance metrics
- B. To create new custom applications
- C. To manage configurations directly in a production environment
- D. To group configuration changes for transfer between instances

Correct Answer: D

Community vote distribution

D (100%)

Comments

SDJoel 4 months, 3 weeks ago

Selected Answer: D

An update set is a group of configuration changes that can be moved from one instance to another.

<https://www.servicenow.com/docs/r/application-development/servicenow-studio/working-with-update-sets-in-servicenow-studio.html>

upvoted 1 times

175f16f 7 months ago

Selected Answer: D

- D. To group configuration changes for transfer between instances

upvoted 1 times

Question #176

Topic 1

How can an application respond to an Event triggered by the `gs.eventQueue()` method? (Choose two.)

- A. Client Script
- B. UI Policy
- C. Script Action
- D. Scheduled Script Execution (Scheduled Job)
- E. Email Notification

Correct Answer: CE

Community vote distribution

CE (100%)

Comments

f9ad21c 4 months, 1 week ago

Selected Answer: CE

<https://www.servicenow.com/community/developer-forum/question/m-p/2959536>

upvoted 1 times

Question #177

Topic 1

What is a scoped application that contains Flow Designer actions tailored for a specific application or record type?

- A. Bundle
- B. Flow
- C. Spoke
- D. Action

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #178

Topic 1

What is a reason for building a custom application? (Choose two.)

- A. To avoid using application repository
- B. To replace ServiceNow base tables
- C. To create a custom integration for a 3rd party system

D. To fulfill a specific use case on internal processes

Correct Answer: CD

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #179

Topic 1

What can a developer do with REST API Explorer? (Choose two.)

- A. Practice using REST to interact with public data providers
- B. Convert REST Message functions to REST methods
- C. Find resources on the web for learning about REST
- D. Create sample code for sending REST requests to ServiceNow
- E. Test API endpoints on ServiceNow

Correct Answer: DE

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #180

Topic 1

Which table in ServiceNow stores the details of customizations included in an update set?

- A. Customer Update [sys_update_xml]
- B. System Properties [sys_properties]
- C. Application Registry [sys_app]
- D. Update Set [sys_update_set]

Correct Answer: A

Community vote distribution

A (100%)

Comments

SDJoel 4 months, 3 weeks ago

Selected Answer: A

The Customer Update [sys_update_xml] table contains one record per customized object.

<https://www.servicenow.com/docs/r/application-development/system-update-sets/view-customer-update-records.html>

upvoted 1 times

175f16f 7 months ago

Selected Answer: A

- A. Customer Update [sys_update_xml]
upvoted 1 times

Question #181

Topic 1

What is the default module name when a new application table is created?

- A. X_' prefixed to the application name
- B. Plural form of the application name
- C. Same name as the application name
- D. 'U_' prefixed to the application name

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #182

Topic 1

Which feature can be used to add instructions to a form?

- A. A Context Menu UI Action for instructions
- B. Annotations for form instructions
- C. Related links to documentation pages
- D. A populated read-only information field

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #183

Topic 1

What is displayed to delegated developers to package changes for deployment in ServiceNow Studio?

- A. Tools tab
- B. Export to XML
- C. Publish Button **Most Voted**
- D. Update Set Picker

Correct Answer: C

Community vote distribution

C (100%)

Comments

SDJoel 4 months, 3 weeks ago

Selected Answer: C

Package changes for deployment using the Publish button in any app.

<https://www.servicenow.com/docs/r/application-development/servicenow-studio/working-with-update-sets-in-servicenow-studio.html>
upvoted 2 times

skibumvermont 6 months, 4 weeks ago

Selected Answer: C

While the Update Set Picker exists in the ServiceNow platform header, it is used for selecting an active update set rather than the final action of packaging an application for deployment.

Publish Button (Choice C): This is the dedicated interface in Studio used to package and send application changes to the Application Repository or to a Local Update Set.

Update Set Picker (Choice D): This is primarily a platform tool to switch the current capturing context. Delegated developers are often restricted from creating new update sets unless specifically authorized, and the standard workflow for scoped applications in Studio favors the Publish action.

Working with update sets in ServiceNow Studio

<https://www.servicenow.com/docs/bundle/zurich-application-development/page/build/servicenow-studio/concept/working-with-update-sets-in-servicenow-studio.html>
upvoted 3 times

Question #184

Topic 1

What does Application Scoping provide? (Choose two.)

- A. A method to track users involved in developing the application.
- B. A namespace (prefix and scope name) to prevent cross-application name collisions.
- C. A means to control which roles can view the application and its related modules.
- D. A means to control how scripts from other scopes can alter tables in a scoped application.

Correct Answer: BD

Community vote distribution

BD (100%)

Comments

f9ad21c 4 months, 1 week ago

Selected Answer: BD

The application scope _prevents naming conflicts_ and allows the contextual development environment to _determine what changes, if any, are permitted_.

Question #185

Topic 1

Why are application files important? (Choose two.)

A. They store user credentials for the application.

B. They define the app logic and behavior.

C. They restrict access to the application.

D. They monitor app performance metrics.

Correct Answer: BC

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #186

Topic 1

What happens when an existing table is extended? (Choose two.)

A. All required behavior must be newly scripted and configured from the new table.

B. Specific fields from the parent table can be selected to be inherited.

C. Parent table Access Controls are also evaluated while determining access for the new table.

D. The new table inherits the functionality built into the parent table.

E. The new table inherits all the fields from the parent table.

F. Dictionary entries for the new table also include records for fields from the parent table.

Correct Answer: CE

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #187

Topic 1

When can the value "Protected" be leveraged in a Protected Policy for a Script Include?

- A. A user with the admin role enables the Policy option
- B. The glide.app.apply_protection system property is set to "True"
- C. The application is downloaded from the ServiceNow App Store
- D. A user with the protected_edit role edits the Script Include

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #188

Topic 1

When configuring a REST Message, what syntax indicates passing a variable during a function call?

- A. \${variable_name}
- B. < variable_name >
- C. current.variable_name
- D. < variable_name >.do?WSDL

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #189

Topic 1

What does the "Read-only" protection policy for Script Includes allow in a custom application?

- A. Application developers can customize the Script Include.
- B. Only administrators can delete the Script Include.
- C. Application developers can view the script logic but not change it.
- D. Only administrators can edit the Script Include.

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Which Client-side scoped API class can be used as a replacement for GlideRecord?

- A. GlideElement
- B. GlideDialogWindow
- C. GlideAjax
- D. GlideForm

Correct Answer: C

Community vote distribution

C (100%)

Comments

f9ad21c 4 months, 1 week ago

Selected Answer: C

The GlideAjax class enables a client script to _call server-side code_ in a script include.

Source: https://www.servicenow.com/docs/r/api-reference/c_GlideAjaxAPI.html

upvoted 1 times

SDJoel 4 months, 3 weeks ago

Selected Answer: C

The client-side GlideRecord API is not supported in scoped applications. Instead, create a script include and use the GlideAJAX API, or use the REST APIs.

https://www.servicenow.com/docs/r/xanadu/api-reference/c_GlideRecordClientSideAPI.html

upvoted 1 times

What Link type creates a module that opens a Record Producer UI instead of a Form UI?

- A. URL (from Arguments:)
- B. Content Page
- C. Script (from Arguments:)
- D. HTML (from Arguments:)

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

An app developer wants to review the scripts, reports, and other application artifacts included in a published app. What steps are taken to review those items?

- A. Enter the name of the Application in the Global search field
- B. Open the list of Update Sets for the instance
- C. Examine the Application Files Related List in the application to be published
- D. Open the artifact records individually to verify the value in the Application field

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #193

Topic 1

What is a benefit of creating an Application Properties page for each application?

- A. Developers or admins can adjust behavior without altering artifacts
- B. Acts as a central landing page for the application
- C. Developers can override inherited application properties
- D. Users can modify the appearance of the application

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #194

Topic 1

Where can an application be published once it is ready to share in ServiceNow? (Choose three.)

- A. Publish to the ServiceNow Store
- B. Publish to an Update Set
- C. Publish to a local drive
- D. Publish to a spreadsheet
- E. Publish to an application repository
- F. Publish to a local USB device

Correct Answer: ABE

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #195

Topic 1

What does the "enforcing" option in Runtime access tracking settings do?

- A. Logs access requests to cross-scope resources and requires an administrator to authorize each request.
- B. Blocks all access requests to cross scope resources.
- C. Authorizes all access requests to cross scope resources without logging there.
- D. Logs and authorizes all access requests to cross-scope resources automatically.

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #196

Topic 1

This script fragment is executed in an application

```
g user.hasRole('x my app user');
```

What is the logical evaluation of this script fragment?

- A. Method returns "False" if the currently logged in user has the x_my_app_user role only
- B. Method returns "True" if the currently logged in user has the x_my_app_user role only
- C. Method returns "True " if the currently logged in user has the x_my_app_user or the admin roles
- D. Method returns "False" if the currently logged in user has admin in role

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #197

Topic 1

An app developer enables the 'Allow access to this table via web services' option in Application Access.

What is the result of this configuration?

- A. Users are allowed to write table records but restricts delete via web services.
- B. Developers from other application scope can write scripts for this table.
- C. A user having correct permissions, querying via v/eh services can access table records.
- D. Users querying via web services can access table records, regardless of permissions.

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #198

Topic 1

Where can GlideUser (g.user) methods be utilized within ServiceNow?

- A. Client Scripts and UI Policies only
- B. Business Rules only
- C. Client Scripts, UI Policies, and UI Actions
- D. Business Rules, and Scripts Includes

Correct Answer: C

Community vote distribution

C (100%)

Comments

HansiHinterseer 2 months, 1 week ago

Selected Answer: C

"C" GlideUser is client side. although "g.user" is a typo it should be "g_user".
upvoted 2 times

Question #199

Topic 1

Which scenario will a Scheduled Script execution (Scheduled Job) be implemented?

- A. The application executes a client-side script daily at the same time.
- B. The application displays a custom welcome message when a user logs in.

C. The application queries the database daily to check unassigned records.

D. The application validates form input fields before a record is submitted.

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #200

Topic 1

How does ServiceNow match inbound email to existing records?

A. Watermark

B. Record link

C. Subject line with record number

D. sys_id

Correct Answer: A

Community vote distribution

AC (100%)

Comments

unicorn3 6 months ago

Selected Answer: AC

https://www.servicenow.com/docs/bundle/yokohama-platform-administration/page/administer/notification/concept/c_InboundEmailActions.html
upvoted 1 times

Question #201

Topic 1

What is a limitation when using record producers in ServiceNow?

A. Record producers cannot redirect users after record creation

B. Record producers cannot be used for tables in the same scope

C. Record producers should not be used to create requested item records

D. Record producers must always call the update method on the current record

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

What is the ServiceNow Application Repository?

- A. A database containing custom ServiceNow applications
- B. A database for tracking user permissions
- C. A database of ServiceNow provided applications
- D. A database for logging application errors

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

Which Automated Test Framework (ATF) test step is used to set up a specific user profile?

- A. Create a group
- B. Create a user **Most Voted**
- C. Impersonation
- D. Create a role

Correct Answer: C

Community vote distribution

B (100%)

Comments

847bd87 2 months, 1 week ago

Selected Answer: B

answer is B

upvoted 1 times

HansiHinterseer 2 months, 1 week ago

Selected Answer: B

"B. Create a user" according to best practices:

"Impersonate first – Typically, the first test step of every test impersonates the appropriate user to perform the work. To impersonate a user, use the Create a User test step to create a user with specified roles and groups for the test. The user record gets rolled back after the test completes."

<https://www.servicenow.com/content/dam/servicenow-assets/public/en-us/doc-type/success/quick-answer/automated-test-framework-best-practices.pdf>

upvoted 1 times

A developer wants to set up an application module that allows inserting new records into a table.

Which configuration option achieves this?

- A. Link type
- B. Filter
- C. Application Menu
- D. Table

Correct Answer: A

Comments

Currently there are no comments in this discussion, be the first to comment!

In a privately-scoped application, which methods are used for logging messages in server-side scripts? (Choose two.)

- A. gs.logError()
- B. gs.debug() **Most Voted**
- C. gs.log()
- D. gs.error() **Most Voted**
- E. gs.message()

Correct Answer: AD

Community vote distribution

BD (100%)

Comments

HansiHinterseer 2 months, 1 week ago

Selected Answer: BD

"gs.logError()" & "gs.log()" only works in global scope NOT privately-scoped applications.
"gs.message()" does not exist. ("gs.getMessage()" does exist).

upvoted 2 times

What conditions need to evaluate to true for a user to pass an Access Control? (Choose three.)

- A. Scripts configured in the Access Control must evaluate to true.
- B. The user must be granted access through a business rule.
- C. Conditions configured in the Extending table Access Control must evaluate to true.
- D. Conditions configured in the Access Control must evaluate to true.
- E. Other matching Access Controls for the records evaluate to true.
- F. The user has one of the roles specified in the Required roles related list.

Correct Answer: ADF

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #207

Topic 1

Which database operations can be controlled with Application Access? (Choose two.)

- A. Update
- B. Create
- C. Query
- D. Execute

Correct Answer: AB

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #208

Topic 1

What is the primary purpose of an application scope?

- A. To allow one application to automatically update another's resources without restrictions
- B. To control the user interface design for an application
- C. To define the boundary that isolates an application's resources from others
- D. To manage the data storage and backup for applications

Correct Answer: C

Comments

Currently there are no comments in this discussion, be the first to comment!

Deleting a field from a table caused the field to be removed from multiple tables.

What type of field was deleted?

- A. Reference Field
- B. Inherited field
- C. Base System field
- D. Custom field

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

What can trigger a Flow in the Workflow Studio Flow Designer? (Choose three.)

- A. Outbound Email
- B. Creating or updating a record **Most Voted**
- C. Elevating to security_admin role
- D. An inbound API call **Most Voted**
- E. SLA definition **Most Voted**
- F. Logging in as a specific user

Correct Answer: ABD

Community vote distribution

BDE (100%)

Comments

HansiHinterseer 2 months, 1 week ago

Selected Answer: BDE

"A" is wrong. You can trigger for an inbound Email, NOT an outbound email.
upvoted 1 times

What are the available Link types that can be assigned to a module in ServiceNow?

A. List of Records, Content Page, Order, URL (from arguments:)

B. List of Records, Separator, Catalog Type, Roles

C. Assessment List of Records, Content Page, Roles

D. Assessment, List of Records, Separator, Timeline Page **Most Voted**

Correct Answer: A

Community vote distribution

D (100%)

Comments

oswaldorusb 3 months, 3 weeks ago

Selected Answer: D

Correct Answer is D:

Order is not a valid Link Type. Same with "roles", is not a valid Link Type.

Assessment, List of records, Separator and Timeline Page are all valid. Correct is D

upvoted 4 times

Question #212

Topic 1

Who can view a module when its roles field is empty?

A. Users with no attached roles on the user record

B. Users with the snc_internal role

C. User roles with access to the application menu

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #213

Topic 1

How does a user make additional changes to the update set once the update set has been marked complete?

A. Modify the completed update set directly

B. Delete the completed update set and start over

C. Revert the update set to "In progress" and add the changes

D. Create a new update set for the additional changes

Correct Answer: D

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #214

Topic 1

How does the weight field value affect sending multiple notifications for the same record and recipients?

- A. Notifications with the highest weight value are always skipped.
- B. Notifications with the lowest weight value are sent.
- C. Notifications with a weight value of zero are skipped.
- D. Notifications with the highest weight value are sent.

Correct Answer: D

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #215

Topic 1

Which permissions can Admins give Delegated Developers? (Choose two.)

- A. Delete a scoped application
- B. Develop or deploy Global Applications
- C. Define coalesce field during a table import
- D. Setup ACL for the application tables

Correct Answer: AD

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #216

Topic 1

What provides a graphical view of the relationships among tables in ServiceNow?

- A. Dependency view
- B. Schema map
- C. Map source report

D. Graphical User Interface

Correct Answer: B

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #217

Topic 1

What is a g_scratchpad object used for?

- A. Populate the properties for Display Business Rule
- B. Pass the data from server-side to client-side script on Mobile
- C. Define constructors and destructors for table class
- D. Pass the data from server-side to client-side script on Web

Correct Answer: D

Comments

Currently there are no comments in this discussion, be the first to comment!

Question #218

Topic 1

Which methods are used to activate application restricted caller access? (Choose two.)

- A. Enable the Cross-Scope Access Override feature in the application settings.
- B. Request the HR Service Delivery or Security Incident Response applications.
- C. Block all access requests to cross-scope resources.
- D. Activate the Scoped Application Restricted Caller Access plugin.

Correct Answer: BD

Community vote distribution

AD (100%)

Comments

LoloNtv 2 months, 3 weeks ago

Selected Answer: AD

It's definitivly A and D

upvoted 1 times

Which file type does ServiceNow Studio support for customizing system behavior through database actions?

- A. UI policies (sys_ui_policy)
- B. Client scripts (sys_script_client)
- C. Access control (sys_security_acl)
- D. Business rules (sys_script)

Correct Answer: D

Comments

Currently there are no comments in this discussion, be the first to comment!

淘宝/闲鱼: IT认证轻松过, 微信: Examtopics